

ISO 19133:2005-10 (E)

Geographic information - Location-based services - Tracking and navigation

| Contents | | Page |
|---|--|-------------|
| Foreword | | viii |
| Introduction | | ix |
| 1 | Scope | 1 |
| 2 | Conformance | 1 |
| 3 | Normative references | 2 |
| 4 | Terms and definitions | 2 |
| 5 | Abbreviated terms and UML notation | 6 |
| 5.1 | Abbreviated terms | 6 |
| 5.2 | UML notation | 6 |
| 6 | Tracking | 7 |
| 6.1 | Semantics | 7 |
| 6.2 | Package: Tracking Service | 7 |
| 6.3 | Package: Point Estimates | 21 |
| 6.4 | Package: Location Transformation | 26 |
| 6.5 | Package: Measured Coordinates | 27 |
| 6.6 | Package: Linear Reference Systems | 32 |
| 7 | Navigation | 39 |
| 7.1 | Semantics | 39 |
| 7.2 | Cost Functions and algorithms | 41 |
| 7.3 | Package: Navigation Service | 42 |
| 7.4 | Package: Cost Function | 55 |
| 7.5 | Package: Preferences | 68 |
| 8 | Address Model | 70 |
| 8.1 | Semantics | 70 |
| 8.2 | Package: Address | 70 |
| 8.3 | Package: Address Elements | 74 |
| 9 | Network | 85 |
| 9.1 | Semantics | 85 |
| 9.2 | Package: Network Model | 85 |
| 9.3 | Package: Turn and Junction | 89 |
| 9.4 | Package: Constraint and Advisory | 95 |
| 9.5 | Package: Link | 108 |
| 9.6 | Package: Network Position | 111 |
| 9.7 | Package: Route | 112 |
| 9.8 | Package: Combined Networks | 117 |
| 10 | Basic implementation packages | 120 |
| 10.1 | Package: Feature Data Model | 120 |
| 10.2 | Package: New Basic Types | 124 |
| Annex A (normative) Abstract test suite | | 127 |

| | |
|--|------------|
| Annex B (informative) Directed weighted graphs and their algorithms | 134 |
| Annex C (informative) View of Standard in terms of RM-ODP Services | 137 |
| Bibliography | 139 |
| Figures Figure 1 -- Tracking packages | 7 |
| Figure 2 -- Context Diagram: TK_Position | 8 |
| Figure 3 -- Context Diagram: TK_MobileSubscriber | 9 |
| Figure 4 -- Context Diagram: TK_TrackingLocation | 10 |
| Figure 5 -- Context Diagram: TK_TrackingService | 11 |
| Figure 6 -- Context Diagram: TK_PositionType | 12 |
| Figure 7 -- Context Diagram: TK_TrackingLocationSequence | 13 |
| Figure 8 -- Context Diagram: TK_Trigger | 14 |
| Figure 9 -- Context Diagram: TK_PeriodicTrigger | 15 |
| Figure 10 -- Context Diagram: TK_TransitionTrigger | 16 |
| Figure 11 -- Context Diagram: TK_TrackingLocationMetadata | 17 |
| Figure 12 -- Context Diagram: TK_Transition | 18 |
| Figure 13 -- Context Diagram: TK_QualityOfPosition | 19 |
| Figure 14 -- Context Diagram: TK_Accuracy | 20 |
| Figure 15 -- Context Diagram: TK_AccuracyStatement | 20 |
| Figure 16 -- Point Estimate classes | 21 |
| Figure 17 -- Geometric interpretations of point estimate types | 22 |
| Figure 18 -- Context Diagram: EG_PointEstimateCircle | 22 |
| Figure 19 -- Context Diagram: EG_PointEstimateEllipse | 23 |
| Figure 20 -- Context Diagram: EG_PointEstimateArc | 24 |
| Figure 21 -- Context Diagram: EG_PointEstimateSphere | 25 |
| Figure 22 -- Context Diagram: EG_PointEstimateEllipsoid | 26 |
| Figure 23 -- Context Diagram: LT_LocationTransformationService | 27 |
| Figure 24 -- Measure Position | 28 |
| Figure 25 -- Measured Coordinate Systems | 29 |
| Figure 26 -- Context Diagram: MC_MeasurePosition | 30 |
| Figure 27 -- Context Diagram: MC_CoordinateSystem | 30 |
| Figure 28 -- Context Diagram: MC_CoordinateReferenceSystem | 31 |

| | |
|---|----|
| Figure 29 -- LRS classes | 32 |
| Figure 30 -- Context Diagram: LR_PositionExpression | 33 |
| Figure 31 -- Context Diagram: LR_LinearReferenceMethod | 35 |
| Figure 32 -- Context Diagram: LR_OffsetDirection | 35 |
| Figure 33 -- Context Diagram: LR_ReferenceMarker | 36 |
| Figure 34 -- Context Diagram: LR_Feature | 37 |
| Figure 35 -- Context Diagram: LR_Element | 37 |
| Figure 36-- Context Diagram: LR_OffsetExpression | 38 |
| Figure 37 -- Navigation Packages | 39 |
| Figure 38 -- Example of route from one link position to another | 40 |
| Figure 39 -- Services | 42 |
| Figure 40 -- Context Diagram: NS_NavigationService | 43 |
| Figure 41 -- Context Diagram: NS_RouteRequest | 46 |
| Figure 42 -- Context Diagram: NS_Instruction | 48 |
| Figure 43 -- Context Diagram: NS_InstructionList | 49 |
| Figure 44 -- Context Diagram: NS_RouteResponse | 50 |
| Figure 45 -- Context Diagram: NS_CostedTurn | 51 |
| Figure 46 -- Context Diagram: NS_RenderingService | 51 |
| Figure 47 -- Context Diagram: NS_RenderingRequest | 52 |
| Figure 48 -- Context Diagram: NS_RenderingResponse | 53 |
| Figure 49 -- Context Diagram: NS_RenderingType | 53 |
| Figure 50 -- Context Diagram: NS_CostedLink | 54 |
| Figure 51 -- Context Diagram: NS_CostFunctionCode | 54 |
| Figure 52 -- Context Diagram: NS_RouteRequestType | 55 |
| Figure 53 -- Context Diagram: NS_CostFunction | 59 |
| Figure 54 -- Context Diagram: NS_CostElements | 59 |
| Figure 55 -- Context Diagram: NS_MonetaryCost | 60 |
| Figure 56 -- Context Diagram: NS_Tolls | 61 |
| Figure 57 -- Context Diagram: NS_Fares | 61 |
| Figure 58 -- Context Diagram: NS_Time | 62 |
| Figure 59 -- Context Diagram: NS_TravelTime | 62 |

| | |
|---|----|
| Figure 60 -- Context Diagram: NS_WaitingTime | 63 |
| Figure 61 -- Context Diagram: NS_Counts | 64 |
| Figure 62 -- Context Diagram: NS_NumberManeuvers | 64 |
| Figure 63 -- Context Diagram: NS_NumberTurns | 65 |
| Figure 64 -- Context Diagram: NS_NumberTransfers | 65 |
| Figure 65 -- Context Diagram: NS_Distance | 66 |
| Figure 66 -- Context Diagram: NS_WeightedCost | 67 |
| Figure 67 -- Context Diagram: NS_CostFunctionTerm | 68 |
| Figure 68 -- Context Diagram: NS_RoutePreferences | 68 |
| Figure 69 -- Context Diagram: NS_AvoidList | 69 |
| Figure 70 -- Leaf packages of the Address Model | 70 |
| Figure 71 -- Basic Address classes | 71 |
| Figure 72 -- Context Diagram: AD_Address | 72 |
| Figure 73 -- Context Diagram: AD_AbstractAddress | 72 |
| Figure 74 -- Context Diagram: AD_USAddress | 74 |
| Figure 75 -- Context Diagram: AD_AddressElement | 75 |
| Figure 76 -- Context Diagram: AD_Addressee | 76 |
| Figure 77 -- Context Diagram: AD_StreetIntersection | 76 |
| Figure 78 -- Context Diagram: AD_Street | 78 |
| Figure 79 -- Context Diagram: AD_PostalCode | 79 |
| Figure 80 -- Context Diagram: AD_StreetLocation | 79 |
| Figure 81 -- Context Diagram: AD_PhoneNumber | 80 |
| Figure 82 -- Context Diagram: AD_NamedPlace | 81 |
| Figure 83 -- Context Diagram: AD_StreetAddress | 82 |
| Figure 84 -- Context Diagram: AD_NamedPlaceClassification | 82 |
| Figure 85 -- Context Diagram: AD_Building | 83 |
| Figure 86 -- Context Diagram: AD_MuniQuadrant | 83 |
| Figure 87 -- Context Diagram: AD_RegionCode | 84 |
| Figure 88 -- Context Diagram: AD_NumberRange | 85 |
| Figure 89 -- Context Diagram: AD_ListNamedPlaces | 85 |
| Figure 90 -- Context Diagram: NT_Network | 86 |

| | |
|---|-----|
| Figure 91 -- Context Diagram: NT_WayPoint | 87 |
| Figure 92 -- Context Diagram: NT_WayPointList | 88 |
| Figure 93 -- Junction and turns | 89 |
| Figure 94 -- Context Diagram: NT_Turn | 92 |
| Figure 95 -- Context Diagram: NT_TurnDirection | 92 |
| Figure 96 -- Context Diagram: NT_Junction | 94 |
| Figure 97 -- Context Diagram: NT_JunctionType | 95 |
| Figure 98 -- Context Diagram: NT_AngularDirection | 95 |
| Figure 99 -- Context Diagram: NT_Constraint | 96 |
| Figure 100 -- Context Diagram: NT_VehicleConstraint | 98 |
| Figure 101 -- Context Diagram: NT_TemporalConstraint | 99 |
| Figure 102 -- Context Diagram: NT_LaneConstraint | 100 |
| Figure 103 -- Context Diagram: NT_Vehicle | 101 |
| Figure 104 -- Context Diagram: NT_Advisory | 102 |
| Figure 105 -- Context Diagram: NT_SpatialRelation | 103 |
| Figure 106 -- Context Diagram: NT_AdvisoryCategory | 104 |
| Figure 107 -- Context Diagram: NT_AdvisoryElement | 104 |
| Figure 108 -- Context Diagram: NT_ExitAssociation | 105 |
| Figure 109 -- Context Diagram: NT_AdvisoryDirection | 106 |
| Figure 110 -- Context Diagram: NT_AdvisoryDistance | 107 |
| Figure 111 -- Context Diagram: NT_AdvisorySpatialRelation | 107 |
| Figure 112 -- Context Diagram: NT_Link | 110 |
| Figure 113 -- Context Diagram: NT_RouteSegmentCategory | 110 |
| Figure 114 -- Context Diagram: NT_LinkPosition | 111 |
| Figure 115 -- Context Diagram: NT_NetworkPosition | 112 |
| Figure 116 -- Context Diagram: NT_Route | 114 |
| Figure 117 -- Context Diagram: NT_RouteSummary | 115 |
| Figure 118 -- Context Diagram: NT_Maneuver | 117 |
| Figure 119 -- Combined Networks | 117 |
| Figure 120 -- Context Diagram: NT_CombinedNetwork | 118 |
| Figure 121 -- Context Diagram: NT_TransferNode | 119 |

| | |
|--|------------|
| Figure 122 -- Context Diagram: NT_Transfer | 119 |
| Figure 123 -- Context Diagram: NT_TransferLink | 120 |
| Figure 124 -- Feature data classes | 120 |
| Figure 125 -- Context Diagram: FD_Feature | 121 |
| Figure 126 -- Context Diagram: FD_FeatureCollection | 122 |
| Figure 127 -- Context Diagram: FD_QueryFeatureCollection | 123 |
| Figure 128 -- Context Diagram: FD_FeatureName | 124 |
| Figure 129 -- Context Diagram: VoiceStream | 125 |
| Figure 130 -- Context Diagram: BinaryData | 125 |
| Figure 131 -- Context Diagram: Map | 126 |
| Figure 132 -- Context Diagram: Image | 126 |
| Figure C.1 -- Conceptual architecture equating mobile and non-mobile services | 137 |