

# DIN EN 1806:2006-10 (E)

## Chimneys - Clay/ceramic flue blocks for single wall chimneys - Requirements and test methods

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	7
4	Types of flue blocks .....	10
5	Materials .....	11
5.1	Flue blocks .....	11
5.2	Insulation .....	11
5.2.1	General .....	11
5.2.2	Shape .....	12
5.2.3	Thermal conductivity of insulation .....	12
5.2.4	Resistance to heat .....	12
6	Tolerances on dimensions .....	12
6.1	Internal transverse dimensions .....	12
6.2	Height .....	12
6.3	Angles .....	12
6.4	Straightness .....	12
6.5	Squareness of ends .....	12
6.6	Squareness of angles and flatness of walls .....	12
6.7	Joints .....	12
6.8	Bonding extension .....	13
6.9	Tolerance on insulation thickness .....	13
7	Proof load .....	13
7.1	Straight flue blocks .....	13
7.2	Angle flue blocks .....	13
7.3	Minimum load for inspection opening sections .....	13
7.4	Adhesion between outer wall and insulation .....	14
8	Gas tightness and thermal shock resistance .....	14
8.1	Straight flues blocks .....	14
8.1.1	General .....	14
8.1.2	Initial gas tightness .....	14
8.1.3	Thermal shock resistance .....	14
8.1.4	Final gas tightness after thermal shock testing .....	14
8.2	Angle flue blocks .....	14
9	Condensate resistance .....	15
10	Corrosion resistance .....	15
11	Water absorption and bulk density .....	15
11.1	General .....	15
11.2	Water absorption .....	15
11.3	Bulk density .....	15

12	Abrasion resistance .....	16
13	Flow resistance .....	16
14	Thermal resistance .....	16
15	Resistance to fire .....	16
15.1	Internal to external .....	16
15.1.1	Testing at normal operating conditions .....	16
15.1.2	Soot fire test .....	16
15.2	External to external .....	16
16	Resistance to freeze/thaw .....	16
17	Evaluation of conformity .....	17
17.1	General .....	17
17.2	Initial type testing .....	17
17.3	Further tests .....	17
17.4	Factory production control .....	17
18	Test methods .....	18
18.1	Internal transverse dimensions .....	18
18.2	Height .....	18
18.3	Angles .....	18
18.4	Straightness .....	18
18.5	Squareness of ends .....	19
18.5.1	Gauge test .....	19
18.5.2	Direct measurement test .....	20
18.6	Squareness of angles and flatness of walls .....	21
18.7	Proof load .....	22
18.7.1	Test sample .....	22
18.7.2	Testing equipment .....	22
18.7.3	Procedure .....	22
18.8	Thermal performance tests .....	23
18.8.1	Test equipment .....	23
18.8.2	Test flue .....	24
18.8.3	Procedure .....	25
18.8.4	Measurement of permeability rate .....	29
18.9	Corrosion resistance test .....	30
18.9.1	Test specimens .....	30
18.9.2	Test equipment .....	30
18.9.3	Procedure .....	30
18.9.4	Expression of results .....	31
18.10	Water absorption .....	31
18.10.1	Test specimen .....	31
18.10.2	Test equipment .....	31
18.10.3	Procedure .....	31
18.10.4	Expression of results .....	31
18.11	Bulk density .....	32
18.11.1	Test specimen .....	32
18.11.2	Test equipment .....	32
18.11.3	Procedure .....	32
18.11.4	Expression of results .....	32
18.12	Abrasion resistance .....	32
18.12.1	Test flue .....	32
18.12.2	Test equipment .....	33
18.12.3	Procedure .....	33
18.13	Condensate resistance test .....	35
18.13.1	Test section .....	35
18.13.2	Test apparatus .....	35
18.13.3	Procedure .....	35

18.13.4	Expression of results .....	35
18.14	Adhesion test for insulation attached to outer wall of flue blocks .....	36
18.14.1	Test specimen .....	36
18.14.2	Testing procedure .....	36
18.14.3	Loading .....	36
19	Designation .....	37
20	Marking, labelling and packaging .....	38
Annex A (normative) Measurement of the coefficient of friction of chimneys .....		39
Annex B (normative) Thermal resistance .....		41
B.1	Method 1 : simplified calculation for flue blocks without cavities .....	41
B.2	Method 2 : thermal resistance of flue blocks with or without cavities .....	41
B.2.1	General .....	41
B.2.2	Data .....	42
B.2.3	Specific conditions for the cavities .....	43
B.2.4	Calculations .....	46
B.3	Method Approximate thermal resistance values .....	46
Annex C (normative) Sampling procedures for an AQL of 10 % and Inspection Level S2 .....		47
C.1	Acceptability determination .....	47
C.1.1	General .....	47
C.1.2	Single sampling .....	47
C.1.3	Double sampling .....	47
C.2	Normal inspection .....	47
C.3	Normal to reduced inspection .....	49
C.4	Reduced to normal inspection .....	49
C.5	Tightened inspection .....	49
C.6	Tightened to normal inspection .....	50
C.7	Discontinuation of inspection .....	50
Annex ZA (informative) Clauses of this European Standard addressing the provisions of EU Construction Products Directives .....		51
ZA.1	Scope and relevant characteristics .....	51
ZA.2	Procedure of attestation of conformity of clay/ceramic flue blocks .....	54
ZA.2.1	System of attestation of conformity .....	54
ZA.2.2	EC certificate and declaration of conformity .....	54
ZA.3	CE Marking and labelling .....	55
Bibliography .....		59