

DIN V 18599-2:2007-02 (E)

Energy efficiency of buildings - Calculation of the net, final and primary energy demand for heating, cooling, ventilation, domestic hot water and lighting - Part 2: Net energy demand for heating and cooling of building zones

Contents		Page
Foreword		6
Introduction		8
1	Scope	9
2	Normative references	10
3	Terms and definitions, symbols and units	12
3.1	Terms and definitions	12
3.2	Symbols, units and subscripts	13
4.3	Determination of the energy use for various types of technical building systems 5	
	Monthly balance calculation method	21
5.1	Principle of balance calculation method	21
5.1.1	Balance boundaries and calculation period	21
5.1.2	Heat sources and heat sinks	21
5.1.3	Utilization of heat sources and heat sinks	22
5.1.4	Factors affecting the heat sources and heat sinks	22
5.2	Balance equations for calculating the energy needs of a building zone for heating and cooling	23
5.2.1	General	23
5.2.2	Balance equations for calculating the energy need for heating	23
5.2.3	Balance equations for calculating the energy need for cooling	24
5.2.4	Accounting for weekend and holiday-period operation	24
5.2.4.1	Balance of the energy need for heating	24
5.2.4.2	Balance of the energy need for cooling	25
5.2.5	Monthly values and annual values	25
5.3	Heat sinks	27
5.3.1	General	27
5.3.2	Transmission heat sinks	27
5.3.3	Ventilation heat sinks	28
5.3.4	Internal heat sinks	29
5.3.5	Heat sinks due to radiative heat transfer	30
5.3.6	Heat storage	30
5.4	Heat sources	30
5.4.1	General	30
5.4.2	Heat sources due to solar radiation	31
5.4.3	Transmission heat sources	32
5.4.4	Ventilation heat sources	33
5.4.5	Internal heat sources	34
5.5	Utilization of the heat sources	35
5.5.1	General	35
5.5.2	(Thermal) time constant of the building zone	36
5.5.3	Utilization factor	36
6	Determination of individual parameters for the monthly balance	36
6.1	Room temperature assumptions	36

6.1.1	Reference internal temperature for calculating the energy need for heating	38
6.1.1.1	Reduced heating at night	38
6.1.1.2	Reduced heating operation during weekends and holiday periods	39
6.1.1.3	Partial heating (spatially reduced heating operation)	40
6.1.1.4	Combination of partial heating and reduced heating	41
-- Prestandard -- 6.1.2 Reference internal temperature for cooling		41
6.1.3	Temperature of an adjacent unheated or uncooled zone	41
6.1.3.1	General	41
6.1.3.2	Approximate method using temperature correction factors to determine the mean temperatures in unheated zones	42
6.1.3.3	Detailed calculation of the temperature in an unheated or uncooled building zone	44
6.1.4	Temperature of an adjacent heated or cooled zone	45
6.2	Transmission heat sinks/heat sources	46
6.2.1	Direct transmission to the external environment	46
6.2.1.1	Calculation of the heat sinks and sources due to transmission to the external environment	46
6.2.1.2	Calculation of coefficients of heat transfer to the external environment (assuming a standard allowance for thermal bridges)	46
6.2.1.3	Calculation of coefficients of heat transfer to the external environment (using linear thermal transmittance)	47
6.2.2	Transmission through unheated or uncooled spaces to the external environment	47
6.2.3	Transmission to adjacent heated or cooled building zones	49
6.2.4	Transmission through the ground	50
6.3	Ventilation heat sinks/sources	50
6.3.1	Infiltration	50
6.3.1.1	Determination of the infiltration air change rate	51
6.3.1.2	Evaluation of infiltration of zones with mechanical ventilation systems	52
6.3.2	Window airing	53
6.3.2.1	Determination of air change rate due to window airing	54
6.3.2.2	Usage-dependent minimum air exchange with external air	57
6.3.3	Mechanical ventilation	57
6.3.3.1	Determination of the mean air change rate due to ventilation systems	58
6.3.3.2	Air change due to supply air from mechanical ventilation systems	59
6.3.3.3	Extract air change due to mechanical ventilation systems	60
6.3.3.4	Supply air temperature of mechanical ventilation	60
6.3.3.5	Note on the evaluation of ventilation systems with extract air and supply air heat exchangers for use in residential buildings	61
6.3.4	Ventilation in unheated or uncooled building zones	61
6.3.5	Air exchange between building zones	62
6.3.5.1	Supply air change rate from adjacent building zones	63
6.3.5.2	Extract air change rate into adjacent zones	64
6.4	Radiation heat sources and sinks	65
6.4.1	Heat sources due to solar radiation entering through transparent surfaces	65
6.4.2	Solar heat gains via opaque building elements	69
6.4.3	Solar heat gains via unheated or uncooled sunspaces (glazed annexes)	71
6.4.3.1	Direct solar heat gains in the building zone	72
6.4.3.2	Heat gains affecting the unheated or uncooled sunspace (glazed annex)	73
6.4.3.3	Calculation of balances for glass double façades	74
6.5	Internal heat sources and sources of cold	74
6.5.1	Internal heat sources in residential buildings	74
6.5.2	Heat sources due to persons	74
6.5.3	Heat sources and sinks due to machinery and equipment	75
6.5.4	Internal heat sources/heat sinks due to movement of materials	75
6.5.5	Heat sources due to artificial lighting	76
6.5.6	Heat sources and sinks due to heating, cooling, domestic hot water supply and ventilation systems	77
6.6	Taking into account stored heat between days of usage and non-usage	78
6.7	Utilization factors of heat sources	79
6.7.1	Effective heat capacity (thermal mass)	79
6.7.2	(Thermal) time constant	80
6.7.3	Utilization factor	81

6.7.4	Limits for the utilization factor	81
Annex A (normative) Shading factors and movable solar protection devices		83
-- Prestandard -- A.1 General		83
A.2	Correction factors for external shading	83
A.3	Evaluation of movable solar protection devices	89
Annex B (normative) Maximum heating power in the building zone		90
B.1	General	90
B.2	Calculation of the maximum heating power $Q_{h,max}$ for a design reference day (without mechanical ventilation)	90
B.3	Design conditions	91
B.4	Maximum heating power, taking into consideration a mechanical ventilation system	91
Annex C (normative) Maximum cooling power in the building zone		94
C.1	General	94
C.2	Calculation of the required maximum cooling power	94
C.3	Design conditions	95
C.4	Calculation of heat sources and sinks under design conditions	96
C.4.1	Heat transmission to the external environment	97
C.4.2	Heat transmission through the ground	97
C.4.3	Other transmission heat flows	98
C.4.4	Heat flows due to infiltration	98
C.4.5	Heat flows due to window airing	98
C.4.6	Heat flows due to supply air from a mechanical ventilation system	99
C.4.7	Heat flows due to air entering from adjacent zones	99
C.4.8	Solar heat gains via transparent building elements	99
C.4.9	Solar heat gains via opaque elements	99
C.4.10	Solar heat gains via building elements with transparent thermal insulation	100
C.4.11	Solar heat gains via unheated sunspaces (glazed annexes)	101
C.4.12	Internal heat sources and heat sinks	101
C.5	Cooling power required in a building zone equipped with a mechanical ventilation system	102
Annex D (normative) Calculation of monthly heating and cooling times		104
D.1	General	104
D.2	Monthly heating time	104
D.3	Monthly cooling time	105
Annex E (informative) Default values of volume flow of HVAC systems		107
E.1	General	107
E.2	Default values for the permissible volume flow	107
Bibliography		109
Figures Figure 3 -- Determination of the energy needs of a building zone for heating and cooling		22
Figure 4 -- Diagram representing the thermal quantities to be taken into consideration for sunspaces (glazed annexes)		72
Figure 5 -- Examples of two types of air-handling luminaire		76
Figure A.1 -- Horizon angle		83
Figure A.2 -- Overhang angle		85

Figure A.3 -- Lateral shading angle (fin angle)	87
Figure E.1 -- Relationship between the maximum cooling power and the permitted volume flow as a function of the type of air conditioning system	108
-- Prestandard -- Tables Table 1 -- Symbols and units	13
Table 2 -- Subscripts	15
Table 3 -- Temperature correction factors for various building elements	43
Table 4 -- n50 design values (default values for untested buildings)	52
Table 5 -- Default values for characteristics of glazing and solar protection devices	68
Table 6 -- Default values for solar radiation absorption coefficients of various surfaces for the energy- relevant part of the solar radiation spectrum	70
Table 7 -- Default values for lighting heat gain coefficients μ_L for air-handling luminaires	77
Table A.1 -- Partial shading correction factors F_h for various horizon angles and surface surface angles	84
Table A.2 -- Partial shading correction factors F_o for horizontal overhangs and various surface angles	86
Table A.3 -- Partial shading correction factors F_f for lateral shading	87
Table A.4 -- Parameter a for evaluating the effect of the activation of manually controlled or timer-controlled solar protection devices for various surface angles	89
Table A.5 -- Parameter a for evaluating the effect of activation of solar protection devices operated automatically in relation to solar radiation, for various surface angles	89