DIN V 18599-2:2007-02 (E)

Energy efficiency of buildings - Calculation of the net, final and primary energy demand for heating, cooling, ventilation, domestic hot water and lighting - Part 2: Net energy demand for heating and cooling of building zones

Contents

Page

Foreword 6

Introduction 8

1 Scope 9

2 Normative references 10

3 Terms and definitions, symbols and units 12
3.1 Terms and definitions 12
3.2 Symbols, units and subscripts 13

4.3 Determination of the energy use for various types of technical building systems 5 Monthly balance calculation method 21

5.1 Principle of balance calculation method 21
5.1.1 Balance boundaries and calculation period 21
5.1.2 Heat sources and heat sinks 21
5.1.3 Utilization of heat sources and heat sinks 22
5.1.4 Factors affecting the heat sources and heat sinks 22
5.2 Balance equations for calculating the energy needs of a building zone for heating and cooling 23
5.2.1 General 23
5.2.2 Balance equations for calculating the energy need for heating 23
5.2.3 Balance equations for calculating the energy need for cooling 24
5.2.4 Accounting for weekend and holiday-period operation 24
5.2.4.1 Balance of the energy need for heating 24
5.2.4.2 Balance of the energy need for cooling 25
5.2.5 Monthly values and annual values 25
5.3 Heat sinks 27
5.3.1 General 27
5.3.2 Transmission heat sinks 27
5.3.3 Ventilation heat sinks 28
5.3.4 Internal heat sinks 29
5.3.5 Heat sinks due to radiative heat transfer 30
5.3.6 Heat storage 30
5.4 Heat sources 30
5.4.1 General 30
5.4.2 Heat sources due to solar radiation 31
5.4.3 Transmission heat sources 32
5.4.4 Ventilation heat sources 33
5.4.5 Internal heat sources 34
5.5 Utilization of the heat sources 35
5.5.1 General 35
5.5.2 (Thermal) time constant of the building zone 36
5.5.3 Utilization factor 36

6 Determination of individual parameters for the monthly balance 36
6.1 Room temperature assumptions 36

6.1.1 Reference internal temperature for calculating the energy need for heating ... 38
6.1.1.1 Reduced heating at night ... 38
6.1.1.2 Reduced heating operation during weekends and holiday periods ... 39
6.1.1.3 Partial heating (spatially reduced heating operation) ... 40
6.1.1.4 Combination of partial heating and reduced heating ... 41

-- Prestandard -- 6.1.2 Reference internal temperature for cooling ... 41
6.1.3 Temperature of an adjacent unheated or uncooled zone ... 41
6.1.3.1 General ... 41
6.1.3.2 Approximate method using temperature correction factors to determine the mean temperatures in unheated zones ... 42
6.1.3.3 Detailed calculation of the temperature in an unheated or uncooled building zone ... 44
6.1.4 Temperature of an adjacent heated or cooled zone ... 45
6.2 Transmission heat sinks/heat sources ... 46
6.2.1 Direct transmission to the external environment ... 46
6.2.1.1 Calculation of the heat sinks and sources due to transmission to the external environment ... 46
6.2.1.2 Calculation of coefficients of heat transfer to the external environment (assuming a standard allowance for thermal bridges) ... 46
6.2.1.3 Calculation of coefficients of heat transfer to the external environment (using linear thermal transmittance) ... 47
6.2.2 Transmission through unheated or uncooled spaces to the external environment ... 47
6.2.3 Transmission to adjacent heated or cooled building zones ... 49
6.2.4 Transmission through the ground ... 50
6.3 Ventilation heat sinks/sources ... 50
6.3.1 Infiltration ... 50
6.3.1.1 Determination of the infiltration air change rate ... 51
6.3.1.2 Evaluation of infiltration of zones with mechanical ventilation systems ... 52
6.3.2 Window airing ... 53
6.3.2.1 Determination of air change rate due to window airing ... 54
6.3.2.2 Usage-dependent minimum air exchange with external air ... 57
6.3.3 Mechanical ventilation ... 57
6.3.3.1 Determination of the mean air change rate due to ventilation systems ... 58
6.3.3.2 Air change due to supply air from mechanical ventilation systems ... 59
6.3.3.3 Extract air change due to mechanical ventilation systems ... 60
6.3.3.4 Supply air temperature of mechanical ventilation ... 60
6.3.3.5 Note on the evaluation of ventilation systems with extract air and supply air heat exchangers for use in residential buildings ... 61
6.3.4 Ventilation in unheated or uncooled building zones ... 61
6.3.5 Air exchange between building zones ... 62
6.3.5.1 Supply air change rate from adjacent building zones ... 63
6.3.5.2 Extract air change rate into adjacent zones ... 64
6.4 Radiation heat sources and sinks ... 65
6.4.1 Heat sources due to solar radiation entering through transparent surfaces ... 65
6.4.2 Solar heat gains via opaque building elements ... 69
6.4.3 Solar heat gains via unheated or uncooled sunspaces (glazed annexes) ... 71
6.4.3.1 Direct solar heat gains in the building zone ... 72
6.4.3.2 Heat gains affecting the unheated or uncooled sunspace (glazed annex) ... 73
6.4.3.3 Calculation of balances for glass double façades ... 74
6.5 Internal heat sources and sources of cold ... 74
6.5.1 Internal heat sources in residential buildings ... 74
6.5.2 Heat sources due to persons ... 74
6.5.3 Heat sources and sinks due to machinery and equipment ... 75
6.5.4 Internal heat sources/heat sinks due to movement of materials ... 75
6.5.5 Heat sources due to artificial lighting ... 76
6.5.6 Heat sources and sinks due to heating, cooling, domestic hot water supply and ventilation systems ... 77
6.6 Taking into account stored heat between days of usage and non-usage ... 78
6.7 Utilization factors of heat sources ... 79
6.7.1 Effective heat capacity (thermal mass) ... 79
6.7.2 (Thermal) time constant ... 80
6.7.3 Utilization factor ... 81

6.7.4 Limits for the utilization factor 81

Annex A (normative) Shading factors and movable solar protection devices 83

-- Prestandard -- A.1 General 83

A.2 Correction factors for external shading 83
A.3 Evaluation of movable solar protection devices 89

Annex B (normative) Maximum heating power in the building zone 90

B.1 General 90
B.2 Calculation of the maximum heating power Q h,max for a design reference day (without mechanical ventilation) 90
B.3 Design conditions 91
B.4 Maximum heating power, taking into consideration a mechanical ventilation system 91

Annex C (normative) Maximum cooling power in the building zone 94

C.1 General 94
C.2 Calculation of the required maximum cooling power 94
C.3 Design conditions 95
C.4 Calculation of heat sources and sinks under design conditions 96
C.4.1 Heat transmission to the external environment 97
C.4.2 Heat transmission through the ground 97
C.4.3 Other transmission heat flows 98
C.4.4 Heat flows due to infiltration 98
C.4.5 Heat flows due to window airing 98
C.4.6 Heat flows due to supply air from a mechanical ventilation system 99
C.4.7 Heat flows due to air entering from adjacent zones 99
C.4.8 Solar heat gains via transparent building elements 99
C.4.9 Solar heat gains via opaque elements 99
C.4.10 Solar heat gains via building elements with transparent thermal insulation 100
C.4.11 Solar heat gains via unheated sunspaces (glazed annexes) 101
C.4.12 Internal heat sources and heat sinks 101
C.5 Cooling power required in a building zone equipped with a mechanical ventilation system 102

Annex D (normative) Calculation of monthly heating and cooling times 104

D.1 General 104
D.2 Monthly heating time 104
D.3 Monthly cooling time 105

Annex E (informative) Default values of volume flow of HVAC systems 107

E.1 General 107
E.2 Default values for the permissible volume flow 107

Bibliography 109

Figures Figure 3 -- Determination of the energy needs of a building zone for heating and cooling 22

Figure 4 -- Diagram representing the thermal quantities to be taken into consideration for sunspaces (glazed annexes) 72

Figure 5 -- Examples of two types of air-handling luminaire 76

Figure A.1 -- Horizon angle 83

Figure A.2 -- Overhang angle 85

Figure A.3 -- Lateral shading angle (fin angle) 87

Figure E.1 -- Relationship between the maximum cooling power and the permitted volume flow as a function of the type of air conditioning system 108

-- Prestandard -- Tables Table 1 -- Symbols and units 13

Table 2 -- Subscripts 15

Table 3 -- Temperature correction factors for various building elements 43

Table 4 -- n50 design values (default values for untested buildings) 52

Table 5 -- Default values for characteristics of glazing and solar protection devices 68

Table 6 -- Default values for solar radiation absorption coefficients of various surfaces for the energy- relevant part of the solar radiation spectrum 70

Table 7 -- Default values for lighting heat gain coefficients μL for air-handling luminaires 77

Table A.1 -- Partial shading correction factors Fh for various horizon angles and surface surface angles 84

Table A.2 -- Partial shading correction factors Fo for horizontal overhangs and various surface angles 86

Table A.3 -- Partial shading correction factors Ff for lateral shading 87

Table A.4 -- Parameter a for evaluating the effect of the activation of manually controlled or timer-controlled solar protection devices for various surface angles 89

Table A.5 -- Parameter a for evaluating the effect of activation of solar protection devices operated automatically in relation to solar radiation, for various surface angles 89