

DIN EN 14933:2007-12 (E)

Thermal insulation and light weight fill products for civil engineering applications - Factory made products of expanded polystyrene (EPS) - Specification

Contents		Page
Foreword		5
1	Scope	6
2	Normative references	6
3	Terms, definitions, symbols, units and abbreviated terms	7
3.1	Terms and definitions	7
3.2	Symbols, units and abbreviated terms	8
4	Requirements	10
4.1	General	10
4.2	For all applications	11
4.3	For specific applications	13
5	Test methods	20
5.1	Sampling	20
5.2	Conditioning	20
5.3	Testing	20
6	Designation code	22
7	Evaluation of conformity	23
8	Marking and labelling	23
Annex A (normative)	Determination of the declared values of thermal resistance and thermal conductivity	25
A.1	Introduction	25
A.2	Input data	25
A.3	Declared values	25
A.3.1	General	25
A.3.2	Case where thermal resistance and thermal conductivity are declared	25
A.3.3	Case where thermal resistance alone is declared	26
Annex B (normative)	Factory production control	27
B.1	Testing frequencies	27
B.2	Indirect testing	31
B.2.1	General	31
B.2.2	Compressive stress at 10 % deformation	31
B.2.3	Thermal conductivity	32
Annex C (normative)	Product classification	33
Annex D (normative)	Determination of behaviour under cyclic square-wave load	34
D.1	Scope	34
D.2	Definitions	34
D.3	Principle	35

D.4	Testing equipment	35
D.4.1	Cutting tool	35
D.4.2	Length measuring equipment	35
D.4.3	Steel plate	35
D.4.4	Measuring gauges	35
D.4.5	Apparatus	35
D.5	Test specimens	36
D.5.1	Dimensions of test specimens	36
D.5.2	Number of test specimens	36
D.5.3	Conditioning of test specimens	36
D.6	Procedure	36
D.6.1	Test conditions	36
D.6.2	Test procedure	36
D.7	Calculation and expression of results	38
D.8	Accuracy of measurement	39
D.9	Test report	39
Annex E (informative) Additional properties		40
E.1	General	40
E.2	Compressive modulus of elasticity	40
E.3	Determination of shear strength	40
E.4	Long-term compressive behaviour	41
E.5	Water vapour diffusion resistance factor	42
E.6	Additional information	42
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 89/106/EEC, EU Construction Products Directive		43
ZA.1	Scope and relevant characteristics	43
ZA.2	Procedures for attestation of conformity of expanded polystyrene products	45
ZA.2.1	Systems of attestation of conformity	45
ZA.2.2	EC certificate and declaration of conformity	48
ZA.3	CE Marking and labelling	50
Bibliography		52
Figure B.1 -- Relationship between compressive stress at 10 % deformation and apparent density for indirect testing; $1 - \rho = 0,90$; $n = 495$		31
Figure B.2 -- Relationship between declared thermal conductivity (at 50 mm reference thickness) and apparent density; $1 - \rho = 0,90$; $n = 3\ 873$		32
Figure D.1 -- Required load cycle during the fatigue test		36
Figure D.2 -- Dimensions of the test specimen		37
Figure D.3 -- Test set-up		38
Figure ZA.1 -- Example CE marking information		51
Table 1 -- Classes of dimensional tolerances		12
Table 2 -- Levels for compressive stress at 10 % deformation		13
Table 3 -- Levels of dimensional stability under specified temperature and humidity conditions		14
Table 4 -- Levels of deformation under specified compressive load and temperature conditions		14

Table 5 -- Levels for compressive stress at 2 % deformation	15
Table 6 -- Levels for compressive stress at 5 % deformation	15
Table 7 -- Levels of bending strength	17
Table 8 -- Levels for long term water absorption by total immersion	18
Table 9 -- Levels for long term water absorption by diffusion	19
Table 10 -- Levels for freeze-thaw resistance	19
Table 11 -- Test methods, test specimens and conditions	20
Table A.1 -- Values for k for one sided 90 % tolerance interval with a confidence level of 90 %	26
Table B.1 -- Minimum product testing frequencies	27
Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics	29
Table C.1 -- Classification of EPS products	33
Table E.1 -- Correlation between bending strength and shear strength	40
Table E.2 -- Test methods, test specimens, conditions and minimum testing frequencies	41
Table E.3 -- Tabulated values of water vapour diffusion resistance index and water vapour permeability	42
Table ZA.1 -- Relevant clauses	44
Table ZA.2 -- System(s) of attestation of conformity	46
Table ZA.2.1 -- Assignment of evaluation of conformity tasks for products under system 1	47
Table ZA.2.2 -- Assignment of evaluation of conformity tasks for products under system 3 and 3 (with 4 for RtF)	48