DIN EN ISO 19133:2007-06 (E)

Geographic information - Location-based services - Tracking and navigation (ISO 19133:2005); English version EN ISO 19133:2007

Contents

Page

Foreword 7

Introduction 8

1 Scope 9

2 Conformance 9

3 Normative references 10

4 Terms and definitions 10

5 Abbreviated terms and UML notation 14
5.1 Abbreviated terms 14
5.2 UML notation 14

6 Tracking 14
6.1 Semantics 14
6.2 Package: Tracking Service 15
6.3 Package: Point Estimates 29
6.4 Package: Location Transformation 34
6.5 Package: Measured Coordinates 35
6.6 Package: Linear Reference Systems 40

7 Navigation 39
7.1 Semantics 39
7.2 Cost Functions and algorithms 41
7.3 Package: Navigation Service 42
7.4 Package: Cost Function 55
7.5 Package: Preferences 68

8 Address Model 70
8.1 Semantics 70
8.2 Package: Address 70
8.3 Package: Address Elements 74

9 Network 85
9.1 Semantics 85
9.2 Package: Network Model 85
9.3 Package: Turn and Junction 89
9.4 Package: Constraint and Advisory 95
9.5 Package: Link 108
9.6 Package: Network Position 111
9.7 Package: Route 112
9.8 Package: Combined Networks 117

10 Basic implementation packages 120
10.1 Package: Feature Data Model 120
10.2 Package: New Basic Types 124

Annex A (normative) **Abstract test suite** 127

Annex B (informative) **Directed weighted graphs and their algorithms** 134

Annex C (informative) **View of Standard in terms of RM-ODP Services** 137

Bibliography 139

Page

Figures

Figure 1 — Tracking packages 15
Figure 2 — Context Diagram: TK_Position 16
Figure 3 — Context Diagram: TK_MobileSubscriber 17
Figure 4 — Context Diagram: TK_TrackingLocation 18
Figure 5 — Context Diagram: TK_TrackingService 19
Figure 6 — Context Diagram: TK_PositionType 20
Figure 7 — Context Diagram: TK_TrackingLocationSequence 21
Figure 8 — Context Diagram: TK_Trigger 22
Figure 9 — Context Diagram: TK_PeriodicTrigger 23
Figure 10 — Context Diagram: TK_TransitionTrigger 24
Figure 11 — Context Diagram: TK_TrackingLocationMetadata 25
Figure 12 — Context Diagram: TK_Transition 26
Figure 13 — Context Diagram: TK_QualityOfPosition 27
Figure 14 — Context Diagram: TK_Accuracy 28
Figure 15 — Context Diagram: TK_AccuracyStatement 28
Figure 16 — Point Estimate classes 29
Figure 17 — Geometric interpretations of point estimate types 30
Figure 18 — Context Diagram: EG_PointEstimateCircle 30
Figure 19 — Context Diagram: EG_PointEstimateEllipse 31
Figure 20 — Context Diagram: EG_PointEstimateArc 32
Figure 21 — Context Diagram: EG_PointEstimateSphere 33
Figure 22 — Context Diagram: EG_PointEstimateEllipsoid 34
Figure 23 — Context Diagram: LT_LocationTransformationService 35
Figure 24 — Measure Position 36
Figure 25 — Measured Coordinate Systems 37
Figure 26 — Context Diagram: MC_MeasurePosition 38
Figure 27 — Context Diagram: MC_CoordinateSystem 38
Figure 28 — Context Diagram: MC_CoordinateReferenceSystem 39
Figure 29 — LRS classes 40
Figure 30 — Context Diagram: LR_PositionExpression 41
Figure 31 — Context Diagram: LR_LinearReferenceMethod 43
Figure 32 — Context Diagram: LR_OffsetDirection 43
Figure 33 — Context Diagram: LR_ReferenceMarker 44
Figure 34 — Context Diagram: LR_Feature 45
Figure 35 — Context Diagram: LR_Element 45
Figure 36— Context Diagram: LR_OffsetExpression 46
Figure 37 — Navigation Packages 39

Page

Figure 38 — Example of route from one link position to another 40
Figure 39 — Services 42
Figure 40 — Context Diagram: NS_NavigationService 43
Figure 41 — Context Diagram: NS_RouteRequest 46
Figure 42 — Context Diagram: NS_Instruction 48
Figure 43 — Context Diagram: NS_InstructionList 49
Figure 44 — Context Diagram: NS_RouteResponse 50
Figure 45 — Context Diagram: NS_CostedTurn 51
Figure 46 — Context Diagram: NS_RenderingService 51
Figure 47 — Context Diagram: NS_RenderingRequest 52
Figure 48 — Context Diagram: NS_RenderingResponse 53
Figure 49 — Context Diagram: NS_RenderingType 53
Figure 50 — Context Diagram: NS_CostedLink 54
Figure 51 — Context Diagram: NS_CostFunctionCode 54
Figure 52 — Context Diagram: NS_RouteRequestType 55
Figure 53 — Context Diagram: NS_CostFunction 59
Figure 54 — Context Diagram: NS_CostElements 59
Figure 55 — Context Diagram: NS_MonetaryCost 60
Figure 56 — Context Diagram: NS_Tolls 61
Figure 57 — Context Diagram: NS_Fares 61
Figure 58 — Context Diagram: NS_Time 62
Figure 59 — Context Diagram: NS_TravelTime 62
Figure 60 — Context Diagram: NS_WaitingTime 63
Figure 61 — Context Diagram: NS_Counts 64
Figure 62 — Context Diagram: NS_NumberManeuvers 64
Figure 63 — Context Diagram: NS_NumberTurns 65
Figure 64 — Context Diagram: NS_NumberTransfers 65
Figure 65 — Context Diagram: NS_Distance 66
Figure 66 — Context Diagram: NS_WeightedCost 67
Figure 67 — Context Diagram: NS_CostFunctionTerm 68
Figure 68 — Context Diagram: NS_RoutePreferences 68
Figure 69 — Context Diagram: NS_AvoidList 69
Figure 70 — Leaf packages of the Address Model 70
Figure 71 — Basic Address classes 71
Figure 72 — Context Diagram: AD_Address 72
Figure 73 — Context Diagram: AD_AbstractAddress 72
Figure 74 — Context Diagram: AD_USAddress 74
Figure 75 — Context Diagram: AD_AddressElement 75

Page

Figure 76 — Context Diagram: AD_Addressee **76**
Figure 77 — Context Diagram: AD_StreetIntersection **76**
Figure 78 — Context Diagram: AD_Street **78**
Figure 79 — Context Diagram: AD_PostalCode **79**
Figure 80 — Context Diagram: AD_StreetLocation **79**
Figure 81 — Context Diagram: AD_PhoneNumber **80**
Figure 82 — Context Diagram: AD_NamedPlace **81**
Figure 83 — Context Diagram: AD_StreetAddress **82**
Figure 84 — Context Diagram: AD_NamedPlaceClassification **82**
Figure 85 — Context Diagram: AD_Building **83**
Figure 86 — Context Diagram: AD_MuniQuadrant **83**
Figure 87 — Context Diagram: AD_RegionCode **84**
Figure 88 — Context Diagram: AD_NumberRange **85**
Figure 89 — Context Diagram: AD_ListNamedPlaces **85**
Figure 90 — Context Diagram: NT_Network **86**
Figure 91 — Context Diagram: NT_WayPoint **87**
Figure 92 — Context Diagram: NT_WayPointList **88**
Figure 93 — Junction and turns **89**
Figure 94 — Context Diagram: NT_Turn **92**
Figure 95 — Context Diagram: NT_TurnDirection **92**
Figure 96 — Context Diagram: NT_Junction **94**
Figure 97 — Context Diagram: NT_JunctionType **95**
Figure 98 — Context Diagram: NT_AngularDirection **95**
Figure 99 — Context Diagram: NT_Constraint **96**
Figure 100 — Context Diagram: NT_VehicleConstraint **98**
Figure 101 — Context Diagram: NT_TemporalConstraint **99**
Figure 102 — Context Diagram: NT_LaneConstraint **100**
Figure 103 — Context Diagram: NT_Vehicle **101**
Figure 104 — Context Diagram: NT_Advisory **102**
Figure 105 — Context Diagram: NT_SpatialRelation **103**
Figure 106 — Context Diagram: NT_AdvisoryCategory **104**
Figure 107 — Context Diagram: NT_AdvisoryElement **104**
Figure 108 — Context Diagram: NT_ExitAssociation **105**
Figure 109 — Context Diagram: NT_AdvisoryDirection **106**
Figure 110 — Context Diagram: NT_AdvisoryDistance **107**
Figure 111 — Context Diagram: NT_AdvisorySpatialRelation **107**
Figure 112 — Context Diagram: NT_Link **110**
Figure 113 — Context Diagram: NT_RouteSegmentCategory **110**

Page

Figure 114 — Context Diagram: NT_LinkPosition **111**
Figure 115 — Context Diagram: NT_NetworkPosition **112**
Figure 116 — Context Diagram: NT_Route **114**
Figure 117 — Context Diagram: NT_RouteSummary **115**
Figure 118 — Context Diagram: NT_Maneuver **117**
Figure 119 — Combined Networks **117**
Figure 120 — Context Diagram: NT_CombinedNetwork **118**
Figure 121 — Context Diagram: NT_TransferNode **119**
Figure 122 — Context Diagram: NT_Transfer **119**
Figure 123 — Context Diagram: NT_TransferLink **120**
Figure 124 — Feature data classes **120**
Figure 125 — Context Diagram: FD_Feature **121**
Figure 126 — Context Diagram: FD_FeatureCollection **122**
Figure 127 — Context Diagram: FD_QueryFeatureCollection **123**
Figure 128 — Context Diagram: FD_FeatureName **124**
Figure 129 — Context Diagram: VoiceStream **125**
Figure 130 — Context Diagram: BinaryData **125**
Figure 131 — Context Diagram: Map **126**
Figure 132 — Context Diagram: Image **126**
Figure C.1 — Conceptual architecture equating mobile and non-mobile services **137**