

# ISO 6872:2008-09 (E)

## Dentistry - Ceramic materials

---

| <b>Contents</b>    |  | <b>Page</b> |
|--------------------|--|-------------|
| Foreword .....     |  | iv          |
| Introduction ..... |  | v           |
| <b>1</b>           | <b>Scope .....</b>   | <b>1</b>    |
| <b>2</b>           | <b>Normative references .....</b>                                | <b>1</b>    |
| <b>3</b>           | <b>Terms and definitions .....</b>                               | <b>1</b>    |
| <b>3.1</b>         | <b>Material .....</b>  | <b>1</b>    |
| <b>3.2</b>         | <b>Processing .....</b>  | <b>3</b>    |
| <b>3.3</b>         | <b>Properties .....</b>  | <b>3</b>    |
| <b>4</b>           | <b>Types, classes and their identification .....</b>             | <b>4</b>    |
| <b>5</b>           | <b>Requirements .....</b>  | <b>5</b>    |
| <b>5.1</b>         | <b>Uniformity .....</b>  | <b>5</b>    |
| <b>5.2</b>         | <b>Freedom from extraneous materials .....</b>                   | <b>5</b>    |
| <b>5.3</b>         | <b>Mixing and condensation properties, type I ceramics .....</b> | <b>5</b>    |
| <b>5.4</b>         | <b>Physical and chemical properties .....</b>                    | <b>5</b>    |
| <b>5.5</b>         | <b>Biocompatibility .....</b>                                    | <b>5</b>    |
| <b>6</b>           | <b>Sampling .....</b>  | <b>6</b>    |
| <b>6.1</b>         | <b>Type I ceramics .....</b>                                     | <b>6</b>    |
| <b>6.2</b>         | <b>Type II ceramics .....</b>                                    | <b>6</b>    |
| <b>7</b>           | <b>Test methods .....</b>  | <b>6</b>    |
| <b>7.1</b>         | <b>Preparation of test specimens .....</b>                       | <b>6</b>    |
| <b>7.2</b>         | <b>Radioactivity of dental ceramic .....</b>                     | <b>7</b>    |
| <b>7.3</b>         | <b>Flexural strength .....</b>                                   | <b>7</b>    |
| <b>7.4</b>         | <b>Linear thermal expansion coefficient .....</b>                | <b>13</b>   |
| <b>7.5</b>         | <b>Glass transition temperature .....</b>                        | <b>13</b>   |
| <b>7.6</b>         | <b>Chemical solubility .....</b>                                 | <b>14</b>   |
| <b>8</b>           | <b>Information and instructions .....</b>                        | <b>15</b>   |
| <b>8.1</b>         | <b>Information .....</b>   | <b>15</b>   |
| <b>8.2</b>         | <b>Instructions for use .....</b>                                | <b>16</b>   |
| <b>9</b>           | <b>Packaging, marking and labelling .....</b>                    | <b>16</b>   |
| <b>9.1</b>         | <b>Packaging .....</b>   | <b>16</b>   |
| <b>9.2</b>         | <b>Marking and labelling .....</b>                               | <b>16</b>   |
|                    | <b>Annex A (informative) Fracture toughness .....</b>            | <b>17</b>   |
|                    | <b>Annex B (informative) Weibull statistics .....</b>            | <b>22</b>   |
|                    | <b>Bibliography .....</b>  | <b>24</b>   |