

# ISO/TS 11080:2009-06 (E)

Dentistry - Essential characteristics of test methods for the evaluation of treatment methods intended to improve or maintain the microbiological quality of dental unit procedural water

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Dental unit water treatment methods .....</b>	<b>2</b>
<b>5</b>	<b>Test methods .....</b>	<b>2</b>
5.1	General .....	2
5.2	Test methods for evaluating biofilm removal .....	3
5.3	Test methods for evaluating biofilm prevention or inhibition .....	4
<b>6</b>	<b>Test apparatus design and operation .....</b>	<b>5</b>
6.1	Test apparatus design .....	5
6.2	Test apparatus operation .....	5
<b>7</b>	<b>Microbiological challenge .....</b>	<b>5</b>
7.1	Microbiological consortium .....	5
7.2	Microbiological characteristics .....	5
<b>8</b>	<b>Chemical characteristics of water used for testing .....</b>	<b>6</b>
8.1	Water type .....	6
8.2	Water characteristics .....	7
<b>9</b>	<b>Microbiological sampling and testing .....</b>	<b>7</b>
9.1	Sampling .....	7
9.2	Testing .....	7
9.3	Corroborative testing .....	7
9.4	Measures for residual antimicrobial agents .....	8
<b>10</b>	<b>Test report .....</b>	<b>8</b>
<b>Bibliography .....</b>		<b>9</b>