ISO 4049:2009-10 (E)

Dentistry - Polymer-based restorative materials

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Classification 2

5 Requirements 2
5.1 Biocompatibility 2
5.2 Physical and chemical properties 2
5.3 Shade, restorative materials 4
5.4 Colour stability after irradiation and water sorption 4
5.5 Radio-opacity 4

6 Sampling 5

7 Test methods 5
7.1 General reagent -- Water 5
7.2 Test conditions 6
7.3 Inspection 6
7.4 Preparation of test specimens 6
7.5 Measurement of film thickness of luting materials 6
7.6 Working time, Class 1 and Class 3 restorative materials, excluding luting materials 9
7.7 Working time, Class 1 and Class 3 luting materials 11
7.8 Setting time, Class 1 and Class 3 materials 11
7.9 Sensitivity to ambient light, Class 2 materials 13
7.10 Depth of cure, Class 2 materials 14
7.11 Flexural strength 15
7.12 Water sorption and solubility 18
7.13 Shade and colour stability after irradiation and water sorption 21
7.14 Radio-opacity 22

8 Packaging, marking and instructions and information to be supplied by the manufacturer 25
8.1 Packaging 25
8.2 Marking 25
8.3 Manufacturer's instructions and information for the user 27

Bibliography 28