

# DIN EN ISO 6872:2019-01 (E)

Dentistry - Ceramic materials (ISO 6872:2015 + Amd.1:2018) (includes Amendment :2018)

---

<b>Contents</b>	<b>Page</b>
European foreword.....	4
<b>A1</b> European foreword to Amendment A1 <b>A1</b> .....	5
Foreword .....	6
Foreword to Amendment 1 .....	7
Introduction .....	8
<b>1</b> Scope .....	9
<b>2</b> Normative references .....	9
<b>3</b> Terms and definitions .....	9
<b>3.1</b> Material.....	9
<b>3.2</b> Processing.....	11
<b>3.3</b> Properties .....	12
<b>4</b> Types, classes, and their identification .....	12
<b>5</b> Requirements .....	14
<b>5.1</b> Uniformity.....	14
<b>5.2</b> Freedom from extraneous materials .....	14
<b>5.3</b> Mixing and condensation properties of type I ceramics.....	14
<b>5.4</b> Physical and chemical properties .....	14
<b>5.5</b> Biocompatibility .....	14
<b>5.6</b> Shrinkage factor .....	14
<b>6</b> Sampling.....	14
<b>6.1</b> Type I ceramics .....	14
<b>6.2</b> Type II ceramics.....	15
<b>7</b> Test methods .....	15
<b>7.1</b> Preparation of test specimens.....	15
<b>7.1.1</b> Components of test specimens (type I ceramics) .....	15
<b>7.1.2</b> Apparatus for mixing.....	15
<b>7.1.3</b> Method of mixing.....	15
<b>7.1.4</b> Procedure for specimen fabrication .....	15
<b>7.1.5</b> Firing.....	16
<b>7.2</b> Radioactivity of dental ceramic .....	16
<b>7.2.1</b> Preparation of samples.....	16
<b>7.2.2</b> Counting procedure.....	16
<b>7.2.3</b> Assessment of results .....	16
<b>7.3</b> Flexural strength.....	16
<b>7.3.1</b> Three-point and four-point bending tests .....	16
<b>7.3.2</b> Biaxial flexure test (piston-on-three-ball test) .....	20
<b>7.4</b> Linear thermal expansion coefficient.....	22
<b>7.4.1</b> Apparatus.....	22
<b>7.4.2</b> Preparing of test specimens (type I and type II ceramics).....	22
<b>7.4.3</b> Dilatometric measurement .....	22
<b>7.4.4</b> Assessment of results .....	22

<b>7.5</b>	<b>Glass transition temperature</b> .....	<b>22</b>
<b>7.5.1</b>	<b>Operating procedure</b> .....	<b>22</b>
<b>7.5.2</b>	<b>Assessment of results</b> .....	<b>23</b>
<b>7.6</b>	<b>Chemical solubility</b> .....	<b>23</b>
<b>7.6.1</b>	<b>Reagent</b> .....	<b>23</b>
<b>7.6.2</b>	<b>Apparatus</b> .....	<b>23</b>
<b>7.6.3</b>	<b>Preparation of test specimens</b> .....	<b>24</b>
<b>7.6.4</b>	<b>Procedure</b> .....	<b>24</b>
<b>7.6.5</b>	<b>Calculation and assessment of results</b> .....	<b>24</b>
<b>8</b>	<b>Information and instructions</b> .....	<b>24</b>
<b>8.1</b>	<b>Information</b> .....	<b>24</b>
<b>8.1.1</b>	<b>General</b> .....	<b>24</b>
<b>8.1.2</b>	<b>Type I Ceramics</b> .....	<b>24</b>
<b>8.1.3</b>	<b>Type II ceramics</b> .....	<b>24</b>
<b>8.2</b>	<b>Instructions for use</b> .....	<b>25</b>
<b>9</b>	<b>Packaging, marking, and labelling</b> .....	<b>25</b>
<b>9.1</b>	<b>Packaging</b> .....	<b>25</b>
<b>9.2</b>	<b>Marking and labelling</b> .....	<b>25</b>
<b>Annex A (informative)</b>	<b>Fracture toughness</b> .....	<b>27</b>
<b>Annex B (informative)</b>	<b>Weibull statistics</b> .....	<b>34</b>
<b>Bibliography</b>	.....	<b>36</b>