

## **Contents**

	<b>Foreword</b>
	<b>Introduction</b>
<b>1</b>	<b>Scope</b>
<b>2</b>	<b>Normative references</b>
<b>3</b>	<b>Terms and definitions</b>
<b>4</b>	<b>Requirements</b>
<b>4.1</b>	<b>Hazardous elements</b>
<b>4.2</b>	<b>Dimensions and angles</b>
<b>4.3</b>	<b>Release</b>
<b>5</b>	<b>Test methods</b>
<b>5.1</b>	<b>Dimensions</b>
<b>5.1.1</b>	<b>Apparatus</b>
<b>5.1.2</b>	<b>Measurement procedures</b>
<b>5.1.2.1</b>	<b>Angle of torque (Figure 1)</b>
<b>5.1.2.2</b>	<b>Angulation (see Figure 2)</b>
<b>5.1.2.3</b>	<b>In-out (see Figure 3)</b>
<b>5.1.2.3.1</b>	<b>Bracket in-out [see Figure 3 a)]</b>
<b>5.1.2.3.2</b>	<b>Tube in-out [see Figure 3 b)]</b>
<b>5.1.2.4</b>	<b>Rotational offset (see Figure 4)</b>
<b>5.1.2.5</b>	<b>Slot depth (see Figure 5)</b>
<b>5.1.2.6</b>	<b>Slot height (see Figure 5)</b>
<b>5.2</b>	<b>Static immersion corrosion test method</b>
<b>5.2.1</b>	<b>Apparatus</b>
<b>5.2.2</b>	<b>Samples</b>
<b>5.2.3</b>	<b>Test procedure</b>
<b>5.3</b>	<b>Treatment of results</b>
<b>6</b>	<b>Packaging and labelling information to be provided to the user</b>
<b>6.1</b>	<b>General requirements</b>
<b>6.2</b>	<b>Packaging</b>
<b>6.3</b>	<b>Labelling</b>

Page count: 12