

ISO 4823:2021-02 (E)

Dentistry - Elastomeric impression and bite registration materials

Contents		Page
Foreword.....		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Classification	2
5	Requirements	3
5.1	Packaging requirements.....	3
5.2	Labelling requirements.....	3
5.2.1	Outer packages (containing one or more primary containers).....	3
5.2.2	Primary containers within outer packaging.....	3
5.3	Requirements for information in the manufacturer's instructions.....	4
5.3.1	General.....	4
5.3.2	Identifying information.....	4
5.3.3	Specific instructions for use.....	4
5.4	Requirements for characteristics and properties.....	5
5.4.1	Component colours (hand-spatulated or hand-kneaded mixes).....	5
5.4.2	Mixing time (hand-spatulated or hand-kneaded mixes).....	5
5.4.3	Consistency.....	5
5.4.4	Working time.....	5
5.4.5	Detail reproduction.....	5
5.4.6	Linear dimensional change.....	5
5.4.7	Compatibility with gypsum.....	5
5.4.8	Elastic recovery.....	5
5.4.9	Strain in compression.....	5
5.4.10	Minimum time in the oral cavity for bite registration materials.....	6
5.4.11	Compression set of bite registration materials.....	6
5.4.12	Hardness of bite registration materials.....	6
6	Pre-test planning approaches	6
6.1	Sampling.....	6
6.2	Pre-test product examinations.....	7
6.2.1	Examinations for compliance with labelling requirements.....	7
6.2.2	Examinations for effectiveness of the packaging.....	7
6.2.3	Examinations for compliance with requirements for instructions for use.....	7
6.3	Essential pre-test preparatory practices.....	7
6.3.1	Laboratory conditions.....	7
6.3.2	Apparatus function verification steps.....	8
6.3.3	Volume of materials to be mixed for each specimen.....	8
6.3.4	Standardized approaches to proportioning, mixing, and handling of hand mixed materials to be tested.....	8
6.3.5	Timing for the specimen preparation and test procedures.....	8
6.3.6	Simulated oral time/temperature treatment of specimens formed in completely closed mould assemblies.....	8
6.4	Pass/fail determinations.....	8
6.5	Expression of test results.....	8
7	Test methods — Specific	8
7.1	Mixing time.....	8
7.1.1	Apparatus.....	8

7.1.2	Specimen preparation and test procedure (five specimens)	9
7.1.3	Pass/fail determination and expression of results	9
7.2	Consistency	9
7.2.1	Apparatus and materials	9
7.2.2	Advance preparation steps	9
7.2.3	Specimen preparation and test procedure (5 specimens)	10
7.2.4	Pass/fail determination and expression of results	10
7.3	Working-time	10
7.3.1	Apparatus	10
7.3.2	Working time test	11
7.4	Detail reproduction	12
7.4.1	Apparatus and materials	12
7.4.2	Specimen preparation	12
7.4.3	Test procedure	13
7.4.4	Pass/fail determination and expression of results	13
7.5	Linear dimensional change	13
7.5.1	Apparatus and materials	13
7.5.2	Test block line-length measurement procedure	14
7.5.3	Specimen preparation	14
7.5.4	Test specimen measurement	14
7.6	Compatibility with gypsum	15
7.6.1	Apparatus and materials	15
7.6.2	Specimen preparation	16
7.6.3	Test procedure	16
7.6.4	Pass/fail determination and expression of results	16
7.7	Elastic recovery	17
7.7.1	Apparatus and materials	17
7.7.2	Specimen preparation	17
7.7.3	Test procedure	18
7.7.4	Calculation of results	18
7.7.5	Pass/fail determination and expression of results	18
7.8	Strain in compression	18
7.8.1	Apparatus	18
7.8.2	Specimen preparation	19
7.8.3	Test procedure	19
7.8.4	Calculation of results	19
7.8.5	Pass/fail determination and expression of results	19
7.9	Minimum time in the oral cavity and compression set for bite registration materials	19
7.9.1	Apparatus	19
7.9.2	Specimen preparation	19
7.9.3	Test procedure	19
7.9.4	Evaluation	20
7.9.5	Pass/fail determination and expression of results	20
7.10	Hardness of bite registration materials	20
7.10.1	Apparatus	20
7.10.2	Specimen preparation	20
7.10.3	Test procedure	20
7.10.4	Evaluation	21
7.10.5	Pass/fail determination and expression of results	21
Annex A (normative) Figures		22
Annex B (normative) Standardized hand mixing methods		30
Bibliography		33