ISO 6872:2024-08 (E)

Dentistry - Ceramic materials

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1
3.1 Material 1
3.2 Processing 2
3.3 Properties 3

4 Types,classes,andtheiridentification 3

5 Requirements 4
5.1 Uniformity 4
5.2 Freedom from extraneous materials 5
5.3 Mixing and condensation properties of type I ceramics 5
5.4 Physical and chemical properties 5
5.5 Shrinkage factor 5

6 Sampling 5
6.1 Type I ceramics 5
6.2 Type II ceramics 5

7 Test methods 6
7.1 Preparation of test specimens 6
7.1.1 General 6
7.1.2 Components of test specimens (type I ceramics) 6
7.1.3 Apparatus for mixing 6
7.1.4 Method of mixing 6
7.1.5 Procedure for specimen fabrication 6
7.1.6 Firing 6
7.2 Radioactivity of dental ceramic 7
7.2.1 Preparation of samples 7
7.2.2 Counting procedure 7
7.2.3 Assessment of results 7
7.3 Flexural strength 7
7.3.1 General 7
7.3.2 Three-point and four-point flexure tests 7
7.3.3 Biaxial flexure test (piston-on-three-ball test) 10
7.4 Linear thermal expansion coefficient 12
7.4.1 Apparatus 12
7.4.2 Preparing of test specimens (type I and type II ceramics) 13
7.4.3 Dilatometric measurement 13
7.4.4 Assessment of results 13
7.5 Glass transition temperature 13
7.5.1 Operating procedure 13
7.5.2 Assessment of results 14
7.6 Chemical solubility 14
7.6.1 Reagent 14

7.6.2 Apparatus 14
7.6.3 Preparation of test specimens 15
7.6.4 Procedure 15
7.6.5 Calculation and assessment of results 15

8 Information and instructions 15
8.1 Information 15
8.1.1 General 15
8.1.2 Type I ceramics 15
8.1.3 Type II ceramics 16
8.2 Instructions for use 16

9 Packaging, marking, and labelling 16
9.1 Packaging 16
9.2 Marking and labelling 16

Annex A (informative) Fracture toughness 18

Annex B (informative) Weibull statistics 25

Annex C (informative) Protocol to assess the hydrothermal stability of yttria-stabilized tetragonal zirconia (Y-TZP) 27

Bibliography 31