

ISO 6872:2024-08 (E)

Dentistry - Ceramic materials

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
3.1	Material	1
3.2	Processing	2
3.3	Properties	3
4	Types, classes, and their identification	3
5	Requirements	4
5.1	Uniformity	4
5.2	Freedom from extraneous materials	5
5.3	Mixing and condensation properties of type I ceramics	5
5.4	Physical and chemical properties	5
5.5	Shrinkage factor	5
6	Sampling	5
6.1	Type I ceramics	5
6.2	Type II ceramics	5
7	Test methods	6
7.1	Preparation of test specimens	6
7.1.1	General	6
7.1.2	Components of test specimens (type I ceramics)	6
7.1.3	Apparatus for mixing	6
7.1.4	Method of mixing	6
7.1.5	Procedure for specimen fabrication	6
7.1.6	Firing	6
7.2	Radioactivity of dental ceramic	7
7.2.1	Preparation of samples	7
7.2.2	Counting procedure	7
7.2.3	Assessment of results	7
7.3	Flexural strength	7
7.3.1	General	7
7.3.2	Three-point and four-point flexure tests	7
7.3.3	Biaxial flexure test (piston-on-three-ball test)	10
7.4	Linear thermal expansion coefficient	12
7.4.1	Apparatus	12
7.4.2	Preparing of test specimens (type I and type II ceramics)	13
7.4.3	Dilatometric measurement	13
7.4.4	Assessment of results	13
7.5	Glass transition temperature	13
7.5.1	Operating procedure	13
7.5.2	Assessment of results	14
7.6	Chemical solubility	14
7.6.1	Reagent	14

7.6.2	Apparatus	14
7.6.3	Preparation of test specimens	15
7.6.4	Procedure	15
7.6.5	Calculation and assessment of results	15
8	Information and instructions	15
8.1	Information	15
8.1.1	General	15
8.1.2	Type I ceramics	15
8.1.3	Type II ceramics	16
8.2	Instructions for use	16
9	Packaging, marking, and labelling	16
9.1	Packaging	16
9.2	Marking and labelling	16
Annex A (informative) Fracture toughness		18
Annex B (informative) Weibull statistics		25
Annex C (informative) Protocol to assess the hydrothermal stability of yttria-stabilized tetragonal zirconia (Y-TZP)		27
Bibliography		31