ISO 4823:2025-06 (E)

Dentistry - Elastomeric impression and bite registration materials

Contents

Page

Foreword ..... **v**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**

4 Classification **2**

5 Requirements **2**
5.1 Component colours (not applicable for transparent materials) 2
5.2 Mixing time (hand-spatulated or hand-kneaded mixes) 3
5.3 Consistency 3
5.4 Working time 3
5.5 Detail reproduction 3
5.6 Linear dimensional change 3
5.7 Compatibility with gypsum 3
5.8 Elastic recovery 3
5.9 Strain in compression 3
5.10 Minimum time in the oral cavity for bite registration materials 3
5.11 Compression set of bite registration materials 3
5.12 Hardness of bite registration materials 3

6 Pre-test planning approaches **4**
6.1 General 4
6.2 Sampling 4
6.3 Pre-test product examinations 4
6.3.1 General 4
6.3.2 Examinations for conformity with labelling requirements 4
6.3.3 Examinations for effectiveness of the packaging 5
6.3.4 Examinations for compliance with requirements for instructions for use 5
6.4 Essential pre-test preparatory practices 5
6.4.1 Laboratory conditions 5
6.4.2 Apparatus function verification steps 5
6.4.3 Volume of materials to be mixed for each specimen 5
6.4.4 Proportioning, mixing and handling of hand-mixed materials to be tested 6
6.4.5 Timing for the specimen preparation and test procedures 6
6.4.6 Simulated oral time/temperature treatment of specimens formed in completely closed mould assemblies 6
6.5 Pass/fail determinations 6
6.6 Expression of test results 6

7 Test methods **6**
7.1 Mixing time 6
7.1.1 Apparatus 6
7.1.2 Specimen preparation and test procedure (five specimens) 6
7.1.3 Pass/fail determination and expression of results 6
7.2 Consistency 7
7.2.1 Apparatus and materials 7
7.2.2 Advance preparation steps 7
7.2.3 Specimen preparation and test procedure (five specimens) 7
7.2.4 Pass/fail determination and expression of results 8
7.3 Working time 8
7.3.1 Apparatus 8
7.3.2 Working time test 9

7.4 Detail reproduction 10
7.4.1 Apparatus and materials 10
7.4.2 Specimen preparation 10
7.4.3 Test procedure 11
7.4.4 Pass/fail determination and expression of results 11
7.5 Linear dimensional change 11
7.5.1 Apparatus and materials 11
7.5.2 Test block line-length measurement procedure 11
7.5.3 Specimen preparation 12
7.5.4 Test specimen measurement 12
7.6 Compatibility with gypsum 13
7.6.1 Apparatus and materials 13
7.6.2 Specimen preparation 14
7.6.3 Test procedure 14
7.6.4 Pass/fail determination and expression of results 14
7.7 Elastic recovery 14
7.7.1 Apparatus and materials 14
7.7.2 Specimen preparation 15
7.7.3 Test procedure 15
7.7.4 Calculation of results 16
7.7.5 Pass/fail determination and expression of results 16
7.8 Strain in compression 16
7.8.1 Apparatus 16
7.8.2 Specimen preparation 16
7.8.3 Test procedure 16
7.8.4 Calculation of results 17
7.8.5 Pass/fail determination and expression of results 17
7.9 Minimum time in the oral cavity and compression set for bite registration materials 17
7.9.1 Apparatus 17
7.9.2 Specimen preparation 17
7.9.3 Test procedure 17
7.9.4 Evaluation 17
7.9.5 Pass/fail determination and expression of results 18
7.10 Hardness of bite registration materials 18
7.10.1 Apparatus 18
7.10.2 Specimen preparation 18
7.10.3 Test procedure 18
7.10.4 Evaluation 18
7.10.5 Pass/fail determination and expression of results 18
8 Requirements for labelling and instructions supplied by the manufacturer 19
8.1 Labelling requirements 19
8.2 Instructions for use 19
8.2.1 General 19
8.2.2 For all materials covered by this document 20
8.2.3 For all impression materials 20
8.2.4 Additional instructions 20
Annex A (normative) **Figures 22**
Annex B (normative) **Standardized hand mixing methods 30**
Bibliography 33