

# DIN EN 13850:2013-04 (E)

## Postal services - Quality of service - Measurement of the transit time of end-to-end services for single piece priority mail and first class mail

---

| <b>Contents</b> |  | <b>Page</b> |
|-----------------|--|-------------|
| Foreword .....  |  | 6           |
| <b>0</b>        | <b>Introduction .....</b>  | <b>7</b>    |
| 0.1             | General .....  | 7           |
| 0.2             | Regulatory background .....  | 7           |
| <b>1</b>        | <b>Scope .....</b>   | <b>8</b>    |
| <b>2</b>        | <b>Normative references .....</b>  | <b>8</b>    |
| <b>3</b>        | <b>Terms and definitions .....</b>   | <b>9</b>    |
| <b>4</b>        | <b>Symbols and abbreviations .....</b>   | <b>15</b>   |
| <b>5</b>        | <b>Transit time as a Quality-of-Service indicator .....</b>                    | <b>16</b>   |
| 5.1             | General .....  | 16          |
| 5.2             | Transit time calculation .....   | 17          |
| 5.2.1           | Measurement unit .....   | 17          |
| 5.2.2           | Continuity of measurement .....  | 17          |
| 5.2.3           | Calculation of the transit time .....  | 17          |
| 5.3             | Service performance indicators .....   | 18          |
| <b>6</b>        | <b>Methodology .....</b>   | <b>18</b>   |
| 6.1             | Representative sample design .....   | 18          |
| 6.2             | Minimum Sample Size (MSS) .....  | 19          |
| 6.2.1           | Domestic measurement systems .....   | 19          |
| 6.2.2           | Cross-border measurement systems .....   | 19          |
| 6.3             | Determination of the design basis .....  | 20          |
| 6.3.1           | General .....  | 20          |
| 6.3.2           | Estimation of real mail flows .....  | 20          |
| 6.3.3           | Design basis .....   | 21          |
| 6.4             | Discriminant Mail Characteristics (DMC) .....                                  | 21          |
| 6.4.1           | General .....  | 21          |
| 6.4.2           | Determination of the discriminant mail characteristics .....                   | 21          |
| 6.4.3           | Geographical stratification .....  | 22          |
| 6.5             | Geographical distribution of the panel .....                                   | 23          |
| 6.5.1           | General .....  | 23          |
| 6.5.2           | Small panels up to 90 panellists .....   | 23          |
| 6.5.3           | Bigger panels over 90 panellists .....   | 24          |
| 6.6             | Integrity of the measurement .....   | 25          |
| 6.7             | Unbiased sample design .....   | 26          |
| <b>7</b>        | <b>Report .....</b>  | <b>26</b>   |
| 7.1             | Measurement results .....  | 26          |
| 7.2             | Estimators .....   | 27          |
| 7.2.1           | Accuracy .....   | 27          |
| 7.2.2           | Panel turnover in relation to accuracy .....                                   | 27          |
| 7.3             | Weighting of the results .....   | 28          |
| 7.3.1           | Reasons for implementing a weighting system .....                              | 28          |
| 7.3.2           | Weighting caps .....   | 28          |
| 7.3.3           | Design changes due to annual mail characteristic and postal flow changes ..... | 29          |

|   |   |    |
|---|---|----|
| 7.4   | Content and timing .....  | 29 |
| 8   | Quality control and auditing .....  | 30 |
| 9   | The annexes .....   | 31 |
| Annex A (normative) Accuracy calculation .....          |   | 32 |
| A.1   | Scope .....   | 32 |
| A.1.1   | General .....   | 32 |
| A.1.2   | Two stage sampling approach .....   | 32 |
| A.1.3   | Covariance / Stratification / Accuracy calculation .....                          | 32 |
| A.1.4   | The design factor .....   | 32 |
| A.2   | Symbols .....   | 33 |
| A.3   | Variance calculation for one stratum .....  | 33 |
| A.3.1   | General calculation method .....  | 33 |
| A.3.2   | Relation-to-total variation .....   | 34 |
| A.3.3   | Intra-relation variation .....  | 34 |
| A.4   | Variance calculation for a stratified sample .....                                | 35 |
| A.4.1   | Variance of a weighted sample design .....  | 35 |
| A.4.2   | Final weight of the individual item .....   | 35 |
| A.4.3   | Weighting basis .....   | 36 |
| A.4.4   | Combination of weighting and covariance .....                                     | 36 |
| A.5   | Calculation of the confidence interval .....                                      | 37 |
| A.5.1   | General .....   | 37 |
| A.5.2   | Normal approximation .....  | 37 |
| A.5.3   | Agresti-Coull approximation .....   | 39 |
| A.5.4   | Inverse Beta approximation .....  | 40 |
| Annex B (normative) Transit Time Calculation Rule ..... |   | 41 |
| B.1   | Working week transit time calculation rule / domestic and cross-border mail ..... | 41 |
| B.2   | Calculation rules .....   | 42 |
| B.2.1   | Rule 1: Collection Monday-Friday / Delivery Monday-Friday .....                   | 42 |
| B.2.2   | Rule 2: Collection Monday-Friday / Delivery Tuesday-Saturday .....                | 43 |
| B.2.3   | Rule 3: Collection Monday-Friday / Delivery Monday-Saturday .....                 | 44 |
| B.2.4   | Rule 4: Collection Monday-Saturday / Delivery Monday-Friday .....                 | 45 |
| B.2.5   | Rule 5: Collection Sunday-Friday / Delivery Monday-Friday .....                   | 46 |
| B.2.6   | Rule 6: Collection Monday-Saturday / Delivery Monday-Saturday .....               | 47 |
| B.2.7   | Rule 7: Collection Sunday-Friday / Delivery Monday-Saturday .....                 | 48 |
| Annex C (normative) Quality control and auditing .....  |   | 49 |
| C.1   | Quality Control .....   | 49 |
| C.1.1   | Statistical design .....  | 49 |
| C.1.2   | Test item production .....  | 49 |
| C.1.3   | Provision of test items to the sender panellists .....                            | 49 |
| C.1.4   | Sending test items .....  | 50 |
| C.1.5   | Receiving test items .....  | 50 |
| C.1.6   | Data collection .....   | 50 |
| C.1.7   | Data analysis and reporting .....   | 50 |
| C.1.8   | Archiving .....   | 51 |
| C.1.9   | Quality control and Information Technology (IT) .....                             | 51 |
| C.2   | Auditing - general remarks .....  | 51 |
| C.3   | Audit of the design basis .....   | 52 |
| C.3.1   | General .....   | 52 |
| C.3.2   | Methodological audit .....  | 52 |
| C.3.3   | Results .....   | 52 |
| C.4   | Audit of the Quality-of-Service measurement system .....                          | 53 |
| C.4.1   | Panel audit .....   | 53 |
| C.4.2   | Stability of the parameters .....   | 53 |
| C.4.3   | Instructions given to the panellists .....  | 53 |

|  |   |    |
|--|---|----|
| C.4.4  | General Audit of the system .....                       | 53 |
| Annex D (normative) Relaxation related to flows with small real mail volumes ..... |   | 54 |
| D.1  | General .....   | 54 |
| D.1.1  | Scope .....   | 54 |
| D.1.2  | Measurement period .....                                | 54 |
| D.1.3  | Minimum Sample Size (MSS) .....                         | 54 |
| D.2  | Domestic mail flows .....                               | 55 |
| D.3  | Cross-border mail flows .....                           | 56 |
| Annex E (informative) Purpose of postal Quality of Service standards .....         |   | 58 |
| E.1  | General .....   | 58 |
| E.2  | Benefits of QoS standards .....                         | 58 |
| E.3  | Use of the survey results for quality improvement ..... | 59 |
| E.3.1  | Detailed analysis .....                                 | 59 |
| E.3.2  | Other / broader concepts .....                          | 59 |
| F.2  | Responsibilities .....                                  | 60 |
| F.2.1  | General .....   | 60 |
| F.2.2  | Regulatory authority .....                              | 61 |
| F.2.3  | Postal operator .....                                   | 61 |
| F.2.4  | Independent Performance monitoring organisation .....   | 62 |
| F.2.5  | Auditor .....   | 62 |
| F.3  | Design of the measurement system .....                  | 63 |
| F.3.1  | Design parameters .....                                 | 63 |
| F.3.2  | Field of study .....                                    | 64 |
| F.3.3  | Geographical coverage .....                             | 65 |
| F.3.4  | Design requirements due to national peculiarities ..... | 66 |
| F.4  | Small mail volumes .....                                | 66 |
| F.4.1  | General .....   | 66 |
| F.4.2  | Domestic .....  | 66 |
| F.4.3  | Cross border .....                                      | 66 |
| F.5  | Measurement organisation .....                          | 67 |
| F.5.1  | Role of the contractor .....                            | 67 |
| F.5.2  | Independence .....                                      | 67 |
| F.5.3  | Tender process .....                                    | 67 |
| Annex G (informative) Design basis .....   |   | 68 |
| G.1  | Discriminant characteristics .....                      | 68 |
| G.1.1  | Representative sample design .....                      | 68 |
| G.1.2  | Studies for the evaluation of possible candidates ..... | 69 |
| G.1.3  | Connection between Design Basis and Sample Design ..... | 71 |
| G.2  | Design basis .....                                      | 72 |
| G.2.1  | Real mail studies for domestic mail .....               | 72 |
| G.2.2  | Real mail studies for cross border mail .....           | 75 |
| G.2.3  | Alternative design bases .....                          | 75 |
| G.3  | Frequency of update .....                               | 76 |
| H.1  | Stages of the survey .....                              | 77 |
| H.1.1  | Preparation .....                                       | 77 |
| H.1.2  | Set-up .....  | 77 |
| H.1.3  | Pilot (testing phase) .....                             | 77 |
| H.1.4  | Faster implementation .....                             | 78 |
| H.1.5  | Measurement period .....                                | 78 |
| H.2  | Panellists .....  | 79 |
| H.2.1  | Representativeness .....                                | 79 |
| H.2.2  | Risk of panellist identification .....                  | 79 |
| H.2.3  | Induction and delivery .....                            | 80 |
| H.2.4  | Panel turnover .....                                    | 82 |

|  |  |            |
|--|--|------------|
| H.3  | Validation and transit time calculation .....                  | 82         |
| H.3.1  | Data validation .....  | 82         |
| H.3.2  | Service standard .....   | 84         |
| H.3.3  | Transit-time calculation rule .....                            | 85         |
| H.3.4  | Loss .....   | 86         |
| H.3.5  | Force majeure .....  | 86         |
| H.4  | Weighting .....  | 88         |
| H.4.1  | Weighting and stratification .....                             | 88         |
| H.4.2  | Weighting caps .....   | 93         |
| H.5  | Reporting of results .....                                     | 95         |
| H.5.1  | Reporting .....  | 95         |
| H.5.2  | Archiving .....  | 97         |
| H.6  | Audit .....  | 98         |
| H.6.1  | General .....  | 98         |
| H.6.2  | Position of the auditor .....                                  | 98         |
| H.6.3  | Audit report .....   | 98         |
| H.6.4  | Selection of the auditor .....                                 | 99         |
| H.6.5  | Frequency of audit .....                                       | 99         |
| H.7  | Implementation timetables .....                                | 99         |
| <b>Annex I (informative) Application of the accuracy calculation .....</b> |  | <b>103</b> |
| I.1  | Limitations of the accuracy calculation methods provided ..... | 103        |
| I.1.1  | Participants with high mail loads .....                        | 103        |
| I.1.2  | Disproportional models beyond the capping system .....         | 103        |
| I.2  | Recommendations for the application of the rules .....         | 104        |
| I.2.1  | Unstratified end-to-end sample .....                           | 104        |
| I.2.2  | Stratified simple random sample .....                          | 104        |
| I.2.3  | Approximation of the Binomial distribution .....               | 105        |
| I.2.4  | Accuracy .....   | 105        |
| I.2.5  | Accuracy application .....                                     | 105        |
| I.3  | The sample size .....  | 107        |
| I.4  | General Example for a national yearly result .....             | 107        |
| I.4.1  | Introduction .....   | 107        |
| I.4.2  | Design factor for an unstratified end-to-end sample .....      | 109        |
| I.4.3  | Design factor for a stratified random sample .....             | 110        |
| I.4.4  | Accuracy calculation .....                                     | 111        |
| I.5  | Simplified scenarios .....                                     | 113        |
| I.5.1  | General .....  | 113        |
| I.5.2  | Transit time results up to 96 % .....                          | 113        |
| I.5.3  | Fully proportional sample .....                                | 113        |
| I.5.4  | Single induction / delivery point .....                        | 114        |
| I.5.5  | Induction / delivery point with only one letter .....          | 114        |
| J.1  | Methodology .....  | 115        |
| J.1.1  | Accuracy and Minimum Sample Size (MSS) .....                   | 115        |
| J.1.2  | MSS for flows with small real mail volumes .....               | 115        |
| J.2  | Transit-time calculation rule .....                            | 116        |
| J.3  | Accuracy calculation method .....                              | 116        |
| J.3.1  | Improved applicability .....                                   | 116        |
| J.3.2  | Reduced bias in calculation .....                              | 116        |