DIN EN 16258:2013-03 (E)

Methodology for calculation and declaration of energy consumption and GHG emissions of transport services (freight and passengers)

Contents

Page

Foreword 4

Introduction 5

1 Scope 6

2 Terms, definitions and abbreviations 6
2.1 General terms 6
2.2 Specific terms 9

3 Units and symbols 11
3.1 Energy 11
3.2 GHG emissions 11

4 Quantification boundaries 12
4.1 General 12
4.2 Processes included 12
4.3 Processes not included 12
4.4 Greenhouse gases 13
4.5 Carbon offsetting and emissions trading 13

5 Principles of calculation of energy consumption and GHG emissions in transport services 13
5.1 General objectives 13
5.2 Steps of the calculation of energy consumption and GHG emissions of one transport service 14
5.3 Sub steps for the calculation of energy consumption and GHG emissions of one leg of one transport service 14
5.4 Categories of values used for the calculation 14
5.4.1 General 14
5.4.2 Use of default values 15

6 Principles of identification of the different legs of a transport service 15

7 Principles of the calculation at the vehicle operation system (VOS) level 15
7.1 General 15
7.2 Sub step 2.1: Establishing the VOS related to the leg 15
7.3 Sub step 2.2: Quantification of the total fuel consumption for the VOS 16
7.4 Sub step 2.3: Calculation of total energy consumption and GHG emissions for the VOS 16

8 Principles of allocation to cargo and/or passengers 17
8.1 General 17
8.2 Basic principles 18
8.3 Allocation parameters and units 18
8.3.1 General 18
8.3.2 Allocation for passengers 18
8.3.3 Allocation for freight 18
8.3.4 Combined transport of passengers and freight 19
8.4 Data collecting 20

9 Principles of summing the results for each leg 20

10 Declaration 20
10.1 General 20
10.2 Possibility to make a short declaration 21
10.3 Supporting information 21
10.3.1 General statement 21
10.3.2 Transparent description of the method 21

Annex A (normative) Energy and GHG emission factors 23

A.1 Transport fuels 23
A.1.1 General 23
A.1.2 Consistency between sources 23
A.1.3 Table of energy and GHG emission factors 23
A.1.4 Biofuel Blends 25
A.1.5 Specified fuels 28
A.2 Electricity 28
A.2.1 Well-to-wheels energy factors 28
A.2.2 Well-to-wheels emission factors 28
A.2.3 Tank-to-wheels energy factor 29
A.2.4 Tank-to-wheels emission factor 29

Annex B (normative) Allocation methods for ferries (maritime transport) 30

B.1 General 30
B.2 Mass method 30
B.3 Area method 31
B.4 Default values 31

Annex C (informative) Inclusion of empty trips into a VOS 32

C.1 General 32
C.2 Example for a simple case 32
C.3 Example of a VOS for a distribution or collection round trip 33

Annex D (informative) Template for declaration of categories of values used 34

Annex E (informative) Example for passengers: transport service by bus 35

E.1 Description of the example 35
E.2 Example with use of specific measured values 36
E.3 Example with use of transport operator fleet values 37
E.4 Example with use of default values 38
E.5 Example with use of transport operator specific values 38
E.6 Overview of the results 39

Annex F (informative) Examples for freight 40

F.1 Transport service of freight transport by train 40
F.1.1 Description of the example 40
F.1.2 Example with use of specific measured values 41
F.1.3 Example with use of transport operator specific values 42
F.1.4 Examples with use of default values 43
F.1.5 Overview of the results 45
F.2 Transport service of freight transport by container ship 45
F.2.1 Description of the example 45
F.2.2 Example with use of specific measured values 46
F.2.3 Example with use of default values 47
F.2.4 Overview of the results 48

Annex G (informative) Example for combined passenger and freight transport: ferry lines 49

G.1 Description of the example 49
G.2 Results and comparison of the two allocation methods 49

Annex H (informative) Detailed sources used and calculations done for establishment of Table A.1 . 51

Annex I (informative) Example of available sources of default values 65

Bibliography 66