

# ISO 21426:2018 (E)

## Tourism and related services — Medical spas — Service requirements

---

### Contents

|         |   |
|---------|---|
|         | Foreword  |
|         | Introduction  |
| 1       | Scope   |
| 2       | Normative references  |
| 3       | Terms and definitions   |
| 4       | Facilities and equipment  |
| 4.1     | General requirements  |
| 4.2     | Reception   |
| 4.3     | Dressing room and sanitary facilities                                       |
| 4.4     | Medical room  |
| 4.5     | Care area   |
| 4.5.1   | General requirements  |
| 4.5.2   | Dry areas   |
| 4.5.3   | Wet areas   |
| 4.6     | Equipment to treat waste water  |
| 5       | Staff   |
| 5.1     | General requirements  |
| 5.2     | Care area staff   |
| 5.3     | Technical staff   |
| 6       | Natural resources   |
| 6.1     | General requirements  |
| 6.2     | Natural healing waters  |
| 6.2.1   | Mineral and thermal springs   |
| 6.2.1.1 | Protection zone of mineral springs  |
| 6.2.1.2 | Water spring harnessing plan  |
| 6.2.2   | Balneological assessment and report   |
| 6.2.3   | Physical, chemical and microbiological properties of natural healing waters |
| 6.2.4   | Control analysis of natural healing waters and monitoring                   |
| 6.2.4.1 | Analysis of natural healing waters  |
| 6.2.4.2 | Control analysis and monitoring   |
| 6.3     | Natural healing gases   |
| 6.3.1   | General   |
| 6.3.2   | Natural healing gases assessment and report                                 |
| 6.3.3   | Control analysis of natural healing gases and monitoring                    |
| 6.4     | Natural peloids   |
| 6.4.1   | General requirements  |
| 6.4.2   | Extraction and storage of peloids   |
| 6.4.3   | Peloid assessment and report  |
| 6.4.4   | Control analysis of peloids and monitoring                                  |
| 7       | Maintenance, hygiene and cleaning   |
| 7.1     | General requirements  |
| 7.2     | Maintenance   |
| 7.2.1   | Preventive maintenance plan   |
| 7.2.2   | Emergency and evacuation plan   |
| 7.2.3   | Hot water supply  |
| 7.2.4   | Plant room  |

- 7.2.5 Corrective maintenance
- 7.2.6 Calibrating and verification of measurement equipment
- 7.3 Prevention and microbiological control
  - 7.3.1 General requirements
  - 7.3.2 Disinfection and cleaning plan
  - 7.3.3 Analytic control programme: analysis plan, data collection and control of parameters
- 8 Service provision
  - 8.1 General requirements
  - 8.2 Reception services
    - 8.2.1 Booking service
    - 8.2.2 Check-in service
    - 8.2.3 Communication with customers (calls and emails)
    - 8.2.4 Check-out
  - 8.3 Medical service
    - 8.3.1 General requirements
    - 8.3.2 Medical examination
    - 8.3.3 Treatment manual
  - 8.4 Other services
- 9 Support processes
  - 9.1 Marketing
  - 9.2 Procurement and storage
  - 9.3 Environmental policy
  - 9.4 Customer satisfaction
- Annex A (informative) Guidelines for characterization of natural healing waters (minimum values)
  - A.1 Characterization
  - A.2 Natural fluctuations of composition of natural healing waters
- Annex B (informative) Physicochemical, chemical and microbiological tests of natural healing waters
- Annex C (informative) Guidelines for natural healing gases assessment report
- Annex D (informative) Guidelines for control analysis of peloids and monitoring

Page count: 29