ISO 21426:2018 (E)

Tourism and related services — Medical spas — Service requirements

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Facilities and equipment

- 4.1 General requirements
- 4.2 Reception
- 4.3 Dressing room and sanitary facilities
- 4.4 Medical room
- 4.5 Care area
- 4.5.1 General requirements
- 4.5.2 Dry areas
- 4.5.3 Wet areas
- 4.6 Equipment to treat waste water

5 Staff

- 5.1 General requirements
- 5.2 Care area staff
- 5.3 Technical staff

6 Natural resources

- 6.1 General requirements
- 6.2 Natural healing waters
- 6.2.1 Mineral and thermal springs
- 6.2.1.1 Protection zone of mineral springs
- 6.2.1.2 Water spring harnessing plan
- 6.2.2 Balneological assessment and report
- 6.2.3 Physical, chemical and microbiological properties of natural healing waters
- 6.2.4 Control analysis of natural healing waters and monitoring
- 6.2.4.1 Analysis of natural healing waters
- 6.2.4.2 Control analysis and monitoring
- 6.3 Natural healing gases
- 6.3.1 General
- 6.3.2 Natural healing gases assessment and report
- 6.3.3 Control analysis of natural healing gases and monitoring
- 6.4 Natural peloids
- 6.4.1 General requirements
- 6.4.2 Extraction and storage of peloids
- 6.4.3 Peloid assessment and report
- 6.4.4 Control analysis of peloids and monitoring

7 Maintenance, hygiene and cleaning

- 7.1 General requirements
- 7.2 Maintenance
- 7.2.1 Preventive maintenance plan
- 7.2.2 Emergency and evacuation plan
- 7.2.3 Hot water supply
- 7.2.4 Plant room

7.2.5 Corrective maintenance
7.2.6 Calibrating and verification of measurement equipment
7.3 Prevention and microbiological control
7.3.1 General requirements
7.3.2 Disinfection and cleaning plan
7.3.3 Analytic control programme: analysis plan, data collection and control of parameters

8 Service provision

8.1 General requirements
8.2 Reception services
8.2.1 Booking service
8.2.2 Check-in service
8.2.3 Communication with customers (calls and emails)
8.2.4 Check-out
8.3 Medical service
8.3.1 General requirements
8.3.2 Medical examination
8.3.3 Treatment manual
8.4 Other services

9 Support processes

9.1 Marketing
9.2 Procurement and storage
9.3 Environmental policy
9.4 Customer satisfaction

Annex A (informative) Guidelines for characterization of natural healing waters (minimum values)

A.1 Characterization
A.2 Natural fluctuations of composition of natural healing waters

Annex B (informative) Physicochemical, chemical and microbiological tests of natural healing waters

Annex C (informative) Guidelines for natural healing gases assessment report

Annex D (informative) Guidelines for control analysis of peloids and monitoring

Page count: 29