

# ISO 22702:2018-12 (E)

## Utility lighters - Safety specifications

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Functional requirements .....</b>	<b>3</b>
4.1	Flame generation .....	3
4.2	Flame heights .....	4
4.2.1	General .....	4
4.2.2	Non-adjustable postmixing burner utility lighters .....	4
4.2.3	Non-adjustable premixing burner utility lighters .....	4
4.2.4	Adjustable postmixing burner utility lighters .....	4
4.2.5	Adjustable premixing burner utility lighters .....	4
4.2.6	Adjustable postmixing burner utility lighters (flame height on first ignition) .....	5
4.2.7	Adjustable premixing burner utility lighters (flame height on first ignition) .....	5
4.2.8	Adjustable postmixing burner utility lighters (flame height at lowest setting) .....	5
4.2.9	Adjustable premixing burner utility lighters (flame height at lowest setting) .....	5
4.2.10	Dual flame type utility lighters .....	5
4.2.11	Multiple flame type utility lighters .....	5
4.3	Flame-height adjustment .....	5
4.4	Resistance to spitting or sputtering and flaring .....	6
4.5	Flame extinction .....	6
4.5.1	Adjustable postmixing burner utility lighters .....	6
4.5.2	Adjustable and non-adjustable postmixing burner utility lighters .....	7
4.5.3	Adjustable and non-adjustable premixing burner utility lighters .....	7
4.5.4	Dual flame type utility lighters .....	7
4.5.5	Multiple flame type utility lighters .....	7
4.6	Volumetric displacement of fuel .....	7
4.7	Mass of fuel .....	7
<b>5</b>	<b>Structural-integrity requirements .....</b>	<b>7</b>
5.1	General .....	7
5.2	Resistance to dropping .....	7
5.3	Resistance to elevated temperature .....	8
5.4	Burning behaviour .....	8
5.5	Resistance to continuous burning .....	9
5.6	Resistance to cyclic burning .....	9
5.7	External finish .....	9
5.8	Compatibility with fuel .....	9
5.9	Resistance to internal pressure .....	9
<b>6</b>	<b>Refilling of utility lighters .....</b>	<b>9</b>
<b>7</b>	<b>Instructions and warnings .....</b>	<b>9</b>
7.1	Safety information .....	9
7.1.1	General .....	9
7.1.2	Location .....	9

7.1.3	Content .....	10
7.1.4	Safety signs .....	10
7.2	Refilling instructions .....	11
8	Test methods .....	12
8.1	Test specimens and test sequencing .....	12
8.1.1	Test specimens .....	12
8.1.2	Test sequencing .....	12
8.2	Flame height measurement .....	12
8.2.1	General .....	12
8.2.2	Apparatus .....	12
8.2.3	Test specimens .....	12
8.2.4	Procedure .....	12
8.3	Spitting, sputtering and flaring tests .....	12
8.3.1	General .....	12
8.3.2	Test specimens .....	12
8.3.3	Procedure .....	13
8.4	Flame extinction test .....	14
8.4.1	General .....	14
8.4.2	Test specimens .....	14
8.4.3	Apparatus .....	14
8.4.4	Procedure .....	14
8.5	Drop test .....	14
8.5.1	General .....	14
8.5.2	Significance .....	14
8.5.3	Apparatus .....	14
8.5.4	Test specimens .....	15
8.5.5	Procedure .....	15
8.6	Elevated temperature test .....	15
8.6.1	General .....	15
8.6.2	Significance .....	15
8.6.3	Apparatus .....	15
8.6.4	Test specimens .....	16
8.6.5	Procedure .....	16
8.7	Continuous-burning-time test .....	16
8.7.1	General .....	16
8.7.2	Test specimens .....	16
8.7.3	Apparatus .....	17
8.7.4	Procedure .....	17
8.8	Cyclic burning time test .....	17
8.8.1	General .....	17
8.8.2	Significance .....	17
8.8.3	Test specimens .....	17
8.8.4	Procedure .....	17
8.9	Fuel compatibility test .....	18
8.9.1	General .....	18
8.9.2	Test specimens .....	18
8.9.3	Apparatus .....	18
8.9.4	Procedure .....	18
8.10	Internal-pressure test .....	19
8.10.1	General .....	19
8.10.2	Significance .....	19
8.10.3	Apparatus .....	19
8.10.4	Test specimens .....	19
8.10.5	Procedure .....	19
8.11	Refilling test .....	20
8.11.1	General .....	20
8.11.2	Procedure .....	20
8.12	Fuel volumetric-displacement test .....	20
8.12.1	General .....	20
8.12.2	Apparatus .....	20

**8.12.3 Test specimens .....20**  
**8.12.4 Procedure .....20**  
**9 Product marking .....22**  
**Annex A (normative) Test sequencing .....23**