

ISO 22702:2003-11 (E)

Utility lighters - General consumer-safety requirements

| Contents | | Page |
|--|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Terms and definitions | 1 |
| 3 | Functional requirements | 3 |
| 3.1 | Flame generation | 3 |
| 3.2 | Flame heights | 3 |
| 3.3 | Flame-height adjustment | 5 |
| 3.4 | Resistance to spitting or sputtering and flaring | 5 |
| 3.5 | Flame extinction | 6 |
| 3.6 | Volumetric displacement | 6 |
| 4 | Structural-integrity requirements | 6 |
| 4.1 | General | 6 |
| 4.2 | Resistance to dropping | 6 |
| 4.3 | Resistance to elevated temperature | 7 |
| 4.4 | Burning behaviour | 7 |
| 4.5 | Resistance to continuous burn | 7 |
| 4.6 | Resistance to cyclic burn | 7 |
| 4.7 | External finish | 8 |
| 4.8 | Compatibility with fuel | 8 |
| 4.9 | Resistance to internal pressure | 8 |
| 5 | Refilling of utility lighters | 8 |
| 6 | Instructions and warnings | 8 |
| 6.1 | Safety information | 8 |
| 6.2 | Refilling instructions | 9 |
| 7 | Test methods | 9 |
| 7.1 | Flame height measurement | 9 |
| 7.2 | Spitting, sputtering and flaring tests | 10 |
| 7.3 | Flame extinction test | 11 |
| 7.4 | Drop test | 12 |
| 7.5 | Elevated temperature test | 13 |
| 7.6 | Continuous-burn test | 14 |
| 7.7 | Cyclic burning time test | 14 |
| 7.8 | Fuel compatibility test | 15 |
| 7.9 | Internal-pressure test | 16 |
| 7.10 | Refilling test | 17 |
| 7.11 | Fuel volumetric-displacement test | 17 |
| 8 | Product marking | 18 |
| Annex A (informative) Manufacturer's acceptance quality limits for specification and inset limits for flame characteristics in 3.2.2 to 3.2.7 | | 19 |
| Bibliography | | 20 |