

ISO/IEC TR 13066-6:2014-07 (E)

Information technology - Interoperability with Assistive Technology (AT) - Part 6: Java accessibility application programming interface (API)

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Terms and Definitions | 1 |
| 3 | General Description | 5 |
| 3.1 | General Description | 5 |
| 3.2 | Architecture | 5 |
| 4 | Using the API | 6 |
| 4.1 | Overview | 6 |
| 4.2 | Package javax.accessibility* | 7 |
| 4.2.1 | The AccessibleContext class | 7 |
| 4.2.2 | The AccessibleAction interface | 8 |
| 4.2.3 | The AccessibleComponent and AccessibleExtendedComponent interfaces | 8 |
| 4.2.4 | The AccessibleIcon interface | 10 |
| 4.2.5 | The AccessibleSelection interface | 10 |
| 4.2.6 | The AccessibleStreamable interface | 10 |
| 4.2.7 | The AccessibleTable and AccessibleExtendedTable interfaces | 11 |
| 4.2.8 | The AccessibleText, AccessibleEditableText, AccessibleExtendedText, and AccessibleHypertextText interfaces | 12 |
| 4.2.9 | The AccessibleValue interface | 13 |
| 4.3 | Implementing the Java accessibility API | 13 |
| 4.3.1 | Using existing accessible user interface components | 14 |
| 4.3.2 | Subclassing existing accessible user interface components | 16 |
| 4.3.3 | Creating accessible user interface components "from scratch" | 17 |
| 5 | Exposing User Interface Element Information | 18 |
| 5.1 | Role, state(s), boundary, name, and description of the user interface element | 18 |
| 5.1.1 | Role information | 19 |
| 5.1.2 | State(s) information | 19 |
| 5.1.3 | Boundary information | 20 |
| 5.1.4 | Name information | 21 |
| 5.1.5 | Description information | 21 |
| 5.2 | Current value and any minimum or maximum values, if the user interface element represents one of a range of values | 22 |
| 5.2.1 | Additional value information: setting values | 23 |
| 5.3 | Text contents, text attributes, and the boundary of text rendered to the screen | 23 |
| 5.4 | The relationship of the user interface element to other user interface elements | 24 |
| 5.4.1 | in a single data value, whether this user interface element is a label for another user interface element or is labelled by another user interface element | 24 |
| 5.4.2 | in a table, the row and column that it is in, including headers of the row and column if present | 25 |
| 5.4.3 | in a hierarchical relationship, any parent containing the user interface element, and any children contained by the user interface element | 26 |
| 6 | Exposing User Interface Element Actions | 27 |

| | | |
|---------------------------|---|-----------|
| 7 | Keyboard Focus | 28 |
| 7.1 | Tracking (and modifying) focus | 28 |
| 7.2 | Tracking (and modifying) text insertion point | 29 |
| 7.2.1 | Tracking (and modifying) selection attributes | 30 |
| 8 | Events | 31 |
| 8.1 | changes in the user interface element value | 31 |
| 8.2 | changes in the name of the user interface element | 31 |
| 8.3 | changes in the description of the user interface element | 31 |
| 8.4 | changes in the boundary of the user interface element | 31 |
| 8.5 | changes in the hierarchy of the user interface element | 32 |
| 8.6 | changes in other accessibility aspects of user interface components | 32 |
| 9 | Programmatic Modifications of States, Properties, Values, and Text | 33 |
| 9.1 | Programmatic Modifications of States | 33 |
| 9.2 | Programmatic Modifications of Properties | 34 |
| 9.3 | Programmatic Modifications of Values | 34 |
| 9.4 | Programmatic Modifications of Text | 34 |
| 10 | Design Considerations | 35 |
| 10.1 | Java Access Bridge for Windows | 35 |
| 10.2 | Java Access Bridge for Linux / UNIX graphical environments | 36 |
| 11 | Further Information | 38 |
| 11.1 | Role extensibility | 38 |
| 11.2 | State extensibility | 39 |
| 11.3 | Relation extensibility | 39 |
| 11.4 | Interface extensibility | 39 |
| Bibliography | | 40 |