

# ISO 9241-125:2017-09 (E)

## Ergonomics of human-system interaction - Part 125: Guidance on visual presentation of information

---

| <b>Contents</b>    |   | <b>Page</b> |
|--------------------|---|-------------|
| Foreword .....     |   | vii         |
| Introduction ..... |   | viii        |
| <b>1</b>           | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>           | <b>Normative references .....</b>   | <b>1</b>    |
| <b>3</b>           | <b>Terms and definitions .....</b>  | <b>1</b>    |
| <b>4.1</b>         | <b>Accessibility .....</b>  | <b>7</b>    |
| <b>4.2</b>         | <b>General guidance for presentation of information .....</b>             | <b>7</b>    |
| <b>4.3</b>         | <b>Guidance on the presentation of visual information .....</b>           | <b>7</b>    |
| <b>4.4</b>         | <b>General issues for the display of visual information .....</b>         | <b>8</b>    |
| <b>4.4.1</b>       | <b>Legibility of characters and symbols .....</b>                         | <b>8</b>    |
| <b>4.4.2</b>       | <b>Character height .....</b>   | <b>8</b>    |
| <b>4.4.3</b>       | <b>Scaling visually presented information .....</b>                       | <b>8</b>    |
| <b>5</b>           | <b>Visual structuring of information .....</b>                            | <b>8</b>    |
| <b>5.1</b>         | <b>Arranging and labelling information .....</b>                          | <b>8</b>    |
| <b>5.1.1</b>       | <b>Information location .....</b>   | <b>8</b>    |
| <b>5.1.2</b>       | <b>Required information .....</b>   | <b>8</b>    |
| <b>5.1.3</b>       | <b>Consistent location of areas .....</b>                                 | <b>8</b>    |
| <b>5.1.4</b>       | <b>Density of displayed information .....</b>                             | <b>9</b>    |
| <b>5.1.5</b>       | <b>Distinction of groups .....</b>  | <b>9</b>    |
| <b>5.1.6</b>       | <b>Sequencing .....</b>   | <b>10</b>   |
| <b>5.1.7</b>       | <b>Use of conventions .....</b>   | <b>11</b>   |
| <b>5.1.8</b>       | <b>Functional grouping .....</b>  | <b>11</b>   |
| <b>5.1.9</b>       | <b>Arrangement of groups for rapid detection and discrimination .....</b> | <b>11</b>   |
| <b>5.1.10</b>      | <b>Consistency with paper forms .....</b>                                 | <b>11</b>   |
| <b>5.1.11</b>      | <b>Labelling user interface elements .....</b>                            | <b>11</b>   |
| <b>5.1.12</b>      | <b>Label designation .....</b>  | <b>11</b>   |
| <b>5.1.13</b>      | <b>Grammatical construction of labels .....</b>                           | <b>11</b>   |
| <b>5.1.14</b>      | <b>Label position .....</b>   | <b>11</b>   |
| <b>5.1.15</b>      | <b>Label position for individual check boxes or radio buttons .....</b>   | <b>12</b>   |
| <b>5.1.16</b>      | <b>Separation of labels and associated information .....</b>              | <b>12</b>   |
| <b>5.1.17</b>      | <b>Label format and alignment .....</b>                                   | <b>12</b>   |
| <b>5.1.18</b>      | <b>Labels for units of measurement .....</b>                              | <b>12</b>   |
| <b>5.1.19</b>      | <b>Differentiating objects of identical type .....</b>                    | <b>12</b>   |
| <b>5.2</b>         | <b>Using windows to present information .....</b>                         | <b>12</b>   |
| <b>5.2.1</b>       | <b>Appropriateness of windows .....</b>                                   | <b>12</b>   |
| <b>5.2.2</b>       | <b>Multiple windows .....</b>   | <b>13</b>   |
| <b>5.2.3</b>       | <b>Selection of window format .....</b>                                   | <b>13</b>   |
| <b>6</b>           | <b>Using user interface elements to organize information .....</b>        | <b>14</b>   |
| <b>6.1</b>         | <b>Lists .....</b>  | <b>14</b>   |
| <b>6.1.1</b>       | <b>List structure .....</b>   | <b>14</b>   |
| <b>6.1.2</b>       | <b>Item separation .....</b>  | <b>14</b>   |
| <b>6.1.3</b>       | <b>Alphabetic information .....</b>                                       | <b>14</b>   |
| <b>6.1.4</b>       | <b>Numeric information .....</b>  | <b>14</b>   |
| <b>6.1.5</b>       | <b>Fixed font size .....</b>  | <b>14</b>   |

|        |   |    |
|--------|---|----|
| 6.1.6  | Item numbering .....  | 15 |
| 6.1.7  | Indication of relative position of displayed information .....            | 15 |
| 6.1.8  | Indication of list continuation .....                                     | 15 |
| 6.2    | Tables .....  | 15 |
| 6.2.1  | List organization in tables .....   | 15 |
| 6.2.2  | Maintaining column and row headings .....                                 | 16 |
| 6.2.3  | Spacing as a visual technique for grouping information .....              | 16 |
| 6.2.4  | Column spacing .....  | 16 |
| 6.3    | Entry fields .....  | 16 |
| 6.3.1  | Entry field format .....  | 16 |
| 6.3.2  | Entry field length .....  | 17 |
| 6.4    | Windows .....   | 17 |
| 6.4.1  | Unique window identification .....  | 17 |
| 6.4.2  | Application information .....   | 17 |
| 6.4.3  | Default window parameters .....   | 17 |
| 6.4.4  | Consistent window appearance within an application .....                  | 17 |
| 6.4.5  | Consistent window appearance within a multi-application environment ..... | 17 |
| 6.4.6  | Indication of primary/secondary window relationships .....                | 18 |
| 6.4.7  | Identification of window control elements .....                           | 18 |
| 6.4.8  | Location of window control elements .....                                 | 18 |
| 6.4.9  | Size and location across sessions .....                                   | 18 |
| 6.4.10 | Duplicate or split windows .....  | 18 |
| 6.4.11 | Resizing windows .....  | 18 |
| 6.4.12 | Resizing window panes .....   | 18 |
| 6.4.13 | Predictable new window location .....                                     | 18 |
| 6.4.14 | New windows offset .....  | 18 |
| 6.4.15 | New window on top .....   | 18 |
| 6.4.16 | Placement and size of new window .....                                    | 19 |
| 6.4.17 | Placement of secondary windows .....                                      | 19 |
| 6.4.18 | Warning for application termination .....                                 | 19 |
| 6.4.19 | Restoring hidden windows .....  | 19 |
| 6.4.20 | Identification cues for iconified window .....                            | 19 |
| 6.4.21 | Predictable position of an icon representing a window .....               | 19 |
| 6.4.22 | Visual cue in icon for important events .....                             | 19 |
| 6.4.23 | Discriminable cue for application status .....                            | 19 |
| 6.4.24 | Discriminable cue for restored windows .....                              | 20 |
| 6.4.25 | Identification cues for restored window .....                             | 20 |
| 6.4.26 | Input cursor location .....   | 20 |
| 6.4.27 | Visual cues for window with focus .....                                   | 20 |
| 6.4.28 | Manipulation of the size of windows .....                                 | 20 |
| 6.4.29 | Feedback provided during resize .....                                     | 20 |
| 6.4.30 | Original size indicator during resize .....                               | 20 |
| 6.4.31 | Independence of resize dimensions .....                                   | 20 |
| 6.4.32 | Scaling .....   | 21 |
| 6.4.33 | Sizing effects on window contents .....                                   | 21 |
| 6.4.34 | Scrolling and paging .....  | 21 |
| 6.4.35 | Moving window contents in multiple units .....                            | 21 |
| 6.4.36 | Provide scrolling by smallest meaningful unit .....                       | 21 |
| 6.4.37 | Provide scrolling by large units .....                                    | 21 |
| 6.4.38 | Consistent direction of scrolling .....                                   | 21 |
| 6.4.39 | Visual cue for group membership .....                                     | 22 |
| 7      | Graphical objects .....   | 22 |
| 7.1    | Cursors and pointers .....  | 22 |
| 7.1.1  | Designation of cursor and pointer position .....                          | 22 |
| 7.1.2  | Cursor occlusion of characters .....                                      | 22 |
| 7.1.3  | Cursor and pointer location .....   | 22 |
| 7.1.4  | Cursor "home" position .....  | 22 |
| 7.1.5  | Initial position for entry fields .....                                   | 22 |
| 7.1.6  | Point designation accuracy .....  | 22 |
| 7.1.7  | Different cursors/pointers .....  | 22 |

|        |   |    |
|--------|---|----|
| 7.1.8  | Active cursor/pointer .....   | 23 |
| 7.1.9  | Multiple cursors and pointers .....                                   | 23 |
| 7.2    | Icons .....   | 23 |
| 7.2.1  | Guidance on design and use of icons .....                             | 23 |
| 7.2.2  | Text alternative for icons .....                                      | 23 |
| 7.2.3  | Neutral icons .....   | 23 |
| 7.2.4  | Cross-cultural icons .....  | 23 |
| 7.2.5  | Ease of learning .....  | 24 |
| 7.2.6  | Icons containing consistent cues .....                                | 24 |
| 7.2.7  | National or international graphics .....                              | 24 |
| 7.2.8  | Reuse of existing icons .....   | 24 |
| 7.2.9  | User guidance for icons .....   | 24 |
| 8      | Coding techniques .....   | 24 |
| 8.1    | General recommendations for codes .....                               | 24 |
| 8.1.1  | Introduction .....  | 24 |
| 8.1.2  | Meeting user expectations .....                                       | 25 |
| 8.1.3  | Explaining codes .....  | 25 |
| 8.1.4  | Distinctiveness of codes .....  | 25 |
| 8.1.5  | Consistent coding .....   | 25 |
| 8.1.6  | Meaningfulness .....  | 25 |
| 8.1.7  | Access to meaning of code .....                                       | 25 |
| 8.1.8  | Use of standards or conventional meaning .....                        | 26 |
| 8.1.9  | Rules of code construction .....                                      | 26 |
| 8.1.10 | Codes for missing information .....                                   | 26 |
| 8.1.11 | Partitioning long information items .....                             | 26 |
| 8.2    | Alphanumeric coding .....   | 26 |
| 8.2.1  | Length of character strings .....                                     | 26 |
| 8.2.2  | Alphabetic vs. numeric codes .....                                    | 26 |
| 8.2.3  | Same meaning for upper and lower case characters .....                | 26 |
| 8.2.4  | Visually similar alphanumeric characters .....                        | 27 |
| 8.2.5  | Length of abbreviations .....   | 27 |
| 8.2.6  | Abbreviations of different length .....                               | 27 |
| 8.2.7  | Truncation .....  | 27 |
| 8.2.8  | Deviation from the rules of code construction for abbreviations ..... | 27 |
| 8.2.9  | Conventional and task related abbreviations .....                     | 27 |
| 8.3    | Graphical coding .....  | 27 |
| 8.3.1  | Distinctive states of user-interface elements .....                   | 27 |
| 8.3.2  | Levels of graphical codes .....                                       | 27 |
| 8.3.3  | Three-dimensional coding .....  | 28 |
| 8.3.4  | Coding with geometric shapes .....                                    | 28 |
| 8.3.5  | Coding with different types of lines .....                            | 28 |
| 8.3.6  | Line orientation .....  | 28 |
| 8.4    | Colour coding .....   | 28 |
| 8.4.1  | Redundant colour coding .....   | 28 |
| 8.4.2  | Colour coding for people with colour deficits .....                   | 28 |
| 8.4.3  | Legend showing colour codes .....                                     | 29 |
| 8.4.4  | Redundant codes displayed in legends .....                            | 29 |
| 8.4.5  | Different use of one colour .....                                     | 29 |
| 8.4.6  | Limiting the number of colours .....                                  | 29 |
| 8.4.7  | Colour assignment to categories of information .....                  | 29 |
| 8.4.8  | Colour coding conventions .....                                       | 30 |
| 8.4.9  | Number of colours used .....  | 30 |
| 8.4.10 | Assignments based on cultural conventions .....                       | 30 |
| 8.4.11 | Cross-cultural design .....   | 30 |
| 8.4.12 | Colour assignments for special and temporary states .....             | 30 |
| 8.4.13 | Continuous scales .....   | 30 |
| 8.4.14 | Coding differences .....  | 31 |
| 8.4.15 | Coding relative values .....  | 31 |
| 8.4.16 | Ordered coding .....  | 31 |
| 8.4.17 | Consistency of colour codes .....                                     | 31 |
| 8.4.18 | Change of state .....   | 31 |

|        |   |    |
|--------|---|----|
| 8.4.19 | Additional guidance on the use of colour .....  | 31 |
| 8.5    | Markers .....   | 32 |
| 8.5.1  | Special symbols for markers .....   | 32 |
| 8.5.2  | Markers for multiple selection .....  | 32 |
| 8.5.3  | Unique use of symbols for markers .....   | 32 |
| 8.5.4  | Positioning of markers .....  | 32 |
| 8.6    | Other coding techniques .....   | 33 |
| 8.6.1  | Blink coding .....  | 33 |
| 8.6.2  | Highlighting by blinking .....  | 33 |
| 8.6.3  | Size coding .....   | 33 |
| 8.6.4  | Luminance (brightness) coding .....   | 33 |
| 8.6.5  | Relative Lightness Levels .....   | 33 |
| 8.6.6  | Image polarity reversal .....   | 33 |
| 8.6.7  | Underlining .....   | 33 |
| 8.6.8  | Coding of areas using different coding techniques .....                                 | 34 |
| 9      | Use of Colour .....   | 34 |
| 9.1    | General recommendations .....   | 34 |
| 9.2    | Specific guidance on using colour .....   | 34 |
| 9.2.1  | Avoiding presentation of information by colour alone .....                              | 34 |
| 9.2.2  | Overuse of colours .....  | 34 |
| 9.2.3  | Colour interpretation from memory colour .....  | 35 |
| 9.2.4  | Colour limits for visual search .....   | 35 |
| 9.2.5  | Use of focal colours when accurate colour identification is needed .....                | 35 |
| 9.2.6  | Size of character strings, data fields, and symbols when presented with colour.35 9.2.7 |    |
|        | Accurate colour discrimination .....  | 36 |
| 9.2.8  | Events in the visual periphery .....  | 36 |
| 9.2.9  | Object separation .....   | 36 |
| 9.2.10 | Background colours .....  | 36 |
| 9.2.11 | Foreground and background colours for text .....  | 36 |
| 9.2.12 | Continuous reading .....  | 37 |
| 9.2.13 | Unintended depth effects .....  | 37 |
| 9.2.14 | Size and the use of blue .....  | 37 |
| 9.2.15 | Blue and red on dark backgrounds .....  | 37 |
| 9.2.16 | Spectrally extreme colours .....  | 37 |
| 9.2.17 | Improved colour identification .....  | 38 |
| 9.2.18 | Contrast .....  | 38 |
| 9.2.19 | Contrast enhancement .....  | 38 |
| 9.2.20 | Realistic colours .....   | 39 |
| 9.2.21 | Drawing attention .....   | 39 |
| 9.2.22 | Restricted use of warning colours .....   | 39 |
|        | Bibliography .....  | 40 |