

DIN EN ISO 9241-306:2018-12 (E)

Ergonomics of human-system interaction - Part 306: Field assessment methods for electronic visual displays (ISO 9241-306:2018)

| Contents | | Page |
|-------------------------|----------------------------------------------|-------------|
| European foreword | | 4 |
| Foreword | | 5 |
| Introduction | | 6 |
| 1 | Scope | 8 |
| 2 | Normative references | 8 |
| 3 | Terms and definitions | 8 |
| 4 | Preparation for assessment | 8 |
| 4.1 | Cleaning | 8 |
| 4.2 | Set-up | 8 |
| 4.3 | Display warm-up | 9 |
| 4.4 | Control settings of the visual display | 9 |
| 5 | Assessment methods | 10 |
| 5.1 | Viewing conditions | 10 |
| 5.1.1 | Design viewing distance | 10 |
| 5.1.2 | Design viewing direction | 11 |
| 5.1.3 | Gaze and head tilt angles | 12 |
| 5.1.4 | Virtual images | 12 |
| 5.2 | Luminance | 12 |
| 5.2.1 | Illuminance | 12 |
| 5.2.2 | Display luminance | 12 |
| 5.2.3 | Luminance balance and glare | 12 |
| 5.2.4 | Luminance adjustment | 13 |
| 5.3 | Special physical environments | 13 |
| 5.3.1 | Vibration | 13 |
| 5.3.2 | Wind and rain | 13 |
| 5.3.3 | Excessive temperatures | 13 |
| 5.4 | Visual artefacts | 13 |
| 5.4.1 | Luminance non-uniformity | 13 |
| 5.4.2 | Colour non-uniformity | 13 |
| 5.4.3 | Contrast non-uniformity | 14 |
| 5.4.4 | Geometric distortions | 14 |
| 5.4.5 | Pixel faults | 14 |
| 5.4.6 | Temporal instability (flicker) | 14 |
| 5.4.7 | Spatial instability (jitter) | 14 |
| 5.4.8 | Moiré effects | 14 |
| 5.4.9 | Other instabilities | 15 |
| 5.4.10 | Unwanted reflections | 15 |
| 5.4.11 | Unintended depth effects | 15 |
| 5.5 | Legibility and readability | 15 |
| 5.5.1 | Luminance contrast | 15 |
| 5.5.2 | Image polarity | 15 |
| 5.5.3 | Character height | 16 |
| 5.5.4 | Text size constancy | 17 |
| 5.5.5 | Character stroke width | 17 |
| 5.5.6 | Character width-to-height ratio | 17 |
| 5.5.7 | Character format | 17 |
| 5.5.8 | Between-character spacing | 17 |
| 5.5.9 | Between-word spacing | 17 |
| 5.5.10 | Between-line spacing | 17 |

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-----------|
| 5.6 | Legibility of information coding..... | 17 |
| 5.6.1 | Luminance coding..... | 17 |
| 5.6.2 | Absolute luminance coding..... | 17 |
| 5.6.3 | Blink coding..... | 18 |
| 5.6.4 | Colour coding..... | 18 |
| 5.6.5 | Geometrical coding..... | 18 |
| 5.7 | Legibility of graphics..... | 18 |
| 5.7.1 | Monochrome and multicolour object size..... | 18 |
| 5.7.2 | Contrast for object legibility..... | 18 |
| 5.7.3 | Grey and colour considerations for graphics..... | 18 |
| 5.7.4 | Background and surround image effects..... | 18 |
| 5.7.5 | Number of colours..... | 18 |
| 5.8 | Fidelity..... | 19 |
| 5.8.1 | Grey scale and gamma..... | 19 |
| 5.8.2 | Rendering of moving images..... | 19 |
| 5.8.3 | Colour misconvergence..... | 19 |
| 5.8.4 | Image formation time (IFT)..... | 19 |
| 5.8.5 | Spatial resolution..... | 20 |
| 6 | Other considerations..... | 20 |
| 6.1 | Isotropic surface..... | 20 |
| 6.2 | Anisotropic surfaces..... | 20 |
| 6.3 | Viewing angle range..... | 20 |
| 6.4 | Adjustability..... | 20 |
| 6.5 | Controllability..... | 20 |
| 6.6 | Luminous environment..... | 21 |
| Annex A (informative) Overview of the ISO 9241 series..... | | 22 |
| Annex B (informative) Influences on ergonomics parameters of visual displays..... | | 23 |
| Annex C (informative) Unwanted reflections..... | | 26 |
| Annex D (informative) Definition and application of test charts for display output linearization for eight different ambient light reflections at office work places..... | | 29 |
| Annex E (informative) Considerations for Cathode ray tube (CRT) displays..... | | 60 |
| Bibliography..... | | 62 |