

# ISO/TR 22126-2:2025-01 (E)

## Financial services - Semantic technology - Part 2: OWL representation of the ISO 20022 metamodel and e-repository

---

### Contents

Page

Foreword	v
Introduction	vi
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms, definitions and abbreviated terms</b>	<b>1</b>
3.1 Terms and definitions	1
3.2 Abbreviated terms	2
<b>4 Overview</b>	<b>2</b>
4.1 Graph transformations	2
4.1.1 General	2
4.1.2 Graphs derived from the XML document	4
4.1.3 Conversion to a FIX AE message	4
4.1.4 Graphs aligned with message and business components	4
<b>5 Methods</b>	<b>5</b>
5.1 Multiple local RDF graphs	5
5.2 Open linked data	6
<b>6 Reconciling differences between Ecore, RDF and OWL</b>	<b>7</b>
6.1 Introducing Ecore	7
6.2 Differences between Ecore and RDF standards	7
6.3 Separation of schema objects and instances	8
6.4 Python, pyecore and RDF	8
6.5 Ordering and structured data in RDF	9
6.5.1 General	9
6.5.2 Unordered relationships	9
6.5.3 RDF collections	9
6.5.4 RDF containers	10
6.5.5 Blank nodes and triples turned sideways	10
6.6 Internationalization in RDF	11
6.7 SHACL, another RDF schema language	11
<b>7 Processing ISO 20022 instance messages in RDF</b>	<b>12</b>
7.1 The $G_2$ graph — Converting an ISO 20022 XML message to RDF instance data	12
7.2 Querying ISO 20022 message data with SPARQL	14
7.3 The $G_1$ graph — Maintaining ordering information	14
7.4 Compatibility with OWL and RDFS inference — $G_4$ graph	14
7.5 The $G_3$ graph — Converting the auth.016 message to a FIX AE message	15
<b>8 Mechanical conversion of the e-Repository</b>	<b>18</b>
8.1 File and namespace prefixes — $M_C$ and $B_C$ graphs	18
8.2 OrganisationIdentification — Business components and attributes	18
8.3 Message components and attributes	21
8.4 CodeSets	23
8.4.1 General	23
8.4.2 Empty CodeSet	23
8.4.3 CodeSet with codes	24
8.5 Coining unique identifiers	25
8.5.1 The problem	25
8.5.2 Composite names	25

8.5.3	Arbitrary disambiguators.....	25
8.5.4	External id.....	25
8.5.5	Internal id.....	26
8.5.6	Random id.....	26
8.5.7	Skolemization.....	26
<b>9</b>	<b>Representing the ISO 20022 e-Repository in OWL and RDFS.....</b>	<b>26</b>
9.1	Methodology.....	26
9.2	RDFS modelling of a business component.....	28
9.3	Datatype and object properties in OWL.....	29
9.4	Representing enumerated types.....	30
9.5	Restrictions on data types.....	31
9.6	Disjoint classes.....	31
9.7	Miscellaneous objects and annotation properties.....	32
9.8	Containment relationships and inference.....	32
9.9	OWL inference and its limits.....	33
<b>10</b>	<b>Instances aligned to the e-Repository.....</b>	<b>34</b>
10.1	The $G_4$ graph — Message expressed with message components.....	34
10.2	The $G_5$ graph — Abstract instance of a trade.....	35
10.3	Concepts missing in the business components.....	37
<b>11</b>	<b>Conclusion.....</b>	<b>38</b>
<b>Annex A (informative) A preliminary OWL 2 ontology as a semantic model for ISO 20022.....</b>		<b>40</b>
<b>Bibliography.....</b>		<b>45</b>