

ISO 8583-1:2003-06 (E)

Financial transaction card originated messages - Interchange message specifications - Part 1: Messages, data elements and code values

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | vii |
| Introduction | | viii |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols (and abbreviated terms) | 8 |
| 4.1 | Representation abbreviations | 8 |
| 4.2 | Abbreviated terms | 9 |
| 5 | Message structure | 9 |
| 5.1 | Message components | 9 |
| 5.1.1 | Sequence | 9 |
| 5.1.2 | Message type | 9 |
| 5.2 | Message repeats | 10 |
| 5.3 | Message bit maps | 10 |
| 5.4 | Data elements | 11 |
| 5.4.1 | Data element types | 11 |
| 5.4.2 | Primitive data elements | 11 |
| 5.4.3 | Constructed data element | 11 |
| 5.4.4 | Composite data elements | 11 |
| 6 | Data elements | 14 |
| 6.1 | Data element directory | 14 |
| 6.2 | General requirements for data elements | 39 |
| 6.2.1 | Variable length data elements | 39 |
| 6.2.2 | Binary data | 39 |
| 6.2.3 | Expression of amounts | 40 |
| 6.2.4 | Conversion rates | 40 |
| 6.2.5 | Identification of institutions and routing | 40 |
| 6.2.6 | Identification of account numbers | 44 |
| 6.2.7 | Tag length value (TLV) data | 44 |
| 6.3 | Specific requirements for primitive data elements | 44 |
| 6.3.1 | Date and time transmission (bit 7) | 44 |
| 6.3.2 | Action code (bit 39) | 44 |
| 6.3.3 | Message authentication code (MAC) (bit 64/128) | 45 |
| 6.4 | Specific requirements for constructed data elements | 45 |
| 6.4.1 | Processing code (bit 3) | 45 |
| 6.4.2 | Amount transaction (bit 4) | 45 |
| 6.4.3 | Amount reconciliation (bit 5) | 45 |
| 6.4.4 | Amount cardholder billing (bit 6) | 45 |
| 6.4.5 | Amount cardholder billing fee (bit 8) | 46 |
| 6.4.6 | Date and time local transaction (bit 12) | 46 |
| 6.4.7 | Message error indicator (bit 18) | 46 |
| 6.4.8 | Transaction life cycle identification data (bit 21) | 48 |
| 6.4.9 | Point of service data code (bit 22) | 49 |
| 6.4.10 | Point of service capability (bit 27) | 51 |

| | | |
|--------|--|----|
| 6.4.11 | Amounts original (bit 30) | 52 |
| 6.4.12 | Acquirer reference number (bit 31) | 52 |
| 6.4.13 | Amounts fees (bit 46) | 52 |
| 6.4.14 | Amounts additional (bit 54) | 53 |
| 6.4.15 | Original data elements (bit 56) | 53 |
| 6.4.16 | Amounts original fees (bit 66) | 53 |
| 6.4.17 | Batch/file transfer message control (bit 68) | 54 |
| 6.4.18 | Batch/file transfer control data (bit 69) | 54 |
| 6.4.19 | File transfer description data (bit 70) | 54 |
| 6.4.20 | Reconciliation data primary (bit 74) | 54 |
| 6.4.21 | Reconciliation data secondary (bit 75) | 55 |
| 6.4.22 | Amount net reconciliation (bit 97) | 55 |
| 6.4.23 | Reconciliation fee amounts (bit 109/110) | 56 |
| 6.5 | Specific requirements for composite data elements | 56 |
| 6.5.1 | Electronic commerce data (bit 34) | 56 |
| 6.5.2 | Card acceptor name/location (bit 43) | 57 |
| 6.5.3 | Additional response data (bit 44) | 58 |
| 6.5.4 | Verification data (bit 49) | 58 |
| 6.5.5 | Integrated circuit card (ICC) related data (bit 55) | 59 |
| 6.5.6 | Transaction specific data (bit 104) | 60 |
| 7 | Messages and transactions | 67 |
| 7.1 | Message protocol | 67 |
| 7.1.1 | General | 67 |
| 7.1.2 | Mandatory and conditional data elements | 67 |
| 7.1.3 | Message flows | 70 |
| 7.1.4 | Message errors | 70 |
| 7.1.5 | Exception message flows | 70 |
| 7.1.6 | Transaction relationships | 71 |
| 8 | Message class definitions | 71 |
| 8.1 | General | 71 |
| 8.2 | Authorization message class | 72 |
| 8.2.1 | Authorization description | 72 |
| 8.2.2 | Authorization message rules | 72 |
| 8.2.3 | Authorization message type identifiers | 74 |
| 8.2.4 | Authorization mandatory and conditional data elements | 75 |
| 8.2.5 | Authorization message flows | 76 |
| 8.3 | Verification messages | 76 |
| 8.3.1 | Verification description | 76 |
| 8.3.2 | Verification message rules | 76 |
| 8.3.3 | Verification message type identifiers | 77 |
| 8.3.4 | Verification mandatory and conditional data elements | 78 |
| 8.3.5 | Verification message flows | 79 |
| 8.4 | Financial presentment message class | 79 |
| 8.4.1 | Financial presentment description | 79 |
| 8.4.2 | Financial presentment message rules | 79 |
| 8.4.3 | Financial presentment message type identifiers | 81 |
| 8.4.4 | Financial presentment mandatory and conditional data elements | 82 |
| 8.4.5 | Financial presentment message flows | 83 |
| 8.5 | Financial accumulation presentment | 83 |
| 8.5.1 | Financial accumulation presentment description | 83 |
| 8.5.2 | Financial accumulation presentment message rules | 83 |
| 8.5.3 | Financial accumulation presentment message type identifiers | 84 |
| 8.5.4 | Financial accumulation presentment mandatory and conditional data elements | 84 |
| 8.5.5 | Financial accumulation presentment message flows | 86 |
| 8.6 | File action message class | 86 |
| 8.6.1 | File action description | 86 |
| 8.6.2 | File action message rules | 86 |
| 8.6.3 | File action message type identifiers | 87 |
| 8.6.4 | File action mandatory and conditional data elements | 88 |
| 8.6.5 | File action message flows | 89 |

| | | |
|--------|--|-----|
| 8.7 | Reversal message class | 89 |
| 8.7.1 | Reversal description | 89 |
| 8.7.2 | Reversal message rules | 90 |
| 8.7.3 | Reversal message type identifiers | 90 |
| 8.7.4 | Reversal mandatory and conditional data elements | 91 |
| 8.7.5 | Reversal message flows | 92 |
| 8.8 | Chargeback message class | 92 |
| 8.8.1 | Chargeback description | 92 |
| 8.8.2 | Chargeback message rules | 92 |
| 8.8.3 | Chargeback message type identifiers | 93 |
| 8.8.4 | Chargeback mandatory and conditional data elements | 93 |
| 8.8.5 | Chargeback message flows | 94 |
| 8.9 | Reconciliation message class | 95 |
| 8.9.1 | Reconciliation description | 95 |
| 8.9.2 | Reconciliation message rules | 95 |
| 8.9.3 | Reconciliation message type identifiers | 96 |
| 8.9.4 | Reconciliation mandatory and conditional data elements | 98 |
| 8.9.5 | Reconciliation message flows | 99 |
| 8.9.6 | Reconciliation calculation | 99 |
| 8.9.7 | Reconciliation transaction flows | 102 |
| 8.10 | Administrative message class | 102 |
| 8.10.1 | Administrative description | 102 |
| 8.10.2 | Administrative message rules | 102 |
| 8.10.3 | Administrative message type identifiers | 103 |
| 8.10.4 | Administrative mandatory and conditional data elements | 104 |
| 8.10.5 | Administrative message flows | 104 |
| 8.11 | Retrieval and retrieval fulfilment | 105 |
| 8.11.1 | Retrieval and retrieval fulfilment description | 105 |
| 8.11.2 | Retrieval and retrieval fulfilment message rules | 105 |
| 8.11.3 | Retrieval and retrieval fulfilment message type identifiers | 105 |
| 8.11.4 | Retrieval and retrieval fulfilment mandatory and conditional data elements | 106 |
| 8.11.5 | Retrieval and retrieval fulfilment message flows | 107 |
| 8.12 | Error messages | 107 |
| 8.12.1 | Error messages description | 107 |
| 8.12.2 | Error messages message rules | 107 |
| 8.12.3 | Error messages message type identifiers | 108 |
| 8.12.4 | Error messages mandatory and conditional data elements | 108 |
| 8.12.5 | Error messages message flows | 109 |
| 8.13 | Fee collection message class | 109 |
| 8.13.1 | Fee collection description | 109 |
| 8.13.2 | Fee collection message rules | 109 |
| 8.13.3 | Fee collection message type identifiers | 110 |
| 8.13.4 | Fee collection mandatory and conditional data elements | 110 |
| 8.13.5 | Fee collection message flows | 111 |
| 8.14 | Network management message class | 112 |
| 8.14.1 | Network management description | 112 |
| 8.14.2 | Network management message rules | 112 |
| 8.14.3 | Network management message type identifiers | 113 |
| 8.14.4 | Network management mandatory and conditional data elements | 114 |
| 8.14.5 | Network management message flows | 114 |
| 8.15 | Key management | 115 |
| 8.15.1 | Key management description | 115 |
| 8.15.2 | Key management message rules | 115 |
| 8.15.3 | Key management message type identifiers | 115 |
| 8.15.4 | Key management mandatory and conditional data elements | 116 |
| 8.15.5 | Key management message flows | 116 |
| 8.16 | Batch transfer | 116 |
| 8.16.1 | Batch transfer description | 116 |
| 8.16.2 | Batch transfer message rules | 117 |
| 8.16.3 | Batch transfer message type identifiers | 117 |
| 8.16.4 | Batch transfer mandatory and conditional data elements | 117 |
| 8.16.5 | Batch transfer message flows | 118 |

| | | |
|-----------------------|---|-----|
| 8.17 | File transfer | 119 |
| 8.17.1 | File transfer description | 119 |
| 8.17.2 | File transfer message rules | 120 |
| 8.17.3 | File transfer message type identifiers | 120 |
| 8.17.4 | File transfer mandatory and conditional data elements | 121 |
| 8.17.5 | File transfer message flows | 121 |
| 9 | Message and transaction matching | 122 |
| 9.1 | General | 122 |
| 9.2 | Message matching | 122 |
| 9.3 | Transaction matching | 123 |
| 10 | Registration and maintenance management group (RMMG) | 124 |
| 10.1 | General | 124 |
| 10.2 | Allocation of institution identification codes | 125 |
| 11.1 | Additional message types | 125 |
| 11.2 | Additional data elements | 125 |
| 11.3 | Mandatory and conditional data elements | 126 |
| 11.4 | Unintentional introduction of control characters | 126 |
| Annex A (normative) | Code listings | 127 |
| Annex B (normative) | Data elements in bit number order | 159 |
| Annex C (informative) | Data transparency | 169 |
| Annex D (informative) | Examples of batch transfer | 173 |
| Annex E (informative) | Examples of file transfer | 185 |
| Bibliography | | 194 |