ISO 10328:2016-06 (E)

Prosthetics - Structural testing of lower-limb prostheses - Requirements and test methods

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Designations and symbols of test forces and moments 2

5 Strength and related performance requirements and conditions of use 3

6 Coordinatesystemsandtestconfigurations 5
6.1 General 5
6.2 Axes of coordinate systems 5
6.3 Reference planes 5
6.3.1 General 5
6.3.2 Top reference plane, T 5
6.3.3 Knee reference plane, K 5
6.3.4 Ankle reference plane, A 6
6.3.5 Bottom reference plane, B 6
6.4 Reference points 7
6.5 Test force 8
6.6 Load line 8
6.7 Longitudinal axis of the foot and effective joint centres and centrelines 8
6.7.1 General 8
6.7.2 Longitudinal axis of the foot 8
6.7.3 Effective ankle-joint centre 8
6.7.4 Effective ankle-joint centreline 10
6.7.5 Effective knee-joint centreline 10
6.7.6 Effective knee-joint centre 11
6.8 Reference distances 11
6.8.1 Offsets 11
6.8.2 Combined offsets 11
6.8.3 Effective lever arms LA and LK 11
6.8.4 Distance LBT 11

7 Test loading conditions and test loading levels 11
7.1 Test loading conditions 11
7.1.1 General 11
7.1.2 Test loading conditions of principal structural tests 12
7.1.3 Test loading conditions of separate structural tests 12
7.2 Test loading levels 12

8 Values of test loads, dimensions and cycles 13

9 Compliance 20
9.1 General 20
9.2 Selection of tests required to claim compliance with this International Standard 21

9.3 Arrangements for tests on samples of prosthetic structures including ankle-foot devices or foot units, required to claim compliance with this International Standard 21
9.3.1 General 21
9.3.2 Particular arrangements concerning the ankle-foot device or foot unit 21
9.3.3 Particular arrangements and requirements concerning the part required to connect the ankle-foot device or foot unit to the remainder of the prosthetic structure 21
9.4 Number of tests and test samples required to claim compliance with this International Standard 22
9.5 Multiple use of test samples 22
9.5.1 General 22
9.5.2 Restriction 22
9.6 Testing at particular test loading levels not specified in this International Standard 23

10 Test samples 25
10.1 Selection of test samples 25
10.1.1 General 25
10.1.2 Selection of ankle-foot devices and foot units of appropriate size of foot 26
10.2 Types of test samples 27
10.2.1 Complete structure 27
10.2.2 Partial structure 29
10.2.3 Any other structure 29
10.3 Preparation of test samples 29
10.4 Identification of test samples 30
10.5 Alignment of test samples 31
10.5.1 Test samples for principal tests and separate tests on knee locks 31
10.5.2 Test samples for separate tests on ankle-foot devices and foot units 31
10.5.3 Test samples for separate static ultimate strength tests in maximum knee flexion for knee joints and associated parts 31
10.5.4 Test samples for separate tests on knee locks 32
10.6 Worst-case alignment position of test samples 32

11 Responsibility for test preparation 33

12 Test submission document 34
12.1 General requirements 34
12.2 Information required for test samples 35
12.2.1 All test samples 35
12.2.2 Test samples for tests on ankle-foot devices and foot units 35
12.2.3 Test samples for static ultimate strength tests in maximum knee flexion for knee joints and associated parts 35
12.3 Information required for tests 35
12.3.1 General 35
12.3.2 For all tests 35
12.3.3 For static tests in torsion and on ankle-foot devices and foot units 36
12.3.4 For static ultimate strength tests 36
12.3.5 For cyclic tests 36
12.3.6 For tests in torsion 36
12.3.7 For tests on ankle-foot devices and foot units 36

13 Equipment 37
13.1 General 37
13.2 Equipment for the principal tests specified in 16.2 and 16.3 37
13.2.1 End attachments 37
13.2.2 Jig (optional) 39
13.2.3 Test equipment 40
13.3 Equipment for the separate static test in torsion specified in 17.1 42
13.3.1 Test equipment 42
13.4 Equipment for the separate tests on ankle-foot devices and foot units specified in 17.2 42
13.4.1 Test equipment 42
13.5 Equipment for the separate static ultimate strength test in maximum knee flexion for knee joints and associated parts specified in 17.3 46

13.5.1 Extension pieces 46
13.5.2 Test equipment to perform static compression loading - (Compression testing machine or other equipment) 46
13.6 Equipment for the separate tests on knee locks specified in 17.4 46
13.6.1 End attachments 46
13.6.2 Jig (optional) 46
13.6.3 Test equipment 46

14 Accuracy 47
14.1 General 47
14.2 Accuracy of equipment 47
14.3 Accuracy of procedure 47

15 Test principles 48
15.1 General 48
15.2 Static test procedure 48
15.3 Cyclic test procedure 48

16 Test procedures - Principal structural tests 48
16.1 Test loading requirements 48
16.1.1 Preparation for test loading 48
16.1.2 Application of test loading 48
16.2 Principal static test procedure 50
16.2.1 Principal static proof test 50
16.2.2 Principal static ultimate strength test 55
16.3 Principal cyclic test procedure 59
16.3.1 General requirements 59
16.3.2 Test method 59
16.3.3 Performance requirements 63
16.3.4 Compliance conditions 64

17 Test procedures -- Separate structural tests 68
17.1 Separate static test in torsion 68
17.1.1 General 68
17.1.2 Purpose of test 68
17.1.3 Test method 68
17.1.4 Performance requirements 70
17.1.5 Compliance conditions 70
17.2 Separate tests on ankle-foot devices and foot units 72
17.2.1 General 72
17.2.2 Purpose of tests 72
17.2.3 Separate static proof test for ankle-foot devices and foot units 72
17.2.4 Separate static ultimate strength test for ankle-foot devices and foot units 76
17.2.5 Separate cyclic test for ankle-foot devices and foot units 81
17.3 Separate static ultimate strength test in maximum knee flexion for knee joints and associated parts 86
17.3.1 General 86
17.3.2 Purpose of test 86
17.3.3 Applicability of the test to specific test samples 86
17.3.4 Test method 87
17.3.5 Performance requirement 88
17.3.6 Compliance conditions 88
17.4 Separate tests on knee locks 89
17.4.1 General 89
17.4.2 Purpose of tests 90
17.4.3 Separate static proof test for knee locks 90
17.4.4 Separate static ultimate strength test for knee locks 94
17.4.5 Separate cyclic test for knee locks 96

18 Test laboratory/facility log 105
18.1 General requirements 105
18.2 Specific requirements 105

19 Test report 105
19.1 General requirements 105
19.2 Specific requirements 106
19.3 Options 106

20 Classificationanddesignation 106
20.1 General 106
20.2 Examples of classification and designation 106

21 Labelling 107
21.1 General 107
21.2 Use of mark "*)" and warning symbol 108
21.3 Examples of label layout 108
21.4 Label placement 108

Annex A (informative) Description of internal loads and their effects 110

Annex B (informative)Referencedataforthespecificationoftestloadingconditionsand test loading levels of principal cyclic tests 114

Annex C (informative) Guidance on the application of an alternative static ultimate strength test .. 118

Annex D (normative) Guidance on the application of an additional test loading levels P6, P7 and P8 119

Annex E (informative) Summary of the records to be entered in the test laboratory/facility log 122
Annex F (informative)Backgroundinformationontheloadingprofilesgeneratedbytest equipment according to 13.4.1.2 for separate cyclic tests for ankle-foot devices and foot units according to 17.2.5.1 137

Annex G (informative) Reference to the essential principles of safety and performance of medical devices according to ISO/TR 16142 139

Bibliography 140