

ISO 10328:2016-06 (E)

Prosthetics - Structural testing of lower-limb prostheses - Requirements and test methods

Contents		Page
Foreword		vii
Introduction		viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Designations and symbols of test forces and moments	2
5	Strength and related performance requirements and conditions of use	3
6	Coordinate systems and test configurations	5
6.1	General	5
6.2	Axes of coordinate systems	5
6.3	Reference planes	5
6.3.1	General	5
6.3.2	Top reference plane, T	5
6.3.3	Knee reference plane, K	5
6.3.4	Ankle reference plane, A	6
6.3.5	Bottom reference plane, B	6
6.4	Reference points	7
6.5	Test force	8
6.6	Load line	8
6.7	Longitudinal axis of the foot and effective joint centres and centrelines	8
6.7.1	General	8
6.7.2	Longitudinal axis of the foot	8
6.7.3	Effective ankle-joint centre	8
6.7.4	Effective ankle-joint centreline	10
6.7.5	Effective knee-joint centreline	10
6.7.6	Effective knee-joint centre	11
6.8	Reference distances	11
6.8.1	Offsets	11
6.8.2	Combined offsets	11
6.8.3	Effective lever arms LA and LK	11
6.8.4	Distance LBT	11
7	Test loading conditions and test loading levels	11
7.1	Test loading conditions	11
7.1.1	General	11
7.1.2	Test loading conditions of principal structural tests	12
7.1.3	Test loading conditions of separate structural tests	12
7.2	Test loading levels	12
8	Values of test loads, dimensions and cycles	13
9	Compliance	20
9.1	General	20
9.2	Selection of tests required to claim compliance with this International Standard	21

9.3	Arrangements for tests on samples of prosthetic structures including ankle-foot devices or foot units, required to claim compliance with this International Standard	21
9.3.1	General	21
9.3.2	Particular arrangements concerning the ankle-foot device or foot unit	21
9.3.3	Particular arrangements and requirements concerning the part required to connect the ankle-foot device or foot unit to the remainder of the prosthetic structure	21
9.4	Number of tests and test samples required to claim compliance with this International Standard	22
9.5	Multiple use of test samples	22
9.5.1	General	22
9.5.2	Restriction	22
9.6	Testing at particular test loading levels not specified in this International Standard	23
10	Test samples	25
10.1	Selection of test samples	25
10.1.1	General	25
10.1.2	Selection of ankle-foot devices and foot units of appropriate size of foot	26
10.2	Types of test samples	27
10.2.1	Complete structure	27
10.2.2	Partial structure	29
10.2.3	Any other structure	29
10.3	Preparation of test samples	29
10.4	Identification of test samples	30
10.5	Alignment of test samples	31
10.5.1	Test samples for principal tests and separate tests on knee locks	31
10.5.2	Test samples for separate tests on ankle-foot devices and foot units	31
10.5.3	Test samples for separate static ultimate strength tests in maximum knee flexion for knee joints and associated parts	31
10.5.4	Test samples for separate tests on knee locks	32
10.6	Worst-case alignment position of test samples	32
11	Responsibility for test preparation	33
12	Test submission document	34
12.1	General requirements	34
12.2	Information required for test samples	35
12.2.1	All test samples	35
12.2.2	Test samples for tests on ankle-foot devices and foot units	35
12.2.3	Test samples for static ultimate strength tests in maximum knee flexion for knee joints and associated parts	35
12.3	Information required for tests	35
12.3.1	General	35
12.3.2	For all tests	35
12.3.3	For static tests in torsion and on ankle-foot devices and foot units	36
12.3.4	For static ultimate strength tests	36
12.3.5	For cyclic tests	36
12.3.6	For tests in torsion	36
12.3.7	For tests on ankle-foot devices and foot units	36
13	Equipment	37
13.1	General	37
13.2	Equipment for the principal tests specified in 16.2 and 16.3	37
13.2.1	End attachments	37
13.2.2	Jig (optional)	39
13.2.3	Test equipment	40
13.3	Equipment for the separate static test in torsion specified in 17.1	42
13.3.1	Test equipment	42
13.4	Equipment for the separate tests on ankle-foot devices and foot units specified in 17.2 ...	42
13.4.1	Test equipment	42
13.5	Equipment for the separate static ultimate strength test in maximum knee flexion for knee joints and associated parts specified in 17.3	46

13.5.1	Extension pieces	46
13.5.2	Test equipment to perform static compression loading - (Compression testing machine or other equipment)	46
13.6	Equipment for the separate tests on knee locks specified in 17.4	46
13.6.1	End attachments	46
13.6.2	Jig (optional)	46
13.6.3	Test equipment	46
14	Accuracy	47
14.1	General	47
14.2	Accuracy of equipment	47
14.3	Accuracy of procedure	47
15	Test principles	48
15.1	General	48
15.2	Static test procedure	48
15.3	Cyclic test procedure	48
16	Test procedures - Principal structural tests	48
16.1	Test loading requirements	48
16.1.1	Preparation for test loading	48
16.1.2	Application of test loading	48
16.2	Principal static test procedure	50
16.2.1	Principal static proof test	50
16.2.2	Principal static ultimate strength test	55
16.3	Principal cyclic test procedure	59
16.3.1	General requirements	59
16.3.2	Test method	59
16.3.3	Performance requirements	63
16.3.4	Compliance conditions	64
17	Test procedures -- Separate structural tests	68
17.1	Separate static test in torsion	68
17.1.1	General	68
17.1.2	Purpose of test	68
17.1.3	Test method	68
17.1.4	Performance requirements	70
17.1.5	Compliance conditions	70
17.2	Separate tests on ankle-foot devices and foot units	72
17.2.1	General	72
17.2.2	Purpose of tests	72
17.2.3	Separate static proof test for ankle-foot devices and foot units	72
17.2.4	Separate static ultimate strength test for ankle-foot devices and foot units	76
17.2.5	Separate cyclic test for ankle-foot devices and foot units	81
17.3	Separate static ultimate strength test in maximum knee flexion for knee joints and associated parts	86
17.3.1	General	86
17.3.2	Purpose of test	86
17.3.3	Applicability of the test to specific test samples	86
17.3.4	Test method	87
17.3.5	Performance requirement	88
17.3.6	Compliance conditions	88
17.4	Separate tests on knee locks	89
17.4.1	General	89
17.4.2	Purpose of tests	90
17.4.3	Separate static proof test for knee locks	90
17.4.4	Separate static ultimate strength test for knee locks	94
17.4.5	Separate cyclic test for knee locks	96
18	Test laboratory/facility log	105
18.1	General requirements	105
18.2	Specific requirements	105

19	Test report	105
19.1	General requirements	105
19.2	Specific requirements	106
19.3	Options	106
20	Classification and designation	106
20.1	General	106
20.2	Examples of classification and designation	106
21	Labelling	107
21.1	General	107
21.2	Use of mark "*" and warning symbol	108
21.3	Examples of label layout	108
21.4	Label placement	108
Annex A (informative) Description of internal loads and their effects		110
Annex B (informative) Referenced data for the specification of test loading conditions and test loading levels of principal cyclic tests		114
Annex C (informative) Guidance on the application of an alternative static ultimate strength test ..		118
Annex D (normative) Guidance on the application of an additional test loading levels P6, P7 and P8		119
Annex E (informative) Summary of the records to be entered in the test laboratory/facility log		122
Annex F (informative) Background information on the loading profiles generated by test equipment according to 13.4.1.2 for separate cyclic tests for ankle-foot devices and foot units according to 17.2.5.1		137
Annex G (informative) Reference to the essential principles of safety and performance of medical devices according to ISO/TR 16142		139
Bibliography		140