ISO 13019:2018 (E)

Tissue-engineered medical products — Quantification of sulfated glycosaminoglycans (sGAG) for evaluation of chondrogenesis

Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 General and principle

5 Apparatus

6 Preparation of parallel test samples from test samples

6.1 General
6.2 Preparation of parallel test samples

7 Procedure

7.1 General
7.2 Procedure for pre-treatment of parallel test samples
7.2.1 Procedure for dissection
7.3 Procedure for extraction of sGAG from pre-treated parallel test samples
7.3.1 General
7.3.2 Procedure for papain digestion
7.4 Procedure for measurement of sGAG content of parallel test samples by DMMB assay
7.4.1 Principle
7.4.2 Procedure for preparation of 1,9-dimethylmethylene blue (DMMB) solution
7.4.3 Procedure for DMMB assay
7.5 Normalization of sGAG contents

8 Test report

9 Evaluation

Annex A (informative) Flowchart of the overall procedure steps

Annex B (informative) Reagents

Annex C (informative) Alternative procedure for pre-treatment

C.1 Procedure for pulverization
C.2 Procedure for lyophilization

Annex D (informative) Alternative procedure for extraction of sGAG

D.1 Procedure for collagenase digestion
D.2 Procedure for guanidine salt extraction
D.3 Procedure for guanidine extraction/pepsin digestion/elastase digestion
D.3.1 Adjustment of volumes of the reagents
D.3.2 Procedure for guanidine extraction
D.3.3 Procedure for pepsin digestion
D.3.4 Procedure for elastase digestion

Annex E (informative) Example of test report format for sGAG measurement

Page count: 17