

ISO 13019:2018 (E)

Tissue-engineered medical products — Quantification of sulfated glycosaminoglycans (sGAG) for evaluation of chondrogenesis

Contents

	Foreword
1	Scope
2	Normative references
3	Terms and definitions
4	General and principle
5	Apparatus
6	Preparation of parallel test samples from test samples
6.1	General
6.2	Preparation of parallel test samples
7	Procedure
7.1	General
7.2	Procedure for pre-treatment of parallel test samples
7.2.1	Procedure for dissection
7.3	Procedure for extraction of sGAG from pre-treated parallel test samples
7.3.1	General
7.3.2	Procedure for papain digestion
7.4	Procedure for measurement of sGAG content of parallel test samples by DMMB assay
7.4.1	Principle
7.4.2	Procedure for preparation of 1,9-dimethylmethylene blue (DMMB) solution
7.4.3	Procedure for DMMB assay
7.5	Normalization of sGAG contents
8	Test report
9	Evaluation
Annex A	(informative) Flowchart of the overall procedure steps
Annex B	(informative) Reagents
Annex C	(informative) Alternative procedure for pre-treatment
C.1	Procedure for pulverization
C.2	Procedure for lyophilization
Annex D	(informative) Alternative procedure for extraction of sGAG
D.1	Procedure for collagenase digestion
D.2	Procedure for guanidine salt extraction
D.3	Procedure for guanidine extraction/pepsin digestion/elastase digestion
D.3.1	Adjustment of volumes of the reagents
D.3.2	Procedure for guanidine extraction
D.3.3	Procedure for pepsin digestion
D.3.4	Procedure for elastase digestion
Annex E	(informative) Example of test report format for sGAG measurement