ISO 18526-2:2020-02 (E)

Eye and face protection - Test methods - P art 2: Physical optical properties

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Preparatory information 1

5 General test requirements 2

6 Test methods for measuring transmittance -- General 2
6.1 Uncertainty of measurement 2
6.2 Reporting compliance 3
6.3 Applicability 3
6.4 Position and direction of measurement 3
6.5 Wavelength intervals 3
6.6 Test report 3

7 Luminous transmittance 3
7.1 Calculations of luminous transmittance from spectral values 3
7.2 Test report 3
7.3 Broadband method of measurement of luminous transmittance 4
7.3.1 Apparatus 4
7.3.2 Calibration 4
7.3.3 Procedure 4
7.3.4 Test reports for luminous transmittance values 4
7.4 Measurement of uniformity of luminous transmittance 4
7.4.1 Unmounted filter covering one eye 4
7.4.2 Filter covering both eyes 6
7.5 Transmittance matching at right and left reference points 9
7.5.1 Test method 9
7.5.2 Calculations 10
7.5.3 Test report 10

8 Ultraviolet transmittance 10
8.1 General 10
8.2 Spectral transmittance and mean spectral transmittance 10
8.3 Solar UV transmittance 10
8.4 Solar UV-A transmittance 10
8.5 Solar UV-B transmittance 10
8.6 Mean UV-A transmittance 10
8.7 Mean UV-B transmittance 11
8.8 Mean 380 nm to 400 nm transmittance 11
8.9 Test report 11

9 Blue-light transmittance 11
9.1 Solar blue-light transmittance 11
9.1.1 Calculation of solar blue-light transmittance from spectral values 11

9.1.2 Broadband method of measurement of solar blue-light transmittance 11
9.2 Blue-light transmittance from artificial sources 11
9.2.1 Calculation of blue-light transmittance from artificial sources from spectral values 11
9.2.2 Broadband method of measurement of blue-light transmittance from artificial sources ... 12
9.2.3 Test report 12

10 IR transmittance 12

10.1 Near IR transmittance 12
10.1.1 Calculation 12
10.2 IR-A transmittance 12
10.2.1 Calculation 12
10.3 IR-B transmittance 12
10.3.1 Calculation 12
10.4 Solar IR transmittance 12
10.4.1 Calculation 12
10.5 Test report 12

11 Relativevisualattenuationcoefficientfortrafficsignallightdetection,Qsignal 13
11.1 Calculation 13
11.2 Test report 13

12 Spectralreflectance 13
12.1 Uncertainty of measurement 13
12.2 Position and direction of measurement 13
12.2.1 Specular spectral reflectance 13
12.2.2 Total spectral reflectance (specular included) 13
12.2.3 Total spectral reflectance (specular excluded) 14
12.2.4 0°/45° and 45°/0° geometry 14
12.3 Wavelength intervals 14
12.4 Test report 14

13 Luminousreflectance 14
13.1 Calculations 14
13.2 Test report 14
13.3 Luminous reflectance of mesh 14

14 Scattered light 15
14.1 Wide angle scatter 15
14.1.1 Principle 15
14.1.2 Apparatus 15
14.1.3 Test sample 16
14.1.4 Test procedure 16
14.1.5 Calculation 16
14.1.6 Test report 17
14.2 Narrow angle scatter 17
14.2.1 Principle 17
14.2.2 Test methods 18
14.2.3 Test report 23

15 Polarization 23
15.1 Plane of transmission 23
15.1.1 Apparatus 23
15.1.2 Test procedure 23
15.1.3 Test report 24
15.2 Polarizing efficiency 24
15.2.1 Principle 24
15.2.2 Test procedure for the spectrophotometric method 25
15.2.3 Test report 25
15.2.4 Test procedure for the broadband method 25
15.2.5 Test report 26

16 Photochromic lenses 26
16.1 Light source(s) to approximate the spectral distribution of solar radiation for air mass 2 for testing 26
16.1.1 Radiation source using one lamp 26
16.1.2 Radiation source using two lamps 27
16.2 Conditioning for luminous transmittance in the faded state 27
16.3 Measurement 28
16.3.1 Principle 28
16.3.2 Faded state 28
16.3.3 Darkened states 28

17 Automaticweldingfilters 29
17.1 General 29
17.2 Luminous transmittance in the light state 29
17.2.1 Measurement 29
17.2.2 Test report 30
17.3 Luminous transmittance in the dark state 30
17.3.1 Measurement 30
17.3.2 Test report 30
17.4 Shade number of welding filters with automatic shade number setting 30
17.4.1 Principle 30
17.4.2 Apparatus 31
17.4.3 Test procedure 31
17.4.4 Test report 31
17.5 Luminous transmittance variation over time 31
17.5.1 Principle 31
17.5.2 Apparatus 32
17.5.3 Test procedure 32
17.5.4 Test report 32
17.6 Blue-light transmittance for artificial sources 32
17.6.1 Measurement 32
17.6.2 Test report 32
17.7 Uniformity of luminous transmittance for flat filters 32
17.7.1 Filter covering both eyes 32
17.8 Angular dependence of luminous transmittance for flat filters 33
17.8.1 Principle 33
17.8.2 Apparatus 33
17.8.3 Test procedure 34
17.8.4 Test report 37
17.9 Angular dependence and uniformity of luminous transmittance for curved filters 37
17.9.1 Principle 37
17.9.2 Apparatus 37
17.9.3 Procedure 38
17.9.4 Test report 39
17.10 Transmittance matching at right and left reference points 39
17.10.1 Procedure 39
17.10.2 Test report 39
17.11 Switching time 39
17.11.1 Principle 39
17.11.2 Apparatus 39
17.11.3 Procedure 39
17.11.4 Uncertainty of measurement 40
17.11.5 Test report 40
17.12 Holding time 40
17.12.1 Principle 40
17.12.2 Apparatus 40
17.12.3 Procedure 40
17.12.4 Uncertainty of measurement 40
17.12.5 Test report 40
17.13 Manual control of dark state 40
17.13.1 Procedure 40
17.13.2 Test report 41

17.14 Optical sensitivity of welding detection 41
17.14.1 Principle 41
17.14.2 Apparatus 41
17.14.3 Measuring equipment 42
17.14.4 Trigger light source (L) 43
17.14.5 Calibration procedure for the trigger light source (L) 44
17.14.6 Higher intensity light source (I) 44
17.14.7 Lower intensity light source (F) 45
17.14.8 Test procedure 46
17.14.9 Test report 46

Annex A (normative) Application of uncertainty of measurement 47

Annex B (informative) Sources of uncertainty in spectrophotometry and their estimation and control 50

Annex C (informative)Definitionsinsummationform 58

Annex D (normative) Spectral functions for the calculation of transmittance and reflectancevalues 63

Annex E (informative)Genericdescriptionofautomaticweldingfiltersandguidanceon illumination during testing 73

Bibliography 77