

# ISO 15227:2000-04 (E)

## Optics and optical instruments - Microscopes - Testing of stereomicroscopes

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Accuracy of testing .....</b>	<b>1</b>
<b>5</b>	<b>Test conditions .....</b>	<b>1</b>
<b>5.1</b>	<b>Total visual magnification (MTOT VIS) .....</b>	<b>1</b>
<b>5.2</b>	<b>Difference in total visual magnification between left and right optical systems .....</b>	<b>2</b>
<b>5.3</b>	<b>Difference in axes between left and right optical systems .....</b>	<b>2</b>
<b>5.4</b>	<b>Difference in the centres of the image fields between left and right optical systems .....</b>	<b>2</b>
<b>5.5</b>	<b>Difference in imaging rotations between right and left images .....</b>	<b>2</b>
<b>5.6</b>	<b>Axial shift of object plane by magnification change .....</b>	<b>2</b>
<b>5.7</b>	<b>Lateral shift of image plane by magnification change .....</b>	<b>2</b>
<b>5.8</b>	<b>Focus difference between left and right optical systems .....</b>	<b>2</b>
<b>5.9</b>	<b>Resolution for the highest magnification at the centre of the field .....</b>	<b>2</b>
<b>5.10</b>	<b>Difference in exit pupil heights between left and right optical systems .....</b>	<b>2</b>
<b>5.11</b>	<b>Minimum range for interpupillary distance .....</b>	<b>2</b>
<b>5.12</b>	<b>Calibration error if a dioptr scale is used .....</b>	<b>2</b>
<b>5.13</b>	<b>Minimum eyepiece dioptr adjustment range .....</b>	<b>2</b>
<b>6</b>	<b>Test methods .....</b>	<b>3</b>
<b>6.1</b>	<b>Apparatus .....</b>	<b>3</b>
<b>6.2</b>	<b>Apparatus configuration .....</b>	<b>4</b>
<b>6.3</b>	<b>Test procedures .....</b>	<b>4</b>
<b>Bibliography .....</b>		<b>9</b>