

ISO 17420-2:2021 (E)

Respiratory protective devices — Performance requirements — Part 2: Requirements for filtering RPD

Contents

| | |
|-------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms, definitions, abbreviations and symbols |
| 3.1 | Terms and definitions |
| 3.2 | Abbreviated terms |
| 3.3 | Symbols |
| 4 | Classification overview |
| 5 | General requirements for RPD |
| 5.1 | General |
| 5.2 | Field of vision |
| 5.3 | Resistance to flame – Single burner dynamic |
| 5.4 | Compatibility with additional equipment |
| 5.5 | Monitor performance |
| 5.6 | Warning device(s), checking device(s) and control means |
| 5.6.1 | Performance of warning device(s), if applicable |
| 5.6.2 | Performance of checking device |
| 5.6.3 | Control means (if applicable) |
| 5.7 | Protection class determination |
| 5.7.1 | General |
| 5.7.2 | Total inward leakage (TIL) |
| 5.7.3 | Total inward leakage requirement for RPD not using a standardized connector |
| 5.8 | Validation by practical performance |
| 5.8.1 | General |
| 5.8.2 | Donning/doffing |
| 5.8.3 | Communication performance - hearing and speech |
| 5.8.4 | Eye irritation caused by the RPD |
| 5.8.5 | Fogging of visor |
| 5.8.6 | Ergonomic requirements |
| 5.9 | Requirements for elements/components |
| 6 | Requirements for filtering RPD |
| 6.1 | Determination of air flow rate of assisted RPD |
| 6.2 | Determination of the effect of temperature on flow rates for assisted RPD |
| 6.3 | Work of breathing, breathing resistance (peak pressure) and elastance |
| 6.3.1 | Work of breathing, breathing resistance (peak pressure) and elastance for unassisted RPD |
| 6.3.2 | Work of breathing, breathing resistance (peak pressure) and elastance for assisted RPD |
| 6.4 | CO ₂ concentration limits |
| 6.4.1 | CO ₂ concentration limits for assisted RPD |
| 6.4.2 | CO ₂ concentration limits of unassisted RPD |
| 6.4.3 | CO ₂ concentration limits for RI with standardized connector |
| 6.5 | Noise limit for assisted RPD |
| 6.6 | Temperature and humidity of inhaled air for RPD which protect against CO |
| 6.7 | Connections |

- 6.7.1 General
- 6.7.2 Strength of connections – Connections to RI
- 6.7.3 Low pressure connections other than to the RI
- 6.8 Assessment of reliability
- 6.9 Pre-conditioning (Sequential/Non-sequential)
- 6.9.1 General
- 6.9.2 Sequential pre-conditioning
- 6.9.2.1 General
- 6.9.2.2 Exposure to temperature and humidity
- 6.9.2.3 Mechanical stress resistance
- 6.9.3 Non-sequential pre-conditioning
- 6.9.3.1 Exposure to exhaled air
- 6.9.3.2 Exposure to corrosive atmosphere
- 6.10 Requirements for elements/components
- 6.10.1 Filters
- 6.10.1.1 General
- 6.10.1.2 Particle filter
- 6.10.1.2.1 General
- 6.10.1.2.2 Particle filter efficiency and particle filter classes
- 6.10.1.2.3 Particle filter efficiency of unassisted filtering RPD
- 6.10.1.2.4 Particle filter efficiency of assisted filtering RPD
- 6.10.1.2.5 Short term test for particle efficiency
- 6.10.1.3 Gas filter
- 6.10.1.3.1 General
- 6.10.1.3.2 Gas filter capacity testing
- 6.10.1.3.3 Gas filter resistance to migration
- 6.10.1.3.4 Gas filter other than type CO performance at specified work rates
- 6.10.1.3.5 Gas filter type CO at specified workrates
- 6.10.1.4 Combination filters
- 6.10.1.5 Test schedule for particle filters, gas filters or combination filters
- 6.10.2 Flexibility and resistance to deformation of hoses
- 6.10.2.1 Resistance to deformation of the breathing hose for RPD without a flow warning device
- 6.10.2.2 Resistance to deformation of low pressure hose
- 6.10.2.3 Flexibility of hose(s)
- 6.11 Requirements for RPD with standardized connector
- 6.11.1 General
- 6.11.2 Filters with standardized connector
- 6.11.2.1 Resistance of filters with standardized connectors
- 6.11.2.2 Mass and size of filters with standardized connector
- 6.11.2.3 Particle filters with standardized connector
- 6.11.2.4 Test schedule for particle filters, gas filters or combination filters with standardized connector
- 6.11.3 RI with standardized connector
- 6.11.3.1 General
- 6.11.3.2 Breathing resistance of RI with standardized connector
- 6.11.3.3 Inward leakage requirement for RI using a standardized connector
- 6.11.4 Protection class determination for RPD using standardized connector
- 6.11.5 RPD using standardized connector and low pressure hoses
- 6.12 Multi-functional RPD
- 6.13 Requirements for optional features
- 6.13.1 General
- 6.13.2 Extreme low temperature requirements
- 6.13.3 Extreme high temperature requirements
- 6.13.4 Contact with hot surface
- 6.13.5 Hydration
- 6.13.6 Performance of RPD using prefilters
- 6.13.7 Use of RPD in potentially explosive atmospheres
- 6.13.8 Electromagnetic compatibility of RPD

7 Testing

- 7.1 General
- 7.2 Inspection
- 7.3 Testing of leak tightness using positive pressure
- 7.4 Contact with hot surface

- 8** **Marking**
 - 8.1 **General**
 - 8.2 **Marking of RPD without separable components**
 - 8.3 **Marking of RPD replacement parts**
 - 8.4 **Marking of RPD components as part of a system**
 - 8.4.1 **RI**
 - 8.4.2 **Marking of particle, gas/vapour or combination filters**
 - 8.4.3 **Other separable components**
- 9** **Information supplied by the RPD manufacturer**
 - 9.1 **General**
 - 9.2 **RPD**
 - 9.2.1 **Minimum information**
 - 9.2.2 **Additional information**
 - 9.3 **RPD components and replacement parts**
 - 9.3.1 **Particle, gas/vapour or combination filters**
 - 9.3.1.1 **Minimum information**
 - 9.3.1.2 **Additional information**
 - 9.3.2 **RI**
 - 9.3.2.1 **Minimum information**
 - 9.3.2.2 **Additional information**
 - 9.3.3 **Other components or replacement parts**
- Annex A** **(informative) Reliability**
 - A.1 **General**
 - A.2 **Temperature and humidity of inhaled air for filtering RPD which protects against contaminants other than CO**
 - A.3 **Abrasion resistance**
 - A.4 **Exposure to dust**
 - A.5 **Chemical resistance of materials**
 - A.6 **Compatibility of materials with the wearer's body**
 - A.7 **Cleaning, disinfection and/or decontamination procedures and cycles**
- Annex B** **(informative) Example of failure modes and effect analysis (FMEA)**
 - B.1 **General**
 - B.2 **Procedure guidelines**
 - B.3 **Definitions and explanations**
- Annex C** **(normative) Test schedules**
 - C.1 **General**
 - C.2 **Test schedules for tests using RPD headforms - allocation of RI sizes to headforms, number of samples and preconditioning**
 - C.2.1 **RI sizes**
 - C.2.2 **RPD headforms**
 - C.2.2.1 **General**
 - C.2.2.2 **How to read the Table C.1**
 - C.2.2.3 **Test schedules tables**
 - C.3 **Test schedules for tests not using RPD headforms**
 - C.3.1 **General**
 - C.3.2 **Tests without test subjects (sample number 1 and 2)**
 - C.3.3 **Test with test subjects (sample number 3 to n)**
 - C.4 **Number of samples and test schedule for RPD components**
- Annex D** **(normative) Normalisation of test results**
 - D.1 **General**
 - D.2 **Examples for normalization calculation**
 - D.2.1 **Example for normalisation calculation for work of breathing results**
 - D.2.2 **Example for normalisation calculation for resistance of filters results**