

# ISO 16976-4:2023-02 (E)

## Respiratory protective devices - Human factors - Part 4: Work of breathing and breathing resistance: physiologically based limits

---

| <b>Contents</b>    |   | <b>Page</b> |
|--------------------|---|-------------|
| Foreword .....     |   | iv          |
| Introduction ..... |   | v           |
| 1                  | Scope .....   | 1           |
| 2                  | Normative references .....  | 1           |
| 3                  | Terms and definitions .....   | 1           |
| 4                  | Symbols and abbreviated terms .....   | 2           |
| 5                  | Pressure and volume changes during breathing .....  | 3           |
| 5.1                | Pressure and volume changes in the absence of an RPD .....  | 3           |
| 5.2                | The effect of RPD flow resistance on pressure and volume changes while using an RPD ...                       | 6           |
| 5.3                | The effect of RPD with static pressure on pressure and volume changes while using an RPD .....                | 6           |
| 5.4                | The effect of RPD flow resistance and static pressure on pressure and volume changes while using an RPD ..... | 7           |
| 5.5                | Effects of high static pressure .....   | 7           |
| 6                  | Work of breathing (WoB) .....   | 8           |
| 6.1                | Physiological work versus physical work .....   | 8           |
| 6.1.1              | General .....   | 8           |
| 6.1.2              | Static work .....   | 8           |
| 6.1.3              | Elastic work .....  | 8           |
| 6.1.4              | Positive and negative physical work .....   | 9           |
| 6.2                | Calculations of inspiratory WoB .....   | 9           |
| 6.3                | Calculations of expiratory WoB .....  | 9           |
| 6.4                | Calculations of total WoB .....   | 10          |
| 6.4.1              | Calculations of the wearer's WoB while using an RPD .....   | 10          |
| 6.4.2              | Calculations of WoB for an RPD only .....   | 10          |
| 6.5                | Breathing resistance .....  | 11          |
| 6.6                | Physiologically acceptable WoB .....  | 11          |
| 7                  | Other respiratory loads .....   | 13          |
| 7.1                | Static load .....   | 13          |
| 7.2                | Elastic loads .....   | 13          |
| 7.3                | Other loads .....   | 13          |
| 7.4                | How respiratory loads add up .....  | 13          |
| 8                  | Summary .....   | 14          |
| Bibliography ..... |   | 15          |