

DIN EN ISO 22675:2025-10 (E)

Prosthetics - Testing of ankle-foot devices and foot units - Requirements and test methods (ISO 22675:2024)

| Contents | | Page |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Foreword | | vi |
| Introduction | | vii |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols | 3 |
| 5 | Strength and related performance requirements and conditions of use | 3 |
| 6 | Coordinate system and test configurations | 4 |
| 6.1 | General | 4 |
| 6.2 | Origin and axes of the coordinate system | 4 |
| 6.3 | Reference points | 5 |
| 6.4 | Test force F | 6 |
| 6.5 | Line of application of test force F | 6 |
| 6.6 | Lines of action of resultant reference forces F_{R1} and F_{R2} | 6 |
| 6.7 | Longitudinal axis of the foot and effective ankle joint centre | 6 |
| 6.7.1 | General | 6 |
| 6.7.2 | Longitudinal axis of the foot | 6 |
| 6.7.3 | Effective ankle-joint centre C_A | 6 |
| 7 | Test loading conditions and test loading levels | 8 |
| 7.1 | Test loading conditions | 8 |
| 7.2 | Test loading levels and Test Ranges (R) | 8 |
| 8 | Values of test forces, dimensions and cycles | 9 |
| 9 | Compliance | 17 |
| 9.1 | General | 17 |
| 9.2 | Particular arrangements and requirements concerning the part required to connect an ankle-foot device or foot unit to the remainder of a prosthetic structure | 18 |
| 9.2.1 | Arrangements for testing | 18 |
| 9.2.2 | Requirements for claiming compliance | 18 |
| 9.3 | Number of tests and test samples required to claim compliance with this document | 18 |
| 9.4 | Multiple use of test samples | 18 |
| 9.4.1 | General | 18 |
| 9.4.2 | Restriction | 19 |
| 9.5 | Testing at particular test loading levels not specified in this document | 19 |
| 10 | Test samples | 20 |
| 10.1 | Selection of test samples | 20 |
| 10.1.1 | General | 20 |
| 10.1.2 | Selection of ankle-foot devices and foot units of appropriate size of foot | 20 |
| 10.2 | Types of test sample | 21 |
| 10.2.1 | Complete structure | 21 |
| 10.2.2 | Partial structure | 21 |
| 10.3 | Preparation of test samples | 21 |
| 10.4 | Identification of test samples | 21 |
| 10.5 | Alignment of test samples | 22 |
| 10.6 | Worst-case alignment position of test samples | 22 |

| | | |
|-----------|-----------------------------------------------------------------|-----------|
| 11 | Responsibility for test preparation | 24 |
| 12 | Test submission document | 25 |
| 12.1 | General requirements | 25 |
| 12.2 | Information required for test samples | 25 |
| 12.3 | Information required for tests | 26 |
| 12.3.1 | General | 26 |
| 12.3.2 | For all tests | 26 |
| 12.3.3 | For the static proof test and the static ultimate strength test | 26 |
| 12.3.4 | For the static ultimate strength test | 26 |
| 12.3.5 | For the cyclic test | 26 |
| 13 | Equipment | 27 |
| 13.1 | General | 27 |
| 13.2 | End attachments | 27 |
| 13.2.1 | General | 27 |
| 13.2.2 | Proof test of end attachments | 27 |
| 13.3 | Jig | 29 |
| 13.4 | Test equipment | 30 |
| 13.4.1 | Test equipment to perform static heel and forefoot loading | 30 |
| 13.4.2 | Test equipment to perform cyclic loading | 31 |
| 14 | Accuracy | 37 |
| 14.1 | General | 37 |
| 14.2 | Accuracy of equipment | 38 |
| 14.3 | Accuracy of procedure | 38 |
| 15 | Test principles | 38 |
| 15.1 | General | 38 |
| 15.2 | Static test procedure | 39 |
| 15.3 | Cyclic test procedure | 42 |
| 16 | Test procedures | 42 |
| 16.1 | Test loading requirements | 42 |
| 16.1.1 | Preparation for test loading | 42 |
| 16.1.2 | Test loading conditions | 45 |
| 16.2 | Static proof test | 46 |
| 16.2.1 | Test method | 46 |
| 16.2.2 | Performance requirement | 48 |
| 16.2.3 | Compliance conditions | 48 |
| 16.3 | Static ultimate strength test | 50 |
| 16.3.1 | Test method | 50 |
| 16.3.2 | Performance requirements | 52 |
| 16.3.3 | Compliance conditions | 52 |
| 16.4 | Cyclic test | 53 |
| 16.4.1 | Test method | 53 |
| 16.4.2 | Performance requirements | 56 |
| 16.4.3 | Compliance conditions | 56 |
| 16.5 | Separate static test in torsion | 59 |
| 16.5.1 | General | 59 |
| 16.5.2 | Purpose of test | 59 |
| 16.5.3 | Test method | 59 |
| 16.5.4 | Performance requirements | 60 |
| 16.5.5 | Compliance conditions | 60 |
| 17 | Test laboratory/facility log | 61 |
| 17.1 | General requirements | 61 |
| 17.2 | Specific requirements | 61 |
| 18 | Test report | 61 |
| 18.1 | General requirements | 61 |
| 18.2 | Specific requirements | 62 |
| 18.3 | Options | 62 |

| | | |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 19 | Classification and designation | 62 |
| 19.1 | General..... | 62 |
| 19.2 | Example of classification and designation..... | 62 |
| 20 | Identifier | 63 |
| 20.1 | General..... | 63 |
| 20.2 | Identifier layout..... | 63 |
| 20.3 | Identifier placement..... | 63 |
| Annex A | (informative) Reference data for the specification of the test loading conditions and test loading levels of this document | 64 |
| Annex B | (informative) Guidance on the application of an alternative static ultimate strength test | 73 |
| Annex C | (informative) Summary of the records entered in the test laboratory/facility log | 74 |
| Annex D | (informative) Information on ISO/TR 22676 | 79 |
| Annex E | (informative) Background data (reduced) of the six-minute walk test for adults | 90 |
| Bibliography | | 91 |