

DIN EN 15069:2010-07 (E)

Safety gas connection valves for metal hose assemblies used for the connection of domestic appliances using gaseous fuel

Contents		Page
Foreword		5
Introduction		6
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	General requirements	9
4.1	SC valve types	9
4.2	Classification	10
4.2.1	Temperature classes	10
4.2.2	Pressure classes	10
4.3	Construction requirements	10
4.3.1	General	10
4.3.2	Materials	11
4.3.3	Nominal sizes	11
4.4	Construction	11
4.5	Connection	12
4.5.1	General	12
4.5.2	Connection and disconnection	12
4.5.3	Disconnection	12
4.5.4	Rotation	12
4.6	Operation	12
4.6.1	General	12
4.6.2	Manual operated control (if fitted)	12
4.7	Dangerous substances	12
5	Performance requirements and tests	13
5.1	General	13
5.2	Test end fittings	13
5.3	Test sequence schedule	13
5.4	Leak-tightness	15
5.4.1	Angular seal	15
5.4.2	External leak-tightness	15
5.4.3	Internal leak-tightness	16
5.5	Internal Pressure	16
5.5.1	Requirements	16
5.5.2	Test	17
5.6	Rated flow rate	17
5.6.1	Requirements	17
5.6.2	Test	17
5.7	Tensile strength resistance	19
5.7.1	Requirements	19
5.7.2	Tests	19
5.8	Bending resistance	20
5.8.1	Requirements	20
5.8.2	Tests	20
5.9	Resistance to torsion	20

5.9.1	Requirements	20
5.9.2	Tests	20
5.10	Resistance to impact	21
5.10.1	Requirements	21
5.10.2	Tests	21
5.11	Durability	22
5.11.1	Durability of the manually operated control SC valve	22
5.11.2	Durability of connection and disconnection	23
5.11.3	Rotation durability of the SC valve outlet	23
5.11.4	Temperature durability - Thermal ageing	23
5.12	High and low temperature resistance	24
5.12.1	Low temperature resistance	24
5.12.2	High temperature resistance (only for SC valve without TSD)	26
5.12.3	Leak-tightness during thermal load (only for SC valve with TSD)	26
5.13	Resistance to lubricants	26
5.13.1	General	26
5.13.2	Requirement	26
5.13.3	Test	26
5.14	Reaction to fire	27
5.14.1	Requirement	27
5.14.2	Testing and assessment methods	27
5.15	Resistance to gas	27
5.15.1	General	27
5.15.2	Requirement	27
5.15.3	Test	27
5.16	Corrosion resistance	28
5.16.1	Requirement	28
5.16.2	Test	28
5.17	Operating torque for a manually operated control SC valve	28
5.17.1	Requirement	28
5.17.2	Test	28
5.18	Operating strength for a safety quick connection SC valve	29
5.18.1	Requirement	29
5.18.2	Test	29
5.19	Stop resistance	29
5.19.1	Requirement	29
5.19.2	Test	30
5.20	SC valves type 2 and 4	30
5.20.1	Leak-tightness of the OSD	30
5.20.2	Overflow safety rate	30
5.20.3	Overflow safety durability	31
5.20.4	Normal flow durability	31
5.21	Electrical continuity	32
5.21.1	Requirement	32
5.21.2	Test	32
5.22	Leak-tightness of the system with non-metal components	32
5.22.1	Requirement	32
5.22.2	Test	32
5.23	SC valves type 3 and 4	33
5.23.1	Reaction to temperature	33
6	Evaluation of conformity	33
6.1	General	33
6.2	Type testing	33
6.2.1	Initial type testing (ITT)	33
6.2.2	Subsequent type testing	34
6.3	Factory production control (FPC)	34
6.3.1	General	34
6.3.2	FPC requirements for all manufacturers	34
6.3.3	Manufacturer-specific FPC system requirements	36
6.4	Installation instructions	37
6.5	Packaging	38

Annex A (informative) SC valve and hose fitting design requirements for connection to the gas supply pipework or to the pressure reduction device of portable gas bottles	39
Annex B (informative) Test end fitting	58
Annex ZA (informative) Clauses of this European Standard addressing the provision of the EU Construction Products Directive	59
ZA.1 Scope and relevant characteristics	59
ZA.2 Procedure for attestation of conformity of SC valves	60
ZA.2.1 System of attestation of conformity	60
ZA.2.2 EC Certificate and Declaration of conformity	63
ZA.3 CE marking and labeling	64
Bibliography	66