DIN EN 12405-1:2011-04 (E)

Gas meters - Conversion devices - Part 1: Volume conversion (includes Amendment A2:2010)

Contents

Page

Foreword 9

1 Scope 10

2 Normative references 10

3 Terms, definitions and symbols 12
3.1 Terms and definitions 12
3.2 Symbols 15
3.3 !Classification" 17
3.3.1 Mechanical classes 17
3.3.2 Electromagnetic environmental classes 17

4 Principle of measurement 17
4.1 Conversion as a function of temperature 17
4.2 Conversion as a function of pressure and temperature 17
4.3 Conversion as a function of pressure, temperature and deviation from the ideal gas law .18
4.4 Correction of the volume at measurement conditions 19

5 Rated operating conditions 19
5.1 Specified field of measurement 19
5.1.1 Specified measurement range for gas pressure 19
5.1.2 Specified measurement range for gas temperature 19
5.1.3 Gas characteristics 20
5.1.4 !Base conditions" 20
5.2 !Environmental conditions" 20
5.2.1 Ambient temperature range 20
5.2.2 Humidity range 20
5.2.3 !Mechanical environment" 20
5.2.4 Electromagnetic environment 20
5.3 Power supply 20

6 Construction requirements 20
6.1 General 20
6.2 Casings 21
6.3 Indications 22
6.3.1 General 22
6.3.2 Electronic indicating device 23
6.4 Inputs for volume conversion 24
6.5 Battery powered conversion device 24
6.6 Security devices and alarms 25

7 Installation requirements 25
7.1 General 25
7.2 Temperature transducer 26
7.3 Pressure transducer 26

8 Performance 26
8.1 Reference conditions 26
8.2 Rated operating conditions 27
8.3 Maximum permissible errors 27

8.3.1 General ... 27
8.3.2 Error of conversion ... 28
8.3.3 Specific errors for a gas-volume conversion device, type 2 ... 28
8.4 Conditions of matching the constituent elements of a conversion device type 2 ... 28
8.5 Influence factors ... 29
8.6 Disturbances ... 29
8.7 Durability ... 29
8.8 !Repeatability" ... 29
8.9 !Reliability" ... 30

9 Tests of conformity ... 30
9.1 Verification of the construction requirements ... 30
9.2 Verification of the performance requirements ... 30
9.2.1 Test conditions ... 30
9.2.2 Samples of gas volume conversion device type 1 required for testing ... 31
9.2.3 Samples of gas volume conversion devices type 2 required for testing ... 34
9.3 Test report ... 34

10 Marking ... 34

11 !Installation and operating instructions" ... 35

Annex A (normative) Type test ... 37

A.1 General conditions ... 37
A.1.1 General ... 37
A.1.2 Additional conditions specific to gas volume conversion devices type 1 ... 37
A.1.3 Additional conditions specific to gas-volume conversion devices type 2 ... 37
A.1.4 Test procedures ... 38
A.1.5 Verification of the construction requirements ... 39
A.2 Accuracy tests under reference conditions ... 39
A.2.1 Objective ... 39
A.2.2 Reference to documents ... 40
A.2.3 Procedure ... 40
A.2.4 Acceptance criteria ... 40
A.3 Effect of ambient temperature ... 40
A.3.1 Objective ... 40
A.3.2 Reference to documents ... 40
A.3.3 Procedure ... 40
A.3.4 Acceptance criteria ... 40
A.4 Effect of damp heat, steady state test ... 40
A.4.1 Objective ... 40
A.4.2 Reference to documents ... 40
A.4.3 Procedure ... 41
A.4.4 Acceptance criteria ... 41
A.5 Effect of damp heat, cyclic test ... 41
A.5.1 Objective ... 41
A.5.2 Reference to documents ... 41
A.5.3 Procedure ... 41
A.5.4 Acceptance criteria ... 42
A.6 Electrical power variation ... 42
A.6.1 Objective ... 42
A.6.2 Reference to documents ... 42
A.6.3 Procedure ... 42
A.6.4 Acceptance criteria ... 42
A.7 Short time power reductions ... 43
A.7.1 Objective ... 43
A.7.2 Reference to documents ... 43
A.7.3 Procedure ... 43
A.7.4 Acceptance criteria ... 43
A.8 Electrical bursts ... 43
A.8.1 Objective ... 43

A.8.2 Reference to documents 43
A.8.3 Procedure 43
A.8.4 Acceptance criteria 43
A.9 Electromagnetic susceptibility 44
A.9.1 Objective 44
A.9.2 Reference to documents 44
A.9.3 Procedure 44
A.9.4 Acceptance criteria 44
A.10 Electrostatic discharges 44
A.10.1 Objective 44
A.10.2 Reference to documents 44
A.10.3 Procedure 44
A.10.4 Acceptance criteria 45
A.11 Overload of pressure (only for type 1 and pressure transducers) 45
A.11.1 Objective 45
A.11.2 Reference to documents 45
A.11.3 Procedure 45
A.11.4 Acceptance criteria 45
A.12 Effect of vibrations 45
A.12.1 Objective 45
A.12.2 Reference to documents 45
A.12.3 Procedure 46
A.12.4 Acceptance criteria 46
A.13 Effect of shocks 46
A.13.1 Objective 46
A.13.2 Reference to documents 46
A.13.3 Procedure 46
A.13.4 Acceptance criteria 46
A.14 Overload of pressure (mechanical) 46
A.14.1 Objective 46
A.14.2 Reference to documents 47
A.14.3 Procedure 47
A.14.4 Acceptance criteria 47
A.15 Durability 47
A.15.1 Objective 47
A.15.2 Reference to documents 47
A.15.3 Procedure 47
A.15.4 Acceptance criteria 48
A.16 Alarms operation 48
A.16.1 Objective 48
A.16.2 Reference to documents 48
A.16.3 Procedure 48
A.16.4 Acceptance criteria 48
A.17 !Repeatability 48
A.17.1 Objective 48
A.17.2 Reference to standards 48
A.17.3 Procedure 49
A.17.4 Acceptance criteria" 49
A.18 #Short time DC power variations 49
A.18.1 Objective 49
A.18.2 Reference to standards 49
A.18.3 Procedure 49
A.18.4 Acceptance criteria$ 49
A.19 #Surges on supply lines and/or signal lines 49
A.19.1 Objective 49
A.19.2 Reference to standards 50
A.19.3 Procedure 50
A.19.4 Acceptance criteria$ 50
A.20 #Power frequency magnetic field 50
A.20.1 Objective 50
A.20.2 Reference to standards 50
A.20.3 Procedure 50

A.20.4 Acceptance criteria$ 50

Annex B (normative) Pressure transducers 51

B.1 Scope 51
B.2 Rated operating conditions 51
B.2.1 Specified measurement range for pressure 51
B.2.2 Environmental class 51
B.2.3 Power supply 51
B.3 Construction requirements 51
B.3.1 General 51
B.3.2 Casings 51
B.3.3 Indications 51
B.4 Performances 52
B.4.1 Reference conditions 52
B.4.2 Rated operating conditions 52
B.4.3 Maximum permissible errors 52
B.4.4 Influence factors 52
B.4.5 Disturbances 52
B.4.6 Durability 52
B.5 Tests of conformity 53
B.5.1 Test conditions 53
B.5.2 Tests 53
B.5.3 Sample of pressure transducers required for testing 53
B.6 Marking 53

Annex C (normative) Platinum resistance thermometer sensors 54

C.1 Scope 54
C.2 Operating rated conditions 54
C.2.1 Specified measurement range for temperature 54
C.2.2 Environmental class 54
C.3 Construction requirements 54
C.4 Performances 54
C.5 Marking 55
C.5.1 Required markings 55
C.5.2 Verification mark 55
C.6 Metrological verifications 55
C.6.1 Type approval 55
C.6.2 Initial verification 56
C.7 Verification procedure 56
C.7.1 Visual inspection 56
C.7.2 Type testing (type approval) 56
C.7.3 Samples of PRT required for testing 56
C.7.4 Initial verification 56

Annex D (normative) Temperature transducers 58

D.1 Scope 58
D.2 Rated operating conditions 58
D.2.1 Specified measurement range for temperature 58
D.2.2 Environmental class 58
D.2.3 Power supply 58
D.3 Construction requirements 58
D.3.1 General 58
D.3.2 Casings 58
D.3.3 Indications 58
D.4 Performances 59
D.4.1 Reference conditions 59
D.4.2 Rated operating conditions 59
D.4.3 Maximum permissible errors 59
D.4.4 Influence factors 59

D.4.5 Disturbances 59
D.4.6 Durability 59
D.5 Tests of conformity 60
D.5.1 Test conditions 60
D.5.2 Tests 60
D.5.3 Sample of temperature transducers required for testing 60
D.6 Marking 60

Annex E (informative) Model type test report for conversion devices 61

E.1 General 61
E.1.1 General remarks 61
E.1.2 Number of pages 61
E.1.3 Laboratory's identification 61
E.1.4 Applicant 61
E.1.5 Identification of device(s) submitted for testing 61
E.2 Accuracy tests under reference conditions 62
E.2.1 Ambient temperature during the test 62
E.2.2 Test equipment used 62
E.2.3 Test results 62
E.3 Ambient temperature 63
E.3.1 Effect of dry heat 63
E.3.2 Effect of cold 64
E.4 Effect of damp heat, steady state test 66
E.4.1 Ambient temperature during the test 66
E.4.2 Test equipment used 66
E.4.3 Test results 66
E.5 Effect of damp heat, cyclic test 67
E.5.1 Ambient temperature during the test 67
E.5.2 Test equipment used 67
E.5.3 Test results 68
E.6 Electrical power variation 69
E.6.1 AC power supply 69
E.6.2 DC power supply or battery supply 71
E.7 Short time power reductions 72
E.7.1 Test equipment used 72
E.7.2 Test results 72
E.8 Electrical bursts 73
E.8.1 Test equipment used 73
E.8.2 Test results 73
E.9 Electromagnetic immunity 75
E.9.1 Test equipment used 75
E.9.2 Test results 75
E.10 Electrostatic discharges 75
E.10.1 Test equipment used 75
E.10.2 Test results 76
E.11 Effect of an overload of static pressure 76
E.11.1 Ambient temperature during the test 76
E.11.2 Test equipment used 76
E.11.3 Test results 77
E.12 Effect of vibrations 78
E.12.1 Ambient temperature during the test 78
E.12.2 Test equipment used 78
E.12.3 Test results 78
E.13 Effect of shocks 79
E.13.1 Ambient temperature during the test 79
E.13.2 Test equipment used 79
E.13.3 Test results 79
E.14 Mechanical resistance to overload of static pressure 80
E.14.1 Ambient temperature during the test 80
E.14.2 Test equipment used 80
E.14.3 Test results 80

E.15 Durability 80
E.15.1 Ambient temperature during the test 80
E.15.2 Test equipment used 80
E.15.3 Test equipment used 81
E.16 !Alarms operation 84
E.16.1 Ambient temperature during the test 84
E.16.2 Test equipment used 84
E.16.3 Test results 84
E.17 Repeatability" 84
E.18 #Short time DC power variations 84
E.18.1 Test equipment used 84
E.18.2 Test results$ 84
E.19 #Surges on supply lines and/or signal lines 85
E.19.1 Test equipment used 85
E.19.2 Test results$ 85
E.20 #Power frequency magnetic field 86
E.20.1 Test equipment used 86
E.20.2 Test results$ 86

Annex F (informative) Model type test report for associated transducers 88

F.1 General 88
F.1.1 General remarks 88
F.1.2 Number of pages 88
F.1.3 Laboratory's identification 88
F.1.4 Applicant 88
F.1.5 Identification of device(s) submitted for testing 88
F.2 Accuracy tests under reference conditions 89
F.2.1 Ambient temperature during the test 89
F.2.2 Test equipment used 89
F.2.3 Test results 89
F.3 Ambient temperature 89
F.3.1 Effect of dry heat 89
F.3.2 Effect of cold 90
F.4 Effect of damp heat, steady state test 91
F.4.1 Ambient temperature during the test 91
F.4.2 Test equipment used 91
F.4.3 Test results 91
F.5 Effect of damp heat, cyclic test 92
F.5.1 Ambient temperature during the test 92
F.5.2 Test equipment used 92
F.5.3 Test results 93
F.6 Electrical power variation 93
F.6.1 AC power supply 93
F.6.2 DC power supply or battery supply 95
F.7 Short time power reductions 95
F.7.1 Ambient temperature during the test 95
F.7.2 Test equipment used 95
F.7.3 Test results 96
F.8 Electrical bursts 96
F.8.1 Ambient temperature during the test 96
F.8.2 Test equipment used 96
F.8.3 Test results 96
F.9 Electromagnetic immunity 97
F.9.1 Ambient temperature during the test 97
F.9.2 Test equipment used 97
F.9.3 Test results 98
F.10 Electrostatic discharges 98
F.10.1 Ambient temperature during the test 98
F.10.2 Test equipment used 98
F.10.3 Test results 99
F.11 Effect of an overload of static pressure 99

F.11.1 Ambient temperature during the test 99
F.11.2 Test equipment used 99
F.11.3 Test results 100
F.12 Effect of vibrations 101
F.12.1 Ambient temperature during the test 101
F.12.2 Test equipment used 101
F.12.3 Test results 101
F.13 Effect of shocks 101
F.13.1 Ambient temperature during the test 101
F.13.2 Test equipment used 101
F.13.3 Test results 102
F.14 Mechanical resistance to overload of static pressure 102
F.14.1 Ambient temperature during the test 102
F.14.2 Test equipment used 102
F.14.3 Test results 102
F.15 Durability 103
F.15.1 Ambient temperature during the test 103
F.15.2 Test equipment used 103
F.15.3 Test results 103
F.16 !Repeatability" 105

Annex ZA (informative) !Relationship between this European Standard and the Essential Requirements of EU Directive 2004/22 Measuring Instruments Directive" 106

Bibliography 111