DIN EN 1458-1:2012-02 (E)

Domestic direct gas-fired tumble dryers of types B22D and B23D, of nominal heat input not exceeding 6 kW - Part 1: Safety

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Classification 16
4.1 Classification of gases 16
4.2 Classification of appliances 17
4.2.1 Classification according to the gases capable of being used 17
4.2.2 Classification according to the mode of evacuation of the combustion products/supply of combustion air 19

5 Construction and design requirements 19
5.1 General 19
5.1.1 Conversion to different gases 19
5.1.2 Materials and method of construction 20
5.1.3 Screws 21
5.1.4 Maintenance and use 21
5.1.5 Thermal insulation 21
5.1.6 Gas connections 22
5.1.7 Soundness of the gas circuit 22
5.1.8 Supply of combustion air and evacuation of combustion products 23
5.1.9 Lint collection 23
5.1.10 Flame visibility 23
5.1.11 Electrical equipment 23
5.1.12 Motors and fans 23
5.1.13 Operational safety in the event of fluctuation, interruption and restoration of the auxiliary energy 24
5.1.14 Combustion air flow failure 24
5.2 Requirements for adjusting, control and safety devices 24
5.2.1 General 24
5.2.2 Automatic shut-off valves 24
5.2.3 Multifunctional controls 25
5.2.4 Flame supervision devices 25
5.2.5 Regulators 26
5.2.6 Preset gas rate adjusters 26
5.2.7 Automatic burner control systems 27
5.2.8 Gas strainers 27
5.3 Ignition devices 27
5.3.1 General 27
5.3.2 Ignition device for the main burner 27
5.3.3 Ignition burners 27
5.4 Ignition burner or start-gas flame establishment 27
5.5 Main flame establishment 28
5.5.1 Establishment by means of an ignition burner or start-gas flame 28
5.5.2 Direct establishment of the main flame e.g. spark ignition, hot surface igniter 28
5.6 Burners 28
5.7 Thermostats and control of air temperature 29

5.7.1 General requirements 29
5.7.2 Overheat cut-off device 29
5.8 Clocks and timing devices 29
5.9 Pressure test points 29
5.10 Mechanical hazards 29
5.10.1 General 29
5.10.2 Requirements for appliances with an opening dimension exceeding 200 mm and a drum having a volume exceeding 60 dm 29

6 Operational safety 30
6.1 General 30
6.1.1 Characteristics of test gases: reference and limit gases 30
6.1.2 Conditions for preparation of test gases 31
6.1.3 Practical application of test gases 32
6.1.4 Test pressures 34
6.1.5 Use of test gases 36
6.1.6 Test room 37
6.1.7 Preparation of the appliance 37
6.1.8 Test conditions 37
6.2 Screws 38
6.2.1 Requirements 38
6.2.2 Tests 38
6.3 Manually operated devices of the automatic burner control systems 38
6.3.1 Requirements 38
6.3.2 Tests 39
6.4 Mechanical hazards 39
6.4.1 General 39
6.4.2 Appliances with an opening dimension exceeding 200 mm and a drum having a volume exceeding 60 dm 39
6.5 Stability of appliances 39
6.6 Soundness of the gas circuit 39
6.6.1 Requirements 39
6.6.2 Tests 39
6.7 Heat inputs 40
6.7.1 Nominal heat input 40
6.7.2 Reduced rate 42
6.7.3 Heat input of ignition burners 43
6.8 Burners 43
6.8.1 Resistance to overheating 43
6.8.2 Escape of unburnt gas 43
6.9 Limiting temperature of various parts of the appliance 44
6.9.1 Requirements 44
6.9.2 Tests 44
6.10 Limiting temperature of floor, walls and worktop 45
6.10.1 Requirements 45
6.10.2 Tests 45
6.11 Limiting temperature of components 46
6.11.1 Normal operation 46
6.11.2 Severe operation 46
6.11.3 Abnormal operation 46
6.12 Motor temperatures 47
6.12.1 Motor bearings 47
6.12.2 Motor windings 47
6.13 Ignition, cross-lighting and flame stability 48
6.13.1 Ignition and cross-lighting 48
6.13.2 Flame stability 50
6.13.3 Supplementary requirements and tests 51
6.14 Flame supervision devices 51
6.14.1 Manual devices 51
6.14.2 Automatic devices 52
6.15 Regulators 52
6.15.1 Requirements 52

6.15.2 Tests ... 52
6.16 Combustion ... 53
6.16.1 General ... 53
6.16.2 Requirements ... 54
6.16.3 Tests under normal conditions ... 55
6.16.4 Supplementary tests under special conditions ... 56
6.17 Sooting ... 59
6.17.1 Requirements ... 59
6.17.2 Tests ... 59
6.18 Cyclic operation ... 59
6.18.1 Requirements ... 59
6.18.2 Tests ... 59

7 Marking ... 60
7.1 Marking of the appliance ... 60
7.1.1 Data plates ... 60
7.1.2 Warning notices ... 61
7.1.3 Other marking ... 61
7.2 Marking of the packaging ... 61
7.3 Utilization of symbols on the appliance and packaging ... 61
7.3.1 Electrical supply ... 61
7.3.2 Type of gas ... 61
7.3.3 Gas supply pressure ... 62
7.3.4 Country of destination ... 62
7.3.5 Category ... 63
7.3.6 Other optional information ... 63
7.4 Instructions ... 64
7.4.1 General ... 64
7.4.2 Technical instructions for installation and adjustment ... 64
7.4.3 Instructions for use and maintenance ... 66
7.5 Presentation ... 66

Annex A (informative) National situations ... 76

A.1 General ... 76
A.2 Categories listed in the body of the standard and marketed in different countries ... 76
A.3 Appliance supply pressures corresponding to the categories given in A.2 ... 79
A.4 Special categories marketed nationally or locally ... 80
A.4.1 General ... 80
A.4.2 Definition of special categories ... 83
A.4.3 Gas rate adjusters, aeration adjusters and regulators ... 86
A.4.4 Conversion to different gases ... 86
A.5 Test gases corresponding to the special categories given in A.4 ... 86
A.6 Gas connections in the various countries ... 89
A.7 Equivalence rules ... 90
A.7.1 General ... 90
A.7.2 Conversion to categories within a restricted Wobbe index range ... 90
A.7.3 Conversion to categories within an identical Wobbe index range ... 90
A.7.4 Conversion to categories within a wider Wobbe index range ... 91

Annex B (normative) Special national conditions ... 92

B.1 Special national conditions ... 92
B.2 Belgium ... 92
B.3 Italy ... 92
B.4 Poland ... 92

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 90/396/EEC on the approximation of the laws of Member States concerning gas appliances ... 93

Bibliography ... 97