

DIN EN 16314:2013-09 (E)

Gas meters - Additional functionalities

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | 4 |
| Introduction | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms, definitions and abbreviated terms | 8 |
| 3.1 | Terms and definitions | 8 |
| 3.2 | Abbreviated terms | 9 |
| 4 | General requirements | 10 |
| 4.1 | Meter | 10 |
| 4.2 | Meters with electronic index | 10 |
| 4.3 | Suitability - AFD/Meter combination | 10 |
| 4.4 | Types of additional functionality devices | 10 |
| 4.5 | AFD1 | 11 |
| 4.6 | AFD2 | 11 |
| 4.7 | AFD3 | 11 |
| 4.8 | Resistance to high ambient temperature | 12 |
| 4.9 | Climatic environments | 12 |
| 4.10 | Gas temperature range | 16 |
| 4.11 | Safety Requirements | 16 |
| 4.12 | Immunity to electromagnetic disturbances | 16 |
| 4.13 | Immunity to electromagnetic disturbances for Meters / AFD's with external ports | 20 |
| 4.14 | Resistance to mishandling | 23 |
| 4.15 | Resistance to storage temperature | 23 |
| 4.16 | Ageing test | 24 |
| 4.17 | Expected lifetime | 24 |
| 5 | Security | 24 |
| 5.1 | General | 24 |
| 5.2 | Software, data and hardware security | 25 |
| 5.3 | Firmware upgrade | 25 |
| 5.4 | Software identification | 26 |
| 6 | Power system | 26 |
| 6.1 | General | 26 |
| 6.2 | Battery | 26 |
| 6.3 | Battery life | 27 |
| 6.4 | Battery compartment | 27 |
| 6.5 | Battery replacement | 28 |
| 6.6 | Battery lifetime totaliser | 29 |
| 6.7 | Voltage interruptions | 29 |
| 6.8 | Operating voltage | 29 |
| 7 | Additional Functionalities | 30 |
| 7.1 | General | 30 |
| 7.2 | Display | 30 |
| 7.3 | Diagnostics | 30 |
| 7.4 | Metrological influence | 31 |

| | | |
|--|---|----|
| 7.5 | AFD connections | 31 |
| 7.6 | Input to AFD | 31 |
| 7.7 | Output from AFD | 31 |
| 7.8 | Data storage | 32 |
| 7.9 | Time interval accuracy | 33 |
| 7.10 | Energy Calculation within the meter/AFD | 34 |
| 7.11 | Tariffs | 34 |
| 7.12 | Display/Human interface | 35 |
| 7.13 | Gas valve and System | 35 |
| 7.14 | Registers | 41 |
| 7.15 | Prepayment System with valve | 41 |
| 7.16 | Prepayment system without a valve | 42 |
| 7.17 | History of Consumption | 42 |
| 7.18 | Memory | 42 |
| 8 | Marking | 44 |
| 8.1 | Requirements | 44 |
| 8.2 | Test | 44 |
| 9 | Documentation | 44 |
| 9.1 | General | 44 |
| 9.2 | Declaration of conformity | 45 |
| 9.3 | Technical documentation | 45 |
| 9.4 | Instruction manual | 45 |
| 10 | Environmental considerations | 45 |
| Annex A (informative) Download software | | 46 |
| Annex B (informative) Implementation method - Conformity to the SM-CG Additional Functionalities | | 47 |
| Annex C (normative) Electronic index | | 50 |
| C.1 | General | 50 |
| C.2 | Display | 50 |
| C.3 | Display reset | 50 |
| C.4 | Test signal | 51 |
| C.5 | Non-volatile memory | 51 |
| C.6 | Flags and alarms information | 52 |
| C.7 | Interfaces | 52 |
| C.8 | Ports | 52 |
| C.9 | Durability | 53 |
| Annex D (normative) Valve type test plan | | 54 |
| D.1 | List of tests | 54 |
| D.2 | Endurance Test | 54 |
| D.3 | Toluene/iso-octane test | 54 |
| D.4 | Water Vapour Test | 57 |
| D.5 | Ageing Test | 59 |
| Bibliography | | 60 |