

# ISO 20088-1:2016-09 (E)

## Determination of the resistance to cryogenic spillage of insulation materials - Part 1: Liquid phase

---

Contents	Page
<b>Foreword</b> .....	iv
<b>Introduction</b> .....	v
<b>1 Scope</b> .....	1
<b>2 Normative references</b> .....	1
<b>3 Terms and definitions</b> .....	2
<b>4 Test configurations</b> .....	2
<b>4.1 General</b> .....	2
<b>4.2 Sample holder</b> .....	2
<b>5 Construction of the test items and substrates</b> .....	3
<b>5.1 General</b> .....	3
<b>5.2 Material</b> .....	3
<b>5.3 Release tank</b> .....	3
<b>5.4 Specimen support</b> .....	4
<b>5.5 Sample holder</b> .....	6
<b>5.6 Test method</b> .....	6
<b>6 Cryogenic spillage protection materials</b> .....	7
<b>6.1 General</b> .....	7
<b>6.2 Wet applied coating systems</b> .....	7
<b>6.3 Pre-formed system testing</b> .....	7
<b>7 Instrumentation</b> .....	7
<b>7.1 General</b> .....	7
<b>7.2 Thermocouple location</b> .....	7
<b>8 Test apparatus and conditions</b> .....	8
<b>8.1 Injection point and position</b> .....	8
<b>8.1.1 General</b> .....	8
<b>8.1.2 Injection point position</b> .....	8
<b>8.2 Test environment</b> .....	8
<b>9 Test procedure</b> .....	9
<b>10 Repeatability and reproducibility</b> .....	10
<b>11 Uncertainty of measurement</b> .....	10
<b>12 Test report</b> .....	10
<b>13 Practical applications of test results</b> .....	11
<b>13.1 General</b> .....	11
<b>13.2 Performance criteria</b> .....	11
<b>13.2.1 General</b> .....	11
<b>13.2.2 Coatings and spray-applied materials</b> .....	11
<b>13.2.3 Systems and assemblies</b> .....	11

<b>13.3</b>	<b>Factors affecting the validity of the test .....</b>	<b>12</b>
13.3.1	General .....	12
13.3.2	Leakage of the release tank .....	12
13.3.3	Failure of thermocouples .....	12
13.3.4	Loss of sample integrity/loss of containment .....	12
<b>Annex A (normative) Methods of fixing thermocouples .....</b>		<b>13</b>
<b>Annex B (normative) Complete set-up .....</b>		<b>15</b>
<b>Annex C (normative) Thermocouple positioning inside the sample holder .....</b>		<b>17</b>
<b>Annex D (informative) Classification .....</b>		<b>19</b>