DIN EN 1359:2017-11 (E)

Gas meters - Diaphragm gas meters

Contents

Page

European foreword 5

1 Scope 6

2 Normative references 6

3 Terms, definitions and symbols 7
3.1 Terms and definitions 7
3.2 Symbols 10

4 Working conditions 11
4.1 Flow range 11
4.2 Maximum working pressure 12
4.3 Temperature range 12
4.4 Climatic environment 12
4.5 Installation orientation 13

5 Metrological performance 13
5.1 Errors of indication 13
5.1.1 Requirements 13
5.1.2 Test procedure Errors of indication 13
5.2 Pressure absorption 14
5.2.1 Requirements 14
5.2.2 Test procedure Pressure absorption 15
5.3 Starting flow rate 15
5.3.1 Requirements 15
5.3.2 Test procedure Starting flow rate 15
5.4 Metrological stability 16
5.4.1 Requirements 16
5.4.2 Test procedure Metrological stability 16
5.5 Overload flow rate 16
5.5.1 Requirements 16
5.5.2 Test procedure Overload flow rate 16
5.6 Environment and humidity 16
5.6.1 Requirements 16
5.6.2 Test procedure Environment and humidity 16
5.7 Influence of other devices attached to the meter 16
5.7.1 Requirements 16
5.7.2 Test procedure Influence of other devices 17
5.8 Cyclic volume 17
5.8.1 Requirements 17
5.8.2 Test procedure Cyclic volume 17

6 Construction and materials 17
6.1 General 17
6.2 Resistance to interference 17
6.2.1 Mechanical interference 17
6.2.2 Electromagnetic interference 17
6.3 Robustness 18
6.3.1 General 18
6.3.2 Meter case 18
6.3.3 External leak tightness 18

6.3.4 Resistance to internal pressure 18
6.3.5 Meter case sealing 19
6.3.6 Connections 19
6.3.7 Resistance to vibration 23
6.3.8 Resistance to impact 25
6.3.9 Resistance to mishandling 27
6.4 Corrosion protection 28
6.4.1 General 28
6.4.2 External corrosion 29
6.4.3 Internal corrosion 30
6.5 Resistance to storage temperature range 30
6.5.1 Requirements 30
6.5.2 Test procedure Resistance to storage temperature range 30
6.6 Optional features 31
6.6.1 Pressure measuring point 31
6.6.2 Electrical insulating feet 31
6.6.3 Magnetic index drive 31
6.6.4 Devices to prevent the registration of reverse flow 32
6.6.5 Devices to prevent reverse flow 32
6.6.6 Resistance to high temperatures 32
6.6.7 Diaphragm gas meters provided with a built-in gas temperature conversion device 34
6.6.8 Additional functionalities 34

7 Mechanical performance 34
7.1 Meter assembly 34
7.1.1 General 34
7.1.2 Durability 34
7.1.3 Meter error of indication at declared gas temperature limits 39
7.1.4 Error of indication subject to declared ambient temperature limits 40
7.2 Index 41
7.2.1 Construction details 41
7.2.2 Index windows and surround 42
7.3 Diaphragms and components in the gas path 43
7.3.1 Requirements for diaphragms and non-rubber components in the gas path 43
7.3.2 Requirements for rubber components in the gas path 43
7.3.3 Toluene/iso-octane vapour test 43
7.3.4 Water vapour test 45
7.3.5 Ageing 47

8 Marking 47
8.1 All meters 47
8.2 Two-pipe meters 48
8.3 Durability and legibility of marking 48
8.3.1 Requirements 48
8.3.2 Ultraviolet exposure test 48
8.3.3 Indelibility 48
8.3.4 Adhesion 49

9 Meters supplied for testing 49
9.1 General 49

Annex A (normative) Production requirements for gas meters 53

A.1 General 53
A.2 Technical requirements 53
A.3 Declaration of conformity 54
A.4 Provision of information 55

Annex B (normative) Diaphragm gas meters provided with a built-in gas temperature conversion device 56

B.1 Scope 56

B.2 Metrological performance 56
B.3 Marking 62

Annex C (normative) Tests for meters to be used in open locations 63

C.1 Humidity 63
C.2 Weathering 63

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/32/EU Measuring Instruments Directive aimed to be covered 65

Bibliography 71