DIN EN 12405-1:2018-12 (E)

Gas meters - Conversion devices - Part 1: Volume conversion

Contents

Page

European foreword 10

1 Scope 11

2 Normative references 11

3 Terms, definitions, symbols and classification 13
3.1 Terms and definitions 13
3.2 Symbols 17
3.3 Classification 18
3.3.1 Mechanical classes 18
3.3.2 Electromagnetic environmental classes 18

4 Principle of measurement 19
4.1 Conversion as a function of temperature 19
4.2 Conversion as a function of pressure and temperature 19
4.3 Conversion as a function of pressure, temperature and deviation from the ideal gas law 20
4.4 Correction of the volume at measurement conditions 20

5 Rated operating conditions 21
5.1 Specified field of measurement 21
5.1.1 General 21
5.1.2 Specified measurement range for gas pressure 21
5.1.3 Specified measurement range for gas temperature 21
5.1.4 Gas characteristics 21
5.1.5 Base conditions 21
5.2 Environmental conditions 21
5.2.1 Ambient temperature range 21
5.2.2 Humidity range 21
5.2.3 Mechanical environment 22
5.2.4 Electromagnetic environment 22
5.3 Power supply 22

6 Construction requirements 22
6.1 General 22
6.2 Casings 23
6.3 Indications 23
6.3.1 General 23
6.3.2 Electronic indicating device 25
6.4 Inputs for volume conversion 25
6.5 Battery powered conversion device 25
6.6 Security devices and alarms 26

7 Installation requirements 27
7.1 General 27
7.2 Temperature transducer 27
7.3 Pressure transducer 27

8 Performance 28
8.1 Reference conditions 28
8.2 Rated operating conditions 28
8.3 Maximum permissible errors 28

8.3.1 Conversion devices type 1 28
8.3.2 Conversion devices type 2 29
8.3.3 Error of conversion 29
8.3.4 Specific errors for a gas-volume conversion device, type 2 29
8.4 Conditions of matching the constituent elements of a conversion device type 2 30
8.5 Influence factors 30
8.6 Disturbances 31
8.7 Durability 31
8.8 Repeatability 31
8.9 Reliability 31

9 Tests of conformity 31
9.1 Verification of the construction requirements 31
9.2 Verification of the performance requirements 31
9.2.1 Test conditions 31
9.2.2 Samples of gas volume conversion device type 1 required for testing 32
9.2.3 Samples of gas volume conversion devices type 2 required for testing 35
9.3 Test report 36

10 Marking 36

11 Installation and operating instructions 37

Annex A (normative) Type test 38

A.1 General conditions 38
A.1.1 General 38
A.1.2 Additional conditions specific to gas volume conversion devices type 1 38
A.1.3 Additional conditions specific to gas-volume conversion devices type 2 38
A.1.4 Test procedures 39
A.1.5 Verification of the construction requirements 40
A.2 Accuracy tests under reference conditions 40
A.2.1 Objective 40
A.2.2 Reference to documents 41
A.2.3 Procedure 41
A.2.4 Acceptance criteria 41
A.3 Effect of ambient temperature 41
A.3.1 Objective 41
A.3.2 Reference to documents 41
A.3.3 Procedure 41
A.3.4 Acceptance criteria 41
A.4 Effect of damp heat, steady-state test 41
A.4.1 Objective 41
A.4.2 Reference to documents 41
A.4.3 Procedure 42
A.4.4 Acceptance criteria 42
A.5 Effect of damp heat, cyclic test 42
A.5.1 Objective 42
A.5.2 Reference to documents 42
A.5.3 Procedure 42
A.5.4 Acceptance criteria 42
A.6 Electrical power variation 43
A.6.1 Objective 43
A.6.2 Reference to documents 43
A.6.3 Procedure 43
A.6.4 Acceptance criteria 43
A.7 Short time power reductions 43
A.7.1 Objective 43
A.7.2 Reference to documents 43
A.7.3 Procedure 43
A.7.4 Acceptance criteria 44
A.8 Electrical bursts 44

A.8.1 Objective 44
A.8.2 Reference to documents 44
A.8.3 Procedure 44
A.8.4 Acceptance criteria 44
A.9 Electromagnetic susceptibility 44
A.9.1 Objective 44
A.9.2 Reference to documents 44
A.9.3 Procedure 44
A.9.4 Acceptance criteria 45
A.10 Electrostatic discharges 45
A.10.1 Objective 45
A.10.2 Reference to documents 45
A.10.3 Procedure 45
A.10.4 Acceptance criteria 45
A.11 Overload of pressure (only for type 1 and pressure transducers) 45
A.11.1 Objective 45
A.11.2 Reference to documents 45
A.11.3 Procedure 45
A.11.4 Acceptance criteria 46
A.12 Effect of vibrations 46
A.12.1 Objective 46
A.12.2 Reference to documents 46
A.12.3 Procedure 46
A.12.4 Acceptance criteria 46
A.13 Effect of shocks 46
A.13.1 Objective 46
A.13.2 Reference to documents 46
A.13.3 Procedure 46
A.13.4 Acceptance criteria 47
A.14 Overload of pressure (mechanical) 47
A.14.1 Objective 47
A.14.2 Reference to documents 47
A.14.3 Procedure 47
A.14.4 Acceptance criteria 47
A.15 Durability 47
A.15.1 Objective 47
A.15.2 Reference to documents 47
A.15.3 Procedure 48
A.15.4 Acceptance criteria 48
A.16 Alarms operation 48
A.16.1 Objective 48
A.16.2 Reference to documents 48
A.16.3 Procedure 48
A.16.4 Acceptance criteria 48
A.17 Repeatability 49
A.17.1 Objective 49
A.17.2 Reference to standards 49
A.17.3 Procedure 49
A.17.4 Acceptance criteria 49
A.18 Short time DC power variations 49
A.18.1 Objective 49
A.18.2 Reference to standards 49
A.18.3 Procedure 49
A.18.4 Acceptance criteria 49
A.19 Surges on supply lines and/or signal lines 50
A.19.1 Objective 50
A.19.2 Reference to standards 50
A.19.3 Procedure 50
A.19.4 Acceptance criteria 50
A.20 Power frequency magnetic field 50
A.20.1 Objective 50
A.20.2 Reference to standards 50

A.20.3 Procedure 50
A.20.4 Acceptance criteria 50

Annex B (normative) Pressure transducers 51

B.1 Scope 51
B.2 Rated operating conditions 51
B.2.1 Specified measurement range for pressure 51
B.2.2 Environmental class 51
B.2.3 Power supply 51
B.3 Construction requirements 51
B.3.1 General 51
B.3.2 Casings 51
B.3.3 Indications 51
B.4 Performances 52
B.4.1 Reference conditions 52
B.4.2 Rated operating conditions 52
B.4.3 Maximum permissible errors 52
B.4.4 Influence factors 52
B.4.5 Disturbances 52
B.4.6 Durability 52
B.5 Tests of conformity 53
B.5.1 Test conditions 53
B.5.2 Tests 53
B.5.3 Sample of pressure transducers required for testing 53
B.6 Marking 53

Annex C (normative) Platinum resistance thermometer sensors 54

C.1 Scope 54
C.2 Operating rated conditions 54
C.2.1 Specified measurement range for temperature 54
C.2.2 Environmental class 54
C.3 Construction requirements 54
C.4 Performances 54
C.5 Marking 55
C.5.1 Required markings 55
C.5.2 Verification mark 55
C.6 Metrological verifications 55
C.6.1 Type approval 55
C.6.2 Initial verification 56
C.7 Verification procedure 56
C.7.1 Visual inspection 56
C.7.2 Type testing (type approval) 56
C.7.3 Samples of PRT required for testing 56
C.7.4 Initial verification 56

Annex D (normative) Temperature transducers 58

D.1 Scope 58
D.2 Rated operating conditions 58
D.2.1 Specified measurement range for temperature 58
D.2.2 Environmental class 58
D.2.3 Power supply 58
D.3 Construction requirements 58
D.3.1 General 58
D.3.2 Casings 58
D.3.3 Indications 58
D.4 Performances 59
D.4.1 Reference conditions 59
D.4.2 Rated operating conditions 59
D.4.3 Maximum permissible errors 59

D.4.4 Influence factors 59
D.4.5 Disturbances 59
D.4.6 Durability 59
D.5 Tests of conformity 60
D.5.1 Test conditions 60
D.5.2 Tests 60
D.5.3 Sample of temperature transducers required for testing 60
D.6 Marking 60

Annex E (informative) Model type test report for conversion devices 61

E.1 General 61
E.1.1 General remarks 61
E.1.2 Number of pages 61
E.1.3 Laboratory's identification 61
E.1.4 Applicant 61
E.1.5 Identification of device(s) submitted for testing 61
E.2 Accuracy tests under reference conditions 61
E.2.1 Ambient temperature during the test 61
E.2.2 Test equipment used 62
E.2.3 Test results 62
E.3 Ambient temperature 63
E.3.1 Effect of dry heat 63
E.3.2 Effect of cold 64
E.4 Effect of damp heat, steady-state test 65
E.4.1 Ambient temperature during the test 65
E.4.2 Test equipment used 65
E.4.3 Test results 66
E.5 Effect of damp heat, cyclic test 67
E.5.1 Ambient temperature during the test 67
E.5.2 Test equipment used 67
E.5.3 Test results 68
E.6 Electrical power variation 68
E.6.1 AC power supply 68
E.6.2 DC power supply or battery supply 70
E.7 Short time power reductions 71
E.7.1 Test equipment used 71
E.7.2 Test results 72
E.8 Electrical bursts 72
E.8.1 Test equipment used 72
E.8.2 Test results 72
E.9 Electromagnetic immunity 73
E.9.1 Test equipment used 73
E.9.2 Test results 74
E.10 Electrostatic discharges 74
E.10.1 Test equipment used 74
E.10.2 Test results 75
E.11 Effect of an overload of static pressure 75
E.11.1 Ambient temperature during the test 75
E.11.2 Test equipment used 75
E.11.3 Test results 76
E.12 Effect of vibrations 76
E.12.1 Ambient temperature during the test 76
E.12.2 Test equipment used 77
E.12.3 Test results 77
E.13 Effect of shocks 78
E.13.1 Ambient temperature during the test 78
E.13.2 Test equipment used 78
E.13.3 Test results 78
E.14 Mechanical resistance to overload of static pressure 78
E.14.1 Ambient temperature during the test 78
E.14.2 Test equipment used 78

E.14.3 Test results 79
E.15 Durability 79
E.15.1 Ambient temperature during the test 79
E.15.2 Test equipment used 79
E.15.3 Test equipment used 79
E.16 Alarms operation 82
E.16.1 Ambient temperature during the test 82
E.16.2 Test equipment used 82
E.16.3 Test results 82
E.17 Repeatability 82
E.18 Short time DC power variations 83
E.18.1 Test equipment used 83
E.18.2 Test results 83
E.19 Surges on supply lines and/or signal lines 83
E.19.1 Test equipment used 83
E.19.2 Test results 84
E.20 Power frequency magnetic field 84
E.20.1 Test equipment used 84
E.20.2 Test results 84

Annex F (informative) Model type test report for associated transducers 86

F.1 General 86
F.1.1 General remarks 86
F.1.2 Number of pages 86
F.1.3 Laboratory's identification 86
F.1.4 Applicant 86
F.1.5 Identification of device(s) submitted for testing 86
F.2 Accuracy tests under reference conditions 86
F.2.1 Ambient temperature during the test 86
F.2.2 Test equipment used 87
F.2.3 Test results 87
F.3 Ambient temperature 87
F.3.1 Effect of dry heat 87
F.3.2 Effect of cold 88
F.4 Effect of damp heat, steady-state test 89
F.4.1 Ambient temperature during the test 89
F.4.2 Test equipment used 89
F.4.3 Test results 89
F.5 Effect of damp heat, cyclic test 90
F.5.1 Ambient temperature during the test 90
F.5.2 Test equipment used 90
F.5.3 Test results 90
F.6 Electrical power variation 91
F.6.1 AC power supply 91
F.6.2 DC power supply or battery supply 92
F.7 Short time power reductions 92
F.7.1 Ambient temperature during the test 92
F.7.2 Test equipment used 93
F.7.3 Test results 93
F.8 Electrical bursts 93
F.8.1 Ambient temperature during the test 93
F.8.2 Test equipment used 93
F.8.3 Test results 93
F.9 Electromagnetic immunity 94
F.9.1 Ambient temperature during the test 94
F.9.2 Test equipment used 94
F.9.3 Test results 95
F.10 Electrostatic discharges 95
F.10.1 Ambient temperature during the test 95
F.10.2 Test equipment used 95
F.10.3 Test results 95

F.11 Effect of an overload of static pressure 96
F.11.1 General 96
F.11.2 Ambient temperature during the test 96
F.11.3 Test equipment used 96
F.11.4 Test results 96
F.12 Effect of vibrations 97
F.12.1 Ambient temperature during the test 97
F.12.2 Test equipment used 97
F.12.3 Test results 97
F.13 Effect of shocks 98
F.13.1 Ambient temperature during the test 98
F.13.2 Test equipment used 98
F.13.3 Test results 98
F.14 Mechanical resistance to overload of static pressure 98
F.14.1 General 98
F.14.2 Ambient temperature during the test 98
F.14.3 Test equipment used 98
F.14.4 Test results 99
F.15 Durability 99
F.15.1 Ambient temperature during the test 99
F.15.2 Test equipment used 99
F.15.3 Test results 99
F.16 Repeatability 100

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/32/EU Measuring Instruments Directive 101

Bibliography 106