DIN EN 14236:2018-12 (E)

Ultrasonic domestic gas meters

Contents

Page

European foreword 5

1 Scope 6

2 Normative references 6

3 Terms, definitions and symbols 8
3.1 Terms and definitions 8
3.2 Symbols 11

4 Normal operating conditions 13
4.1 Flow range 13
4.2 Maximum working pressure 13
4.3 Temperature range 13
4.4 Range of gases 14
4.5 Orientation 14

5 Metrological performance 14
5.1 General 14
5.2 Mode comparison 15
5.3 Permissible errors 15
5.4 Gas -- air relationship 16
5.5 Pressure absorption 17
5.6 Metrological stability 18
5.7 Immunity to contaminants in gas stream 18
5.8 Installation effects 20
5.9 Zero flow 20
5.10 Reverse flow 20
5.11 Low flow registration 21
5.12 High flow registration 21
5.13 Pulsed (unsteady) flow 21
5.14 Temperature sensitivity 22

6 Construction and materials 23
6.1 General 23
6.2 Robustness of meter case 23
6.3 Corrosion protection 32
6.4 Casework decorative finish 38
6.5 Ageing of non-metallic casework 38
6.6 Ageing of external surfaces of the meter, including index windows and adhesion of the index window 39
6.7 Protection against solar radiation 39
6.8 Resistance to external humidity 40
6.9 Flame retardance of external surfaces 41
6.10 Resistance to storage temperature range 41
6.11 Resistance to the effects of toluene/iso-octane vapour 41
6.12 Resistance to water vapour 44
6.13 Ageing 45

7 Optional features 46
7.1 Pressure measuring point 46

7.2 Resistance to high ambient temperature 46
7.3 Meters with temperature conversion 48
7.4 Ancillary devices (if fitted) 48
7.5 Use in hazardous zones 49

8 Index 49
8.1 Recording and storage 49
8.2 Display 49
8.3 Segmental display 49
8.4 Non-volatile memory 50
8.5 Display reset 51

9 Marking 51
9.1 All meters 51
9.2 Two-pipe meters 52
9.3 Durability and legibility of marking 52
9.4 Accompanying information 53

10 Software 54
10.1 Requirements 54
10.2 Test 54

11 Communications 54
11.1 General 54
11.2 Character transmission 54
11.3 Communications protocol 55
11.4 Data 55
11.5 Test-mode 56
11.6 Data optical port 58
11.7 Galvanic port (optional) 58
11.8 Diagnostics 58

12 Battery 59
12.1 General 59
12.2 Voltage interruptions 59
12.3 Minimum operating voltage 60
12.4 Battery life 60

13 Immunity to electromagnetic disturbances 60
13.1 General 60
13.2 Electrostatic discharge 60
13.3 Radio frequency electromagnetic field 61
13.4 Electromagnetic induction (power frequency) 61
13.5 Electromagnetic induction (pulsed field) 62
13.6 Radio interference suppression 62

14 Ultrasonic (acoustic) noise interference 62
14.1 Requirements 62
14.2 Test 63

15 Meters supplied for testing 63

Annex A (informative) Test gases 66

A.1 General 66
A.2 Test gas properties 66
meters 67
Annex B (normative) Production requirements for gas

B.1 Specification 67
B.2 Technical requirements 67

B.3 Certificates of conformity 67

Annex C (normative) Meters with gas temperature conversion devices 69

C.1 Scope 69
C.2 Metrological performance 69

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/32/EU Measuring Instruments Directive aimed to be covered 73

Bibliography 79