# ISO 20088-3:2018 (E)

# Determination of the resistance to cryogenic spillage of insulation materials — Part 3: Jet release

# Contents

Foreword

## Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 Test configurations
  - 4.1 General
- 5 Construction of the test apparatus and substrates
  - 5.1 General
  - 5.2 Material
  - 5.3 Release nozzle
  - 5.3.1 Nozzle construction
  - 5.3.2 Nozzle position
  - 5.4 Specimen support
  - 5.5 Recirculation chamber
- 6 Cryogenic spill protection materials
  - 6.1 General
  - 6.2 Wet applied coating systems
  - 6.3 Preformed system testing
- 7 Instrumentation for test specimens
  - 7.1 General
  - 7.2 Thermocouple location
- 8 Test environment
- 9 Test procedure
- 10 Repeatability and reproducibility
- 11 Uncertainty of measurement
- 12 Test report
- 13 Practical applications of test results
  - 13.1 General
  - 13.2 Performance criteria
  - 13.2.1 General
  - 13.2.2 Coatings and spray-applied materials
  - 13.2.2.1 Substrate temperature
  - 13.2.3 Systems and assemblies
  - 13.2.3.1 Substrate temperature
  - 13.2.3.2 Impairment of protection integrity
  - **13.3** Factors affecting the validity of the test
  - 13.3.1 General
  - 13.3.2 Failure at nozzle

#### 13.3.3 Failure of thermocouples

## Annex A (normative) Methods of fixing thermocouples

- A.1 General
- A.2 "Quick Tip" attachment
- Capacitive discharge welding A.3
- Drilling and peening A.4
- Front face attachment A.5

### Annex B (normative) Complete set-up

#### Annex C (informative) Classification

- C.1 General
- C.2 Type of exposure
- C.3
- Type of application Limiting temperature drop Period of resistance C.4
- C.5
- Examples C.6
- C.7 Application of classification to design

Page count: 23