DIN EN 12405-1:2022-02 (E)

Gas meters - Conversion devices - Part 1: Volume conversion

Contents

Page

European foreword 16

1 Scope 18

2 Normative references 18

3 Terms, definitions and symbols 21
3.1 Terms and definitions 21
3.2 Symbols 25
3.3 Classification 27
3.3.1 Mechanical classes 27
3.3.2 Electromagnetic environmental classes 27

4 Principle of measurement 27
4.1 Conversion as a function of temperature 27
4.2 Conversion as a function of pressure and temperature 27
4.3 Conversion as a function of pressure, temperature and deviation from the ideal gas law 28
4.4 Correction of the volume at measurement conditions 28

5 Rated operating conditions 29
5.1 Specified field of measurement 29
5.1.1 General 29
5.1.2 Specified measurement range for gas pressure 29
5.1.3 Specified measurement range for gas temperature 29
5.1.4 Gas characteristics 29
5.1.5 Base conditions 30
5.2 Environmental conditions 30
5.2.1 Ambient temperature range 30
5.2.2 Humidity range 30
5.2.3 Mechanical environment 30
5.2.4 Electromagnetic environment 30
5.3 Power supply 30

6 Construction requirements 30
6.1 General 30
6.2 Casings 32
6.3 Indications 32
6.3.1 General 32
6.3.2 Electronic indicating device 34
6.4 Inputs for volume conversion 34
6.5 Battery powered conversion device 34
6.6 Security devices and alarms 35

7 Installation requirements 36
7.1 General 36
7.2 Temperature transducer 37
7.3 Pressure transducer 37

8 Performance 37
8.1 Reference conditions 37

8.2 Rated operating conditions 38
8.3 Maximum permissible errors 38
8.3.1 General 38
8.3.2 Error of conversion 39
8.3.3 Specific errors for a gas-volume conversion device, type 2 39
8.4 Conditions of matching the constituent elements of a conversion device type 2 40
8.5 Influence factors 40
8.6 Disturbances 40
8.7 Durability 41
8.8 Repeatability 41
8.9 Reliability 41
9 Tests of conformity 41
9.1 Verification of the construction requirements 41
9.2 Verification of the performance requirements (type tests) 41
9.2.1 Test conditions 41
9.2.2 Samples of gas volume conversion device type 1 required for testing 42
9.2.3 Samples of gas volume conversion devices type 2 required for testing 46
9.2.4 Test report 46
10 Marking 46
11 Installation and operating instructions 47
Annex A (normative) Type test 48
A.1 General conditions 48
A.1.1 General 48
A.1.2 Additional conditions specific to gas volume conversion devices type 1 48
A.1.3 Additional conditions specific to gas-volume conversion devices type 2 48
A.1.4 Test procedures 49
A.1.4.1 Test procedure 1 (PR1) 49
A.1.4.1.1 Test conditions 49
A.1.4.1.2 Performance of the test 49
A.1.4.1.2.1 T conversion 49
A.1.4.1.2.2 PT and PTZ conversion 49
A.1.4.2 Test procedure 2 (PR2) 50
A.1.4.3 Test procedure 3 (PR3) 50
A.1.4.4 Test procedure 4 (PR4) 50
A.1.4.5 Test procedure 5 (PR5) 50
A.1.5 Verification of the construction requirements 50
A.2 Accuracy tests under reference conditions 50
A.2.1 Objective 50
A.2.2 Reference to documents 51
A.2.3 Procedure 51
A.2.4 Acceptance criteria 51
A.3 Effect of ambient temperature 51

A.3.1 Objective....51
A.3.2 Reference to documents....51
A.3.3 Procedure....51
A.3.4 Acceptance criteria....51
A.4 Effect of damp heat, steady-state test....51
A.4.1 Objective....51
A.4.2 Reference to documents....51
A.4.3 Procedure....51
A.4.4 Acceptance criteria....52
A.5 Effect of damp heat, cyclic test....52
A.5.1 Objective....52
A.5.2 Reference to documents....52
A.5.3 Procedure....52
A.5.4 Acceptance criteria....52
A.6 Electrical power variation....53
A.6.1 Objective....53
A.6.2 Reference to documents....53
A.6.3 Procedure....53
A.6.4 Acceptance criteria....53
A.7 Short time power reductions....53
A.7.1 Objective....53
A.7.2 Reference to documents....53
A.7.3 Procedure....53
A.7.4 Acceptance criteria....54
A.8 Electrical bursts....54
A.8.1 Objective....54
A.8.2 Reference to documents....54
A.8.3 Procedure....54
A.8.4 Acceptance criteria....54
A.9 Electromagnetic susceptibility....54
A.9.1 Objective....54
A.9.2 Reference to documents....54
A.9.3 Procedure....54
A.9.4 Acceptance criteria....55
A.10 Electrostatic discharges....55
A.10.1 Objective....55

A.10.2 Reference to documents **55**
A.10.3 Procedure **55**
A.10.4 Acceptance criteria **55**
A.11 Overload of pressure (only for type 1 and pressure transducers) **55**
A.11.1 Objective **55**
A.11.2 Reference to documents **55**
A.11.3 Procedure **55**
A.11.4 Acceptance criteria **56**
A.12 Effect of vibrations **56**
A.12.1 Objective **56**
A.12.2 Reference to documents **56**
A.12.3 Procedure **56**
A.12.4 Acceptance criteria **56**
A.13 Effect of shocks **56**
A.13.1 Objective **56**
A.13.2 Reference to documents **56**
A.13.3 Procedure **56**
A.13.4 Acceptance criteria **57**
A.14 Overload of pressure (mechanical) **57**
A.14.1 Objective **57**
A.14.2 Reference to documents **57**
A.14.3 Procedure **57**
A.14.4 Acceptance criteria **57**
A.15 Durability **57**
A.15.1 Objective **57**
A.15.2 Reference to documents **57**
A.15.3 Procedure **58**
A.15.4 Acceptance criteria **58**
A.16 Alarms operation **58**
A.16.1 Objective **58**
A.16.2 Reference to documents **58**
A.16.3 Procedure **58**
A.16.4 Acceptance criteria **58**
A.17 Repeatability **59**
A.17.1 Objective **59**
A.17.2 Reference to standards **59**

A.17.3 Procedure **59**
A.17.4 Acceptance criteria **59**
A.18 Short time DC power variations **59**
A.18.1 Objective **59**
A.18.2 Reference to standards **59**
A.18.3 Procedure **59**
A.18.4 Acceptance criteria **59**
A.19 Surges on supply lines and/or signal lines **60**
A.19.1 Objective **60**
A.19.2 Reference to standards **60**
A.19.3 Procedure **60**
A.19.4 Acceptance criteria **60**
A.20 Power frequency magnetic field **60**
A.20.1 Objective **60**
A.20.2 Reference to standards **60**
A.20.3 Procedure **60**
A.20.4 Acceptance criteria **60**
A.21 Functionality "Error curve correction" of a gas meter (optional) **61**
A.21.1 Objective **61**
A.21.2 Reference to documents **61**
A.21.3 Procedure **61**
A.21.4 Acceptance criteria **61**
Annex B (normative) **Pressure transducers** **62**
B.1 Scope **62**
B.2 Rated operating conditions **62**
B.2.1 Specified measurement range for pressure **62**
B.2.2 Environmental class **62**
B.2.3 Power supply **62**
B.3 Construction requirements **62**
B.3.1 General **62**
B.3.2 Casings **62**
B.3.3 Indications **62**
B.3.3.1 General **62**
B.3.3.2 Electronic indicating device **63**
B.4 Performances **63**
B.4.1 Reference conditions **63**

B.4.2 Rated operating conditions **63**
B.4.3 Maximum permissible errors **63**
B.4.4 Influence factors **63**
B.4.5 Disturbances **63**
B.4.6 Durability **63**
B.5 Tests of conformity **64**
B.5.1 Test conditions **64**
B.5.2 Tests **64**
B.5.3 Sample of pressure transducers required for testing **64**
B.6 Marking **64**
Annex C (normative) **Platinum resistance thermometer sensors** **65**
C.1 Scope **65**
C.2 Operating rated conditions **65**
C.2.1 Specified measurement range for temperature **65**
C.2.2 Environmental class **65**
C.3 Construction requirements **65**
C.4 Performances **65**
C.5 Marking **66**
C.5.1 Required markings **66**
C.5.2 Verification mark **66**
C.6 Metrological verifications **66**
C.6.1 Type approval **66**
C.6.2 Initial verification **66**
C.7 Verification procedure **67**
C.7.1 Visual inspection **67**
C.7.2 Type testing (type approval) **67**
C.7.3 Samples of PRT required for testing **67**
C.7.4 Initial verification **67**
Annex D (normative) **Temperature transducers** **69**
D.1 Scope **69**
D.2 Rated operating conditions **69**
D.2.1 Specified measurement range for temperature **69**
D.2.2 Environmental class **69**
D.2.3 Power supply **69**
D.3 Construction requirements **69**
D.3.1 General **69**

D.3.2 Casings **69**
D.3.3 Indications **69**
D.3.3.1 General **69**
D.3.3.2 Electronic indicating device **70**
D.4 Performances **70**
D.4.1 Reference conditions **70**
D.4.2 Rated operating conditions **70**
D.4.3 Maximum permissible errors **70**
D.4.4 Influence factors **70**
D.4.5 Disturbances **70**
D.4.6 Durability **70**
D.5 Tests of conformity **71**
D.5.1 Test conditions **71**
D.5.2 Tests **71**
D.5.3 Sample of temperature transducers required for testing **71**
D.6 Marking **71**
Annex E (informative) **Model type test report for conversion devices** **72**
E.1 General **72**
E.1.1 General remarks **72**
E.1.2 Number of pages **72**
E.1.3 Laboratory's identification **72**
E.1.4 Applicant **72**
E.1.5 Identification of device(s) submitted for testing **72**
E.2 Accuracy tests under reference conditions **72**
E.2.1 Ambient temperature during the test **72**
E.2.2 Test equipment used **73**
E.2.3 Test results **73**
E.3 Ambient temperature **74**
E.3.1 Effect of dry heat **74**
E.3.1.1 Ambient temperature during the test **74**
E.3.1.2 Test equipment used **74**
E.3.1.3 Test results **74**
E.3.2 Effect of cold **75**
E.3.2.1 Ambient temperature during the test **75**
E.3.2.2 Test equipment used **75**
E.3.2.3 Test results **75**

E.4 Effect of damp heat, steady-state test 76
E.4.1 Ambient temperature during the test 76
E.4.2 Test equipment used 76
E.4.3 Test results 77
E.4.3.1 Before the application of the test 77
E.4.3.2 During the application of the test 77
E.4.3.3 After the application of the test 78
E.5 Effect of damp heat, cyclic test 78
E.5.1 Ambient temperature during the test 78
E.5.2 Test equipment used 78
E.5.3 Test results 78
E.5.3.1 Before the cyclic test 78
E.5.3.2 After the cyclic test 79
E.6 Electrical power variation 79
E.6.1 AC power supply 79
E.6.1.1 Test equipment used 79
E.6.1.2 Test results 79
E.6.1.2.1 Variation in voltage 79
E.6.1.2.2 Variation in frequency 80
E.6.2 DC power supply or battery supply 81
E.6.2.1 Test equipment used 81
E.6.2.2 Test results 81
E.7 Short time power reductions 82
E.7.1 Test equipment used 82
E.7.2 Test results 82
E.7.2.1 Before the application of the perturbation 82
E.7.2.2 During the application of the perturbation 83
E.7.2.3 Error shift calculation 83
E.8 Electrical bursts 83
E.8.1 Test equipment used 83
E.8.2 Test results 83
E.8.2.1 Mains power 83
E.8.2.1.1 Before the application of the perturbation 83
E.8.2.1.2 During the application of the perturbation 84
E.8.2.1.3 Error shift calculation 84
E.8.2.2 In/out connections 84

E.8.2.2.1 Before the application of the perturbation 84
E.8.2.2.2 During the application of the perturbation 84
E.8.2.2.3 Error shift calculation 84
E.9 Electromagnetic immunity 85
E.9.1 Test equipment used 85
E.9.2 Test results 85
E.9.2.1 Before the application of the perturbation 85
E.9.2.2 During the application of the perturbation 85
E.9.2.3 Error shift calculation 85
E.10 Electrostatic discharges 85
E.10.1 Test equipment used 85
E.10.2 Test results 86
E.10.2.1 Before the application of the perturbation 86
E.10.2.2 During the application of the perturbation 86
E.10.2.3 Error shift calculation 86
E.11 Effect of an overload of static pressure 86
E.11.1 Ambient temperature during the test 86
E.11.2 Test equipment used 86
E.11.3 Test results 86
E.11.3.1 Before the application of the perturbation 86
E.11.3.2 After the application of the perturbation 87
E.11.3.3 Error shift calculation 87
E.12 Effect of vibrations 87
E.12.1 Ambient temperature during the test 87
E.12.2 Test equipment used 87
E.12.3 Test results 88
E.12.3.1 Before the application of the test 88
E.12.3.2 After the application of the test 88
E.13 Effect of shocks 88
E.13.1 Ambient temperature during the test 88
E.13.2 Test equipment used 89
E.13.3 Test results 89
E.13.3.1 Before shocks 89
E.13.3.2 After the application of the perturbation 89
E.13.3.3 Error shift calculation 89
E.14 Mechanical resistance to overload of static pressure 89

E.14.1 Ambient temperature during the test **89**
E.14.2 Test equipment used **89**
E.14.3 Test results **90**
E.15 Durability **90**
E.15.1 Ambient temperature during the test **90**
E.15.2 Test equipment used **90**
E.15.3 Test equipment used **90**
E.15.3.1 Before durability **90**
E.15.3.2 After durability **91**
E.15.3.3 Error shift calculation **92**
E.16 Alarms operation **93**
E.16.1 Ambient temperature during the test **93**
E.16.2 Test equipment used **93**
E.16.3 Test results **93**
E.17 Repeatability **93**
E.18 Short time DC power variations **93**
E.18.1 Test equipment used **93**
E.18.2 Test results **94**
E.18.2.1 Before the application of the perturbation **94**
E.18.2.2 During the application of the perturbation **94**
E.18.2.3 Error shift calculation **94**
E.19 Surges on supply lines and/or signal lines **94**
E.19.1 Test equipment used **94**
E.19.2 Test results **95**
E.19.2.1 Before the application of the perturbation **95**
E.19.2.2 After the application of the perturbation **95**
E.19.2.3 Error shift calculation **95**
E.20 Power frequency magnetic field **95**
E.20.1 Test equipment used **95**
E.20.2 Test results **96**
E.20.2.1 Before the application of the perturbation **96**
E.20.2.2 During the application of the perturbation **96**
E.20.2.3 Error shift calculation **96**
Annex F (informative) **Model type test report for associated transducers** **97**
F.1 General **97**
F.1.1 General remarks **97**

F.1.2 Number of pages 97
F.1.3 Laboratory's identification 97
F.1.4 Applicant 97
F.1.5 Identification of device(s) submitted for testing 97
F.2 Accuracy tests under reference conditions 97
F.2.1 Ambient temperature during the test 97
F.2.2 Test equipment used 97
F.2.3 Test results 98
F.3 Ambient temperature 98
F.3.1 Effect of dry heat 98
F.3.1.1 Ambient temperature during the test 98
F.3.1.2 Test equipment used 99
F.3.1.3 Test results 99
F.3.2 Effect of cold 99
F.3.2.1 Ambient temperature during the test 99
F.3.2.2 Test equipment used 99
F.3.2.3 Test results 100
F.4 Effect of damp heat, steady-state test 100
F.4.1 Ambient temperature during the test 100
F.4.2 Test equipment used 100
F.4.3 Test results 100
F.4.3.1 Before the application of the test 100
F.4.3.2 During the application of the test 101
F.4.3.3 After the application of the test 101
F.5 Effect of damp heat, cyclic test 101
F.5.1 Ambient temperature during the test 101
F.5.2 Test equipment used 101
F.5.3 Test results 102
F.5.3.1 Before the application of the test 102
F.5.3.2 After the cyclic test 102
F.6 Electrical power variation 102
F.6.1 AC power supply 102
F.6.1.1 Test equipment used 102
F.6.1.2 Test results 102
F.6.1.2.1 Variation in voltage 102
F.6.1.2.2 Variation in frequency 103

F.6.2 DC power supply or battery supply 103
F.6.2.1 Test equipment used 103
F.6.2.2 Test results 104
F.7 Short time power reductions 104
F.7.1 Ambient temperature during the test 104
F.7.2 Test equipment used 104
F.7.3 Test results 104
F.7.3.1 Before the application of the perturbation 104
F.7.3.2 During the application of the perturbation 104
F.7.3.3 Error shift calculation 105
F.8 Electrical bursts 105
F.8.1 Ambient temperature during the test 105
F.8.2 Test equipment used 105
F.8.3 Test results 105
F.8.3.1 Mains power 105
F.8.3.1.1 Before the application of the perturbation 105
F.8.3.1.2 During the application of the perturbation 105
F.8.3.1.3 Error shift calculation 105
F.8.3.2 In/out connections 106
F.8.3.2.1 Before the application of the perturbation 106
F.8.3.2.2 During the application of the perturbation 106
F.8.3.2.3 Error shift calculation 106
F.9 Electromagnetic immunity 106
F.9.1 Ambient temperature during the test 106
F.9.2 Test equipment used 106
F.9.3 Test results 106
F.9.3.1 Before the application of the perturbation 106
F.9.3.2 During the application of the perturbation 107
F.9.3.3 Error shift calculation 107
F.10 Electrostatic discharges 107
F.10.1 Ambient temperature during the test 107
F.10.2 Test equipment used 107
F.10.3 Test results 107
F.10.3.1 Before the application of the perturbation 107
F.10.3.2 During the application of the perturbation 107
F.10.3.3 Error shift calculation 108

F.11 Effect of an overload of static pressure **108**
F.11.1 General **108**
F.11.2 Ambient temperature during the test **108**
F.11.3 Test equipment used **108**
F.11.4 Test results **108**
F.11.4.1 Before the application of the perturbation **108**
F.11.4.2 After the application of the perturbation **109**
F.11.4.3 Error shift calculation **109**
F.12 Effect of vibrations **109**
F.12.1 Ambient temperature during the test **109**
F.12.2 Test equipment used **109**
F.12.3 Test results **110**
F.12.3.1 Before the application of the test **110**
F.12.3.2 After the application of the test **110**
F.13 Effect of shocks **110**
F.13.1 Ambient temperature during the test **110**
F.13.2 Test equipment used **110**
F.13.3 Test results **111**
F.13.3.1 Before shocks **111**
F.13.3.2 After shocks **111**
F.13.3.3 Error shift calculation **111**
F.14 Mechanical resistance to overload of static pressure **111**
F.14.1 General **111**
F.14.2 Ambient temperature during the test **111**
F.14.3 Test equipment used **111**
F.14.4 Test results **111**
F.15 Durability **112**
F.15.1 Ambient temperature during the test **112**
F.15.2 Test equipment used **112**
F.15.3 Test results **112**
F.15.3.1 Before durability **112**
F.15.3.2 After durability **113**
F.15.3.3 Error shift calculation **113**
F.16 Repeatability **114**
Annex G (normative) **Individual testing before putting into service** **115**
G.1 Objective **115**

G.2 Reference to documents **115**
G.3 Procedure **115**
G.4 Acceptance criteria **115**
Annex ZA (informative) **Relationship between this European Standard and the Essential Requirements of EU Directive 2014/32/EU Measuring Instruments Directive** **117**
Bibliography **122**