

# DIN EN 26:2024-04 (E)

## Gas-fired instantaneous water heaters for the production of domestic hot water

---

<b>Contents</b>		<b>Page</b>
European foreword .....		8
<b>1</b>	<b>Scope .....</b>	<b>9</b>
<b>2</b>	<b>Normative references .....</b>	<b>9</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>12</b>
<b>4</b>	<b>Classification .....</b>	<b>28</b>
<b>4.1</b>	<b>Gases and appliance categories .....</b>	<b>28</b>
<b>4.2</b>	<b>Mode of air supply and evacuation of the combustion products .....</b>	<b>28</b>
<b>4.3</b>	<b>Water pressure .....</b>	<b>28</b>
<b>5</b>	<b>Constructional requirements .....</b>	<b>28</b>
<b>5.1</b>	<b>Conversion to different gases .....</b>	<b>28</b>
<b>5.1.1</b>	<b>General .....</b>	<b>28</b>
<b>5.1.2</b>	<b>Permissible operations for changing gases .....</b>	<b>29</b>
<b>5.2</b>	<b>Materials .....</b>	<b>29</b>
<b>5.2.1</b>	<b>General requirements related to the use of materials in water heaters .....</b>	<b>29</b>
<b>5.2.2</b>	<b>Materials in contact with water for human consumption .....</b>	<b>30</b>
<b>5.2.3</b>	<b>Durability against corrosion of combustion product evacuation duct .....</b>	<b>31</b>
<b>Table 1 --</b>	<b>Metallic flue duct material specifications .....</b>	<b>32</b>
<b>5.2.4</b>	<b>Disassembly, recycling and disposal .....</b>	<b>32</b>
<b>5.2.5</b>	<b>Design - Assembly - Strength .....</b>	<b>33</b>
<b>5.2.6</b>	<b>Accessibility - Ease of maintenance - Fitting and removal .....</b>	<b>33</b>
<b>5.2.7</b>	<b>Connection to gas and water pipes .....</b>	<b>33</b>
<b>5.2.8</b>	<b>Soundness .....</b>	<b>34</b>
<b>5.2.9</b>	<b>Supply of combustion air and evacuation of the combustion products .....</b>	<b>35</b>
<b>5.2.10</b>	<b>Checking the state of operation .....</b>	<b>39</b>
<b>5.2.11</b>	<b>Drainage .....</b>	<b>39</b>
<b>5.2.12</b>	<b>Electrical and electromagnetic safety .....</b>	<b>39</b>
<b>5.2.13</b>	<b>Operational safety in the event of failure of the auxiliary energy .....</b>	<b>40</b>
<b>5.3</b>	<b>Adjusting, control and safety devices .....</b>	<b>41</b>
<b>5.3.1</b>	<b>General .....</b>	<b>41</b>
<b>5.3.2</b>	<b>Shut off valves and/or gas rate adjusters .....</b>	<b>41</b>
<b>5.3.3</b>	<b>Preset gas rate adjusters .....</b>	<b>42</b>
<b>5.3.4</b>	<b>Gas pressure regulator .....</b>	<b>43</b>
<b>5.3.5</b>	<b>Pressure test points .....</b>	<b>43</b>
<b>5.3.6</b>	<b>Automatic water-operated gas valve .....</b>	<b>43</b>
<b>5.3.7</b>	<b>Ignition devices .....</b>	<b>43</b>
<b>5.3.8</b>	<b>Flame supervision device .....</b>	<b>44</b>
<b>5.3.9</b>	<b>Atmosphere sensing device for type AAS appliances .....</b>	<b>45</b>
<b>5.3.10</b>	<b>Combustion products discharge safety device for type B11BS, B12BS and B13BS appliances .....</b>	<b>46</b>
<b>5.3.11</b>	<b>Protection against accidental overheating of thermostatic appliances .....</b>	<b>46</b>
<b>5.3.12</b>	<b>Composition of the gas circuit .....</b>	<b>46</b>
<b>5.3.13</b>	<b>Protection for appliances intended to be installed in a partially protected place .....</b>	<b>47</b>
<b>5.4</b>	<b>Main burner .....</b>	<b>47</b>
<b>5.5</b>	<b>Supplementary requirements for condensing water heaters .....</b>	<b>48</b>
<b>5.5.1</b>	<b>Materials in contact with condensate .....</b>	<b>48</b>
<b>5.5.2</b>	<b>Discharge of condensate .....</b>	<b>48</b>

5.5.3	Control of the combustion products temperature .....	48
5.5.4	Chemical composition of the condensate .....	49
6	Operational requirements .....	49
6.1	General .....	49
6.1.1	Introduction .....	49
6.1.2	Characteristics of the test gases .....	49
6.1.3	Requirements for preparation of the test gases .....	49
6.1.4	Choice of test gases .....	49
6.1.5	Test pressures .....	49
6.1.6	General test conditions .....	49
6.2	Soundness .....	54
6.2.1	Soundness of the gas circuit .....	54
6.2.2	Soundness of the combustion circuit and evacuation of the combustion products .....	55
Table 2 --	Maximum admissible leakage rates .....	57
6.2.3	Soundness of the water circuit .....	61
6.3	Heat inputs .....	61
6.3.1	General .....	61
6.3.2	Nominal heat input .....	63
6.3.3	Minimum heat input .....	64
6.4	Temperature of the control knobs .....	64
6.4.1	Requirements .....	64
6.4.2	Test .....	64
6.5	Temperature of the adjusting, control and safety devices .....	64
6.5.1	Requirement .....	64
6.5.2	Test .....	64
6.6	Temperature of the appliance casing, the surface on which it is installed and adjacent surfaces and external temperature of the ducts .....	64
6.6.1	Requirements .....	64
6.6.2	Tests .....	65
6.7	Ignition - Cross-lighting - Flame stability .....	66
6.7.1	Operation in still air for all appliances .....	66
6.7.2	Supplementary tests for appliances of types AAS and B1 except for B14 .....	67
6.7.3	Supplementary tests for type C11 appliances and outdoors and/or partially protected appliances .....	68
6.7.4	Supplementary tests for type C2 appliances .....	70
6.7.5	Supplementary tests for appliances of types C12, C13, C32, C33, B4 and B5 .....	70
6.7.6	Supplementary tests for type C42 and type C43 appliances .....	71
6.7.7	Supplementary tests for type C52 and type C53 appliances .....	71
6.7.8	Supplementary tests for type C6 appliances .....	71
6.7.9	Supplementary tests for type C72 and type C73 appliances .....	71
6.7.10	Supplementary tests for type C82 and type C83 appliances .....	71
6.7.11	Functioning of a permanent ignition burner when the fan stops during the standby time .	72
6.7.12	Air proving device for fan assisted water heaters .....	72
6.7.13	Functioning of the fan of types C42 and C43 water heaters .....	75
6.7.14	Protection against the accumulation of gas in the combustion circuit for water heaters equipped with a fan .....	75
6.7.15	Leakage of combustion products from type C7 water heaters .....	76
6.7.16	Supplementary tests for type B14, B2 and B3 water heaters .....	76
6.8	Adjusting, control and safety devices .....	77
6.8.1	General .....	77
6.8.2	Control devices .....	77
6.8.3	Closing mechanisms .....	77
6.8.4	Ignition devices .....	79
6.8.5	Safety times .....	80
6.8.6	Gas pressure regulator .....	82
6.8.7	Adjustment of the water rate - Maximum water temperature (all appliances) .....	83
6.8.8	Overheating of the water .....	83
6.8.9	Effectiveness of the protection against accidental overheating of thermostatic appliances .....	84
6.8.10	Atmosphere sensing device for type AAS appliances .....	84

6.8.11	Combustion products discharge safety device of type B11BS appliances .....	86
Table 3 --	Shutdown times in relation to blockage .....	87
6.9	Combustion .....	88
6.9.1	Requirements .....	88
6.9.2	Test .....	89
Table 4 --	Percentage of CO <sub>2</sub> .....	89
6.9.3	Nitrogen oxides emissions .....	93
Table 5 --	Weighting factors .....	94
6.10	Soot deposition .....	95
6.10.1	Requirement .....	95
6.10.2	Test .....	95
6.11	Frost protection system for appliances intended to be installed in a partially protected place .....	96
6.12	Protection against ingress of rain for appliances intended to be installed in a partially protected place .....	96
6.13	Condensing water heaters .....	96
6.13.1	Formation of condensate .....	96
6.13.2	Temperature of combustion products .....	97
6.14	Electrical power measurements .....	97
6.14.1	General .....	97
6.14.2	Nominal and minimal conditions .....	97
6.14.3	Standby .....	98
6.15	Measurement of standby heat losses .....	98
7	Rational use of energy .....	98
7.1	General .....	98
7.2	Heat input of ignition burners .....	98
7.2.1	Requirement .....	98
7.2.2	Test .....	98
7.3	Efficiency .....	98
7.3.1	Requirement .....	98
7.3.2	Test .....	98
8	Fitness for purpose .....	100
8.1	General .....	100
8.2	Constructional characteristics .....	100
8.2.1	Preset water rate adjuster .....	100
8.2.2	Temperature selector and summer-winter switch .....	100
8.2.3	Designation and measurement of reference temperatures of flue systems .....	100
8.2.4	Mechanical resistance and stability of ducts, terminal and fitting pieces .....	101
8.3	Requirements for plastic in the combustion product evacuation ducts, terminals and fitting pieces for appliances .....	102
8.3.1	Thermal resistance .....	102
8.3.2	Materials .....	103
Table 6 --	Criteria for testing long-term resistance to thermal load .....	104
Table 7 --	Exposure time in weeks at raised temperatures .....	104
Table 8 --	Criteria for testing long-term resistance to condensate exposure .....	105
Table 9 --	Composition of test condensate for corrosion .....	106
Table 10 --	Criteria for testing resistance to condensing/ non- condensing cycling .....	106
8.4	Requirements for elastomeric seals and elastomeric sealants in the combustion product evacuation ducts, terminals and fitting pieces .....	108
8.4.1	Characterization .....	108
8.4.2	Long-term resistance to thermal load .....	109

Table 11 -- Criteria for testing long-term resistance to thermal load .....	109
8.4.3 Long-term resistance to condensate exposure .....	109
Table 12 -- Criteria for testing-long term resistance to condensate exposure .....	110
Table 13 -- Condensate composition, related to construction classes .....	110
8.4.4 Cyclic condensate resistance test .....	110
8.4.5 Relaxation behaviour .....	111
8.4.6 Compression set .....	111
8.4.7 Low temperature resistance .....	111
8.4.8 Joints in elastomeric seals .....	112
8.5 Operational characteristics .....	112
8.5.1 Minimum heat input .....	112
8.5.2 Nominal and minimum useful outputs .....	112
8.5.3 Ignition of permanent ignition burners by a spark generator .....	112
8.5.4 Ignition opening time (TIA) .....	113
8.5.5 Automatic water-operated gas valve .....	113
8.5.6 Adjustment of the water rate - Water temperature .....	114
Table 14 -- Maximum permitted deviation for the water rate in relation to the mean rate .....	115
8.5.7 Heating-up time .....	118
Table 15 -- Water temperature conditions depending on the control mode of the appliance .....	119
8.5.8 Specific rate .....	119
9 Marking and instructions .....	120
9.1 Water heater marking .....	120
9.1.1 Data plate .....	120
9.1.2 Markings related to the state of adjustment .....	121
9.1.3 Packaging .....	121
9.1.4 Warnings notices on the water heater and the packaging .....	122
9.1.5 Other information .....	123
9.2 Instructions .....	123
9.2.1 Instructions for installation .....	123
9.2.2 Instructions for use and servicing .....	129
9.2.3 Conversion instructions .....	131
9.3 Presentation .....	131
10 Nitrogen oxides emissions .....	132
11 Sound power level (LWA) .....	132
12 Figures referenced in this standard .....	133
Figure 1 -- Apparatus for verifying soundness of the gas circuit (see 6.1.6.5, 6.2.1.3 and Annex E)	133
Figure 2 -- Test of an appliance of types B11 and B11BS under abnormal draught conditions (see 6.7.2.2, test n° 1)	134
Figure 3 -- Probe for sampling the combustion products of appliances of types B11 and B11BS (see 6.9.2.1)	135
Figure 4 -- Test of a type C2 appliance mounted on the common duct (see 6.7.4.2)	136
Figure 5 -- Position of the sampling points in the horizontal plane of the sealed room (see 6.8.10.1.2.1 and Annex D)	137
Figure 6 -- Device for sampling the combustion products above the deflector for type AAS appliances (see 6.8.10.2.1.2 and 6.9.2.1)	138
Figure 7 -- Sampling probe for test flues of diameter equal to or greater than DN 100 (see 6.9.2.1)	139

Figure 8 -- Sampling probe for test flues of diameter less than DN 100 (see 6.9.2.1) .....	140
Figure 9 -- Probe for sampling and measuring the temperature of the combustion products (see 6.9.2.1) .....	141
Figure 10 -- Location of the probe for type C appliances (see 6.9.2.1) .....	142
Figure 11 -- Combustion products discharge safety device for type B11BS appliances (see 6.8.11.4.2.1 and 6.8.11.4.2.2) .....	143
Figure 12 -- Down-draught test for the type C7 water heaters (see 6.7.9.2 and 6.9.2.4.10) .....	144
Annex A (informative) National situations .....	145
A.1    General .....	145
A.2    Gas connections in common use in the various countries .....	145
Table A.1 -- Gas connections in common use .....	146
A.3    Flue pipe diameters in force in the various countries .....	148
Table A.2 -- Flue pipe diameters marketed .....	148
Annex B (normative) Test apparatus for type C1, C3, B4 and B5 water heaters (see 6.7.3.2) .....	149
Figure B.1 -- Test apparatus for type C1, B4 and B5 water heaters fitted with a horizontal terminal installed on a vertical wall .....	149
Figure B.2 -- Test apparatus for type C1, B4 and B5 water heaters fitted with a horizontal terminal installed on an inclined wall .....	150
Figure B.3 -- Test apparatus for type C3, B4 and B5 water heaters fitted with a vertical terminal installed on a horizontal wall .....	151
Figure B.4 -- Test apparatus for type C3, B4 and B5 water heaters fitted with a vertical terminal installed on an inclined wall .....	152
Annex C (normative) Test apparatus for type C21 appliances (see 6.7.4.2) .....	153
Annex D (normative) Description of the sealed room for the tests of type AAS appliances (see 6.8.10.1.2.1) .....	154
D.1    Configuration of the sealed room .....	154
D.2    Soundness of the room .....	154
D.3    Effectiveness of mixing .....	154
D.4    Equipment of the room .....	154
Annex E (informative) Soundness of the gas circuit test - Volumetric method (6.2.1) .....	155
E.1    Equipment .....	155
E.2    Test method .....	155
Annex F (informative) Principal symbols and abbreviations used .....	156
Annex G (informative) Guidelines for extension to other appliances categories .....	158
Annex H (normative) Lists of materials currently used for the construction of the gas water heaters .....	159
H.1    General .....	159
H.2    Special types of steel .....	159
Table H.1 -- Special types of steel .....	159

<b>H.3</b>	<b>Copper and copper alloys</b>	<b>159</b>
	<b>Table H.2 -- Copper and copper alloys</b>	<b>159</b>
<b>H.4</b>	<b>Plastic materials</b>	<b>160</b>
	<b>Table H.3 -- Examples of plastic materials</b>	<b>160</b>
	<b>Annex I (normative) Test methods to determine the effects of to long-term thermal load, long-term condensate exposure, condensing/ non-condensing cycling and resistance to UV radiation</b>	<b>161</b>
	<b>Annex J (informative) NOx conversion calculation</b>	<b>162</b>
	<b>Table J.1 -- Conversion of the emission value of NOx for first family gases</b>	<b>162</b>
	<b>Table J.2 -- Conversion of the NOx emission value for second family gases</b>	<b>162</b>
	<b>Table J.3 -- Conversion of the NOx emission value for third family gases</b>	<b>162</b>
	<b>Table J.4 -- Table of Ratio Gross/Net and Net/Gross for Gas Families 1, 2 and 3</b>	<b>163</b>
	<b>Annex K (normative) Parts in copper or copper alloys</b>	<b>164</b>
	<b>Table K.1 - Properties of parts in copper or copper alloys</b>	<b>164</b>
	<b>Annex L (informative) Compilation of the test conditions for the various gas families</b>	<b>165</b>
	<b>Table L.1 - First family</b>	<b>165</b>
	<b>Table L.2 - Second family</b>	<b>165</b>
	<b>Table L.3 - Third family</b>	<b>166</b>
	<b>Annex M (informative) Alternative Method for the determination of the nominal heat input or the maximum and minimum heat input (according to 6.3.1) for appliances using a pneumatic gas/air ratio control system</b>	<b>167</b>
	<b>Bibliography</b>	<b>168</b>