

DIN 30670-2:2024-01 (E)

Polyethylen coatings of steel pipes and fittings - Part 2: Requirements and testings of factory-applied sintered or flame sprayed coatings

| Contents | | Page |
|---|---|-------------|
| Foreword | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions | 8 |
| 4 | Symbols and abbreviations | 8 |
| 5 | Coating | 9 |
| 5.1 | General | 9 |
| 5.2 | Types of coating | 9 |
| 6 | Information to be supplied by the purchaser | 10 |
| 6.1 | Mandatory information | 10 |
| 6.2 | Order options | 10 |
| 7 | Application of the coating | 10 |
| 7.1 | General | 10 |
| 7.2 | Surface preparation | 13 |
| 7.3 | Structure of the coating | 13 |
| 7.3.1 | General | 13 |
| 7.3.2 | Epoxy resin primer | 15 |
| 7.3.3 | Polyethylene adhesive (PE adhesive) | 15 |
| 7.3.4 | Polyethylene coating | 15 |
| 7.3.5 | Cutback | 15 |
| 8 | Requirements and testing | 15 |
| 8.1 | General | 15 |
| 8.2 | Coating properties | 16 |
| 8.3 | Test method | 25 |
| 8.4 | Inspection documents | 25 |
| 9 | Repairs | 25 |
| 9.1 | General | 25 |
| 9.2 | Minor damage | 25 |
| 9.3 | Serious damage | 25 |
| 10 | Marking | 26 |
| 11 | Handling, transportation and storage | 26 |
| Annex A (normative) Measuring thickness | | 27 |
| A.1 | General | 27 |
| A.2 | Test report | 27 |
| Annex B (normative) Degree of cure of the epoxy resin layer | | 28 |
| B.1 | General | 28 |

| | | |
|---|--------------------------------|----|
| B.2 | Apparatus | 28 |
| B.3 | Description of method | 28 |
| B.3.1 | Sampling | 28 |
| B.3.2 | Measurement procedure | 28 |
| B.3.3 | Evaluation | 29 |
| B.4 | Test report | 29 |
| Annex C (normative) Cathodic disbondment (CD test) | | 30 |
| C.1 | General | 30 |
| C.2 | Apparatus | 30 |
| C.3 | Description of method | 32 |
| C.3.1 | Sample preparation | 32 |
| C.3.2 | Measurement procedure | 32 |
| C.3.3 | Evaluation | 32 |
| C.4 | Test report | 33 |
| Annex D (normative) Peel strength | | 34 |
| D.1 | General | 34 |
| D.2 | Apparatus | 34 |
| D.3 | Description of method | 37 |
| D.3.1 | Sample preparation | 37 |
| D.3.2 | Measurement procedure | 37 |
| D.3.3 | Evaluation | 37 |
| D.4 | Test report | 37 |
| Annex E (normative) Continuity (holiday detection) | | 38 |
| E.1 | General | 38 |
| E.2 | Test apparatus | 38 |
| E.3 | Procedure | 38 |
| E.4 | Test report | 39 |
| Annex F (normative) Strain at break | | 40 |
| F.1 | General | 40 |
| F.2 | Test apparatus | 40 |
| F.3 | Description of method | 40 |
| F.3.1 | Sample preparation | 40 |
| F.3.2 | Measurement procedure | 40 |
| F.3.3 | Evaluation | 41 |
| F.4 | Test report | 41 |
| Annex G (normative) Impact resistance and low temperature impact resistance | | 42 |
| G.1 | General | 42 |
| G.2 | Test apparatus | 42 |
| G.3 | Description of method | 42 |
| G.3.1 | Sample preparation | 42 |
| G.3.2 | Procedure and evaluation | 42 |
| G.4 | Test report | 43 |
| Annex H (normative) Indentation resistance | | 44 |
| H.1 | General | 44 |
| H.2 | Test apparatus | 44 |
| H.3 | Description of method | 44 |
| H.3.1 | Sample preparation | 44 |
| H.3.2 | Procedure and evaluation | 44 |
| H.4 | Test report | 44 |

| | |
|---|-----------|
| Annex I (normative) Specific electrical coating resistance | 45 |
| I.1 General | 45 |
| I.2 Test apparatus | 45 |
| I.3 Description of method | 45 |
| I.3.1 Sample preparation | 45 |
| I.3.2 Procedure and evaluation | 45 |
| I.4 Test report | 46 |
| Annex J (normative) UV resistance | 47 |
| J.1 General | 47 |
| J.2 Apparatus | 47 |
| J.3 Description of method | 47 |
| J.3.1 Sample preparation | 47 |
| J.3.2 Measurement procedure | 47 |
| J.3.3 Evaluation | 47 |
| J.4 Test report | 48 |
| Annex K (normative) Thermal ageing resistance | 49 |
| K.1 General | 49 |
| K.2 Test apparatus | 49 |
| K.3 Description of method | 49 |
| K.3.1 Sample preparation | 49 |
| K.3.2 Measurement | 49 |
| K.3.3 Evaluation | 49 |
| K.4 Test report | 49 |
| Bibliography | 51 |