

ISO 19887-1:2024-10 (E)

Gaseous Hydrogen - Fuel system components for hydrogen-fuelled vehicles - Part 1: Land vehicles

Contents

| | Page |
|---|-----------|
| Foreword..... | viii |
| Introduction..... | ix |
| 1 Scope | 1 |
| 1.1 Inclusions..... | 1 |
| 1.2 Applicability..... | 2 |
| 1.3 Exclusions..... | 2 |
| 2 Normative references | 2 |
| 3 Terms and definitions | 3 |
| 4 General requirements | 7 |
| 4.1 General construction and assembly..... | 7 |
| 4.1.1 Intended use..... | 7 |
| 4.1.2 Material requirements..... | 8 |
| 4.1.3 Threaded openings..... | 9 |
| 4.1.4 Service temperatures..... | 10 |
| 4.1.5 Design service life..... | 10 |
| 4.2 Failure modes and effects analysis (FMEA)..... | 10 |
| 4.3 Electrical equipment and wiring..... | 10 |
| 4.3.1 Openings..... | 10 |
| 4.3.2 Equipment..... | 10 |
| 4.3.3 Materials..... | 10 |
| 4.3.4 Connectors..... | 10 |
| 4.4 Component literature..... | 11 |
| 4.4.1 General..... | 11 |
| 4.4.2 Instructions – General..... | 11 |
| 4.4.3 Instructions – Additional considerations..... | 11 |
| 4.4.4 Installation instructions..... | 11 |
| 4.5 Marking..... | 11 |
| 4.5.1 General marking information..... | 11 |
| 4.5.2 Marking methods..... | 12 |
| 4.5.3 Exclusion of markings..... | 12 |
| 5 General test methods | 12 |
| 5.1 General test requirements..... | 12 |
| 5.1.1 Testing samples..... | 12 |
| 5.1.2 References to other standards..... | 12 |
| 5.1.3 Pressure and temperature requirements..... | 13 |
| 5.1.4 Test gases..... | 13 |
| 5.1.5 Material acceptance..... | 14 |
| 5.1.6 Multi-functional components..... | 14 |
| 5.1.7 Pre-cooling effects..... | 14 |
| 5.1.8 Electrically operated components..... | 14 |
| 5.2 Hydrostatic strength..... | 14 |
| 5.2.1 General..... | 14 |
| 5.2.2 Test method..... | 14 |
| 5.3 Leakage..... | 15 |
| 5.3.1 General..... | 15 |
| 5.3.2 External leakage..... | 15 |
| 5.3.3 Internal leakage..... | 15 |
| 5.3.4 Test conditions..... | 15 |

| | | |
|----------|--|-----------|
| 5.4 | Excess torque resistance..... | 16 |
| 5.5 | Bending moment..... | 16 |
| 5.6 | Continuous operation..... | 17 |
| | 5.6.1 General..... | 17 |
| | 5.6.2 Test method..... | 17 |
| 5.7 | Corrosion resistance..... | 18 |
| | 5.7.1 General..... | 18 |
| | 5.7.2 Salt spray exposure..... | 19 |
| | 5.7.3 Accelerated cyclic corrosion..... | 19 |
| 5.8 | Ultraviolet resistance of external surfaces..... | 21 |
| | 5.8.1 General..... | 21 |
| | 5.8.2 Ultraviolet resistance test..... | 21 |
| | 5.8.3 Pass criteria..... | 22 |
| 5.9 | Automotive fluid exposure..... | 22 |
| | 5.9.1 General..... | 22 |
| | 5.9.2 Test method..... | 22 |
| | 5.9.3 Fluids..... | 22 |
| | 5.9.4 Pass criteria..... | 22 |
| 5.10 | Atmospheric exposure..... | 22 |
| | 5.10.1 Oxygen aging..... | 23 |
| | 5.10.2 Ozone..... | 23 |
| 5.11 | Abnormal electrical voltages..... | 23 |
| | 5.11.1 Overvoltage testing..... | 23 |
| | 5.11.2 Minimum opening voltage..... | 24 |
| 5.12 | Non-metallic material hydrogen compatibility..... | 24 |
| | 5.12.1 General..... | 24 |
| | 5.12.2 Hydrogen gas exposure..... | 24 |
| 5.13 | Vibration resistance..... | 24 |
| | 5.13.1 Test method..... | 24 |
| | 5.13.2 Pass criteria..... | 25 |
| 5.14 | Stress corrosion cracking resistance..... | 25 |
| | 5.14.1 General..... | 25 |
| | 5.14.2 Test method..... | 25 |
| | 5.14.3 Pass criteria..... | 25 |
| 5.15 | Insulation resistance..... | 25 |
| 5.16 | Pre-cooled hydrogen exposure..... | 26 |
| 6 | Quality assurance..... | 26 |
| 7 | Production inspection and acceptance testing..... | 26 |
| | 7.1 Inspection and acceptance testing plan..... | 26 |
| | 7.2 Inspection of system critical components..... | 26 |
| | 7.3 External leak testing..... | 26 |
| 8 | Check valves..... | 26 |
| | 8.1 Marking..... | 26 |
| | 8.2 Construction and assembly..... | 27 |
| | 8.3 Tests..... | 27 |
| | 8.3.1 General..... | 27 |
| | 8.3.2 Continuous operation..... | 28 |
| | 8.3.3 Pass criteria..... | 28 |
| 9 | Manual valves..... | 28 |
| | 9.1 Marking..... | 29 |
| | 9.2 Construction and assembly..... | 29 |
| | 9.2.1 General..... | 29 |
| | 9.2.2 Handles..... | 29 |
| | 9.2.3 Emergency manual shut-off valves..... | 29 |
| | 9.2.4 Quarter-turn valves..... | 29 |
| | 9.2.5 Multi-turn valves..... | 29 |
| | 9.3 Tests..... | 29 |
| | 9.3.1 General..... | 29 |
| | 9.3.2 Continuous operation..... | 30 |
| | 9.3.3 Operating torque..... | 31 |
| | 9.3.4 Valve stem torque..... | 32 |

| | | |
|-----------|---|-----------|
| 10 | Manual container valves | 32 |
| 10.1 | Marking..... | 32 |
| 10.2 | Construction and assembly..... | 32 |
| | 10.2.1 General..... | 32 |
| | 10.2.2 Handle..... | 32 |
| | 10.2.3 Quarter-turn valves..... | 33 |
| | 10.2.4 Multi-turn valves..... | 33 |
| | 10.2.5 Internal excess flow valve..... | 33 |
| 10.3 | Tests..... | 33 |
| | 10.3.1 General..... | 33 |
| | 10.3.2 Continuous operation..... | 33 |
| | 10.3.3 Operating torque..... | 34 |
| | 10.3.4 Valve stem torque..... | 34 |
| 11 | Automatic valves and automatic container valves | 35 |
| 11.1 | Marking..... | 35 |
| 11.2 | Construction and assembly..... | 35 |
| | 11.2.1 General..... | 35 |
| | 11.2.2 De-energized position..... | 35 |
| | 11.2.3 Shut-off valve failure position..... | 35 |
| | 11.2.4 Internal excess flow valve..... | 35 |
| 11.3 | Tests..... | 35 |
| | 11.3.1 General..... | 35 |
| | 11.3.2 Continuous operation..... | 36 |
| | 11.3.3 Automatic valve manual override torque..... | 37 |
| 12 | Hydrogen injectors | 37 |
| 12.1 | Marking..... | 37 |
| 12.2 | Construction and assembly..... | 38 |
| | 12.2.1 General..... | 38 |
| | 12.2.2 De-energized position..... | 38 |
| 12.3 | Tests..... | 38 |
| | 12.3.1 General..... | 38 |
| | 12.3.2 Continuous operation..... | 38 |
| | 12.3.3 Insulation resistance..... | 39 |
| | 12.3.4 Pneumatic strength..... | 39 |
| | 12.3.5 Extreme temperature cycling..... | 39 |
| 13 | Pressure sensors, temperature sensors, and pressure gauges | 40 |
| 13.1 | Marking..... | 40 |
| 13.2 | Construction and assembly..... | 41 |
| | 13.2.1 General..... | 41 |
| | 13.2.2 Pressure gauge lens..... | 41 |
| 13.3 | Tests..... | 41 |
| | 13.3.1 General..... | 41 |
| | 13.3.2 Continuous operation..... | 41 |
| | 13.3.3 Abnormal electrical voltages..... | 42 |
| | 13.3.4 Insulation resistance..... | 43 |
| 14 | Pressure regulators | 43 |
| 14.1 | Marking..... | 43 |
| 14.2 | Construction and assembly..... | 43 |
| | 14.2.1 General..... | 43 |
| | 14.2.2 Nominal outlet pressure..... | 43 |
| | 14.2.3 Pressure regulator PRV..... | 43 |
| 14.3 | Tests..... | 43 |
| | 14.3.1 General..... | 43 |
| | 14.3.2 Hydrostatic strength..... | 44 |
| | 14.3.3 Leakage..... | 45 |
| | 14.3.4 Continuous operation..... | 45 |
| | 14.3.5 Pressure impulse..... | 45 |

| | | | |
|-----------|--------|---|-----------|
| | 14.3.6 | Pressure chamber – PRV operation..... | 46 |
| 15 | | Pressure relief valves..... | 46 |
| | 15.1 | Marking..... | 46 |
| | 15.2 | Construction and assembly..... | 46 |
| | 15.2.1 | General..... | 46 |
| | 15.2.2 | Venting..... | 46 |
| | 15.2.3 | Inspection and acceptance testing..... | 46 |
| | 15.3 | Tests..... | 46 |
| | 15.3.1 | General..... | 46 |
| | 15.3.2 | Hydrostatic strength..... | 47 |
| | 15.3.3 | Leakage..... | 47 |
| | 15.3.4 | Continuous operation..... | 47 |
| | 15.3.5 | Opening and reseating characteristics..... | 48 |
| 16 | | Pressure relief devices..... | 48 |
| 17 | | Excess flow valves..... | 48 |
| | 17.1 | Marking..... | 48 |
| | 17.2 | Construction and assembly..... | 49 |
| | 17.3 | Tests..... | 49 |
| | 17.3.1 | General..... | 49 |
| | 17.3.2 | Continuous operation..... | 49 |
| | 17.3.3 | Bypass flow..... | 49 |
| 18 | | Gastight housing and leakage capture passages..... | 50 |
| | 18.1 | Marking..... | 50 |
| | 18.2 | Construction and assembly..... | 50 |
| | 18.2.1 | General..... | 50 |
| | 18.2.2 | Inspection and acceptance testing..... | 50 |
| | 18.3 | Tests..... | 50 |
| | 18.3.1 | General..... | 50 |
| | 18.3.2 | Leakage..... | 51 |
| | 18.3.3 | Venting ability and pressure retention..... | 51 |
| | 18.3.4 | Pull-off..... | 52 |
| 19 | | Rigid fuel lines..... | 52 |
| | 19.1 | Marking..... | 52 |
| | 19.2 | Construction and assembly..... | 52 |
| | 19.3 | Tests..... | 52 |
| | 19.3.1 | General..... | 52 |
| | 19.3.2 | Continuous operation..... | 53 |
| | 19.3.3 | Bending..... | 53 |
| 20 | | Flexible fuel lines, hoses, and hose assemblies..... | 53 |
| | 20.1 | Markings..... | 54 |
| | 20.1.1 | General..... | 54 |
| | 20.1.2 | Bulk hoses..... | 54 |
| | 20.1.3 | Hose assemblies..... | 54 |
| | 20.1.4 | Marking surfaces..... | 55 |
| | 20.1.5 | Date code..... | 55 |
| | 20.2 | Construction, assembly, and installation instructions..... | 55 |
| | 20.2.1 | General..... | 55 |
| | 20.2.2 | Linings..... | 55 |
| | 20.2.3 | Hose cover..... | 55 |
| | 20.2.4 | Protection from permeation or leakage..... | 55 |
| | 20.2.5 | Static electricity dissipation..... | 56 |
| | 20.2.6 | End connections..... | 56 |
| | 20.2.7 | Component literature..... | 56 |
| | 20.3 | Tests..... | 56 |
| | 20.3.1 | General..... | 56 |
| | 20.3.2 | Hydrostatic strength..... | 57 |

| | | |
|-----------|--|-----------|
| 20.3.3 | Leakage..... | 58 |
| 20.3.4 | Corrosion resistance..... | 58 |
| 20.3.5 | Automotive fluid exposure..... | 59 |
| 20.3.6 | Vibration resistance..... | 60 |
| 20.3.7 | Pressure cycle..... | 61 |
| 20.3.8 | Electrical conductivity..... | 63 |
| 20.3.9 | Hose permeation..... | 64 |
| 20.3.10 | Ultraviolet light and water exposure..... | 65 |
| 20.3.11 | Hydrogen impulse..... | 65 |
| 20.3.12 | Ozone exposure resistance..... | 67 |
| 20.4 | Manufacturing plan..... | 67 |
| 20.4.1 | Documentation..... | 67 |
| 20.4.2 | Production processes..... | 67 |
| 20.4.3 | Leakage test conducted as production test..... | 67 |
| 21 | Filter assemblies..... | 68 |
| 21.1 | Marking..... | 68 |
| 21.2 | Construction and assembly..... | 69 |
| 21.2.1 | General..... | 69 |
| 21.2.2 | Electrical conductivity..... | 69 |
| 21.3 | Tests..... | 69 |
| 21.3.1 | General..... | 69 |
| 21.3.2 | Continuous operation..... | 69 |
| 22 | Fittings..... | 70 |
| 22.1 | Marking..... | 70 |
| 22.2 | Construction and assembly..... | 70 |
| 22.3 | Tests..... | 70 |
| 22.3.1 | General..... | 70 |
| 22.3.2 | Continuous operation..... | 71 |
| 22.3.3 | Repeated assembly..... | 71 |
| 23 | Non-metallic low-pressure rigid fuel lines..... | 71 |
| 23.1 | General..... | 71 |
| 23.2 | Marking..... | 71 |
| 23.3 | Construction and assembly..... | 72 |
| 23.4 | Tests..... | 72 |
| 23.4.1 | General..... | 72 |
| 23.4.2 | Hydrostatic strength..... | 72 |
| 23.4.3 | Continuous operation..... | 72 |
| 23.4.4 | Chloride resistance..... | 73 |
| 24 | Discharge line closures..... | 73 |
| 24.1 | Markings..... | 73 |
| 24.2 | Construction and assembly..... | 74 |
| 24.2.1 | General..... | 74 |
| 24.2.2 | Inspection and acceptance testing..... | 74 |
| 24.3 | Tests..... | 74 |
| 24.3.1 | General..... | 74 |
| 24.3.2 | Continuous operation..... | 75 |
| 24.3.3 | Water jet protection..... | 75 |
| 24.3.4 | Leakage venting..... | 75 |
| | Annex A (Informative) Extreme thermal cycling test..... | 76 |
| | Bibliography..... | 78 |