DIN EN 12405-1:2007-08 (E)

Gas meters - Conversion devices - Part 1: Volume conversion (includes Amendment A1:2006)

Contents

Page

1	Scope	9
2	Normative references	10
3	Terms, definitions and symbols	11
3.1	Terms and definitions	11
3.2	Symbols	15
3.3	Classification	17
3.3.1	Mechanical classes	17
3.3.2	Electromagnetic Environmental classes	17
4	Principle of measurement	17
4.1	Conversion as a function of temperature	17
4.2	Conversion as a function of pressure and temperature	18
4.3	Conversion as a function of pressure, temperature and deviation from the ideal gas law	18
4.4	Correction of the volume at measurement conditions	19
5	Rated operating conditions	19
5.1	Specified field of measurement	19
5.1.1	Specified measurement range for gas pressure	19
5.1.2	Specified measurement range for gas temperature	20
5.1.3	Gas characteristics	20
5.1.4	Base conditions	20
5.2	Environmental conditons	20
5.2.1	Ambient temperature range	20
5.2.2	Humidity range	20
5.2.3	Mechanical environment	20
5.2.4	Electromagnetic environment	20
5.3	Power supply	20
6	Construction requirements	21
6.1	General	21
6.2	Casings	22
6.3	Indications	22
6.3.1	General	22
6.3.2	Electronic indicating device	24
6.4	Inputs for volume conversion	24
6.5	Battery powered conversion device	24
6.6	Security devices and alarms	25
7	Installation requirements	26
7.1	General	26
7.2	Temperature transducer	26
7.3	Pressure transducer	26
8	Performance	26
8.1	Reference conditions	26
8.2	Rated operating conditions	27
8.3	Maximum permissible errors	27
8.3.1	General	27
8.3.2	Error of conversion	28

8.3.3 Specific errors for a gas-volume conversion device, type 2 28
8.4 Conditions of matching the constituent elements of a conversion device type 2 29
8.5 Influence factors 29
8.6 Disturbances 29
8.7 Durability 30
8.8 Repeatability 30
8.9 Reliability 30

9 Tests of conformity 30
9.1 Verification of the construction requirements 30
9.2 Verification of the performance requirements 30
9.2.1 Test conditions 30
9.2.3 Samples of gas volume conversion device type 1 required for testing 31
9.2.4 Samples of gas volume conversion devices type 2 required for testing 34
9.3 Test report 34

10 Marking 34

11 Installation and operating instructions 35

Annex A (normative) Type test 36

A.1 General conditions 36
A.1.1 General 36
A.1.2 Additional conditions specific to gas volume conversion devices type 1 36
A.1.3 Additional conditions specific to gas-volume conversion devices type 2 36
A.1.4 Test procedures 37
A.1.5 Verification of the construction requirements 39
A.2 Accuracy tests under reference conditions 39
A.2.1 Objective 39
A.2.2 Reference to documents 39
A.2.3 Procedure 39
A.2.4 Acceptance criteria 39
A.3 Effect of ambient temperature 39
A.3.1 Objective 39
A.3.2 Reference to documents 39
A.3.3 Procedure 39
A.3.4 Acceptance criteria 40
A.4 Effect of damp heat, steady state test 40
A.4.1 Objective 40
A.4.2 Reference to documents 40
A.4.3 Procedure 40
A.4.4 Acceptance criteria 40
A.5 Effect of damp heat, cyclic test 40
A.5.1 Objective 40
A.5.2 Reference to documents 41
A.5.3 Procedure 41
A.5.4 Acceptance criteria 41
A.6 Electrical power variation 41
A.6.1 Objective 41
A.6.2 Reference to documents 41
A.6.3 Procedure 41
A.6.4 Acceptance criteria 42
A.7 Short time power reductions 42
A.7.1 Objective 42
A.7.2 Reference to documents 42
A.7.3 Procedure 42
A.7.4 Acceptance criteria 42
A.8 Electrical bursts 43
A.8.1 Objective 43
A.8.2 Reference to documents 43
A.8.3 Procedure 43

A.8.4 Acceptance criteria 43
A.9 Electromagnetic susceptibility 43
A.9.1 Objective 43
A.9.2 Reference to dcouments 43
A.9.3 Procedure 43
A.9.4 Acceptance criteria 43
A.10 Electrostatic discharges 44
A.10.1 Objective 44
A.10.2 Reference to documents 44
A.10.3 Procedure 44
A.10.4 Acceptance criteria 44
A.11 Overload of pressure (only for type 1 and pressure transducers) 44
A.11.1 Objective 44
A.11.2 Reference to documents 44
A.11.3 Procedure 44
A.11.4 Acceptance criteria 45
A.12 Effect of vibrations 45
A.12.1 Objective 45
A.12.2 Reference to documents 45
A.12.3 Procedure 45
A.12.4 Acceptance criteria 45
A.13 Effect of shocks 45
A.13.1 Objective 45
A.13.2 Reference to documents 46
A.13.3 Procedure 46
A.13.4 Acceptance criteria 46
A.14 Overload of pressure (mechanical) 46
A.14.1 Objective 46
A.14.2 Reference to documents 46
A.14.3 Procedure 46
A.14.4 Acceptance criteria 47
A.15 Durability 47
A.15.1 Objective 47
A.15.2 Reference to documents 47
A.15.3 Procedure 47
A.15.4 Acceptance criteria 47
A.16 Alarms operation 47
A.16.1 Objective 47
A.16.2 Reference to documents 48
A.16.3 Procedure 48
A.16.4 Acceptance criteria 48
A.17 Repeatability 48
A.17.1 Objective 48
A.17.2 Reference to standards 48
A.17.3 Procedure 48
A.17.4 Acceptance criteria 48

Annex B (normative) Pressure transducers 49

B.1 Scope 49
B.2 Rated operating conditions 49
B.2.1 Specified measurement range for pressure 49
B.2.2 Environmental class 49
B.2.3 Power supply 49
B.3 Construction requirements 49
B.3.1 General 49
B.3.2 Casings 49
B.3.3 Indications 50
B.4 Performances 50
B.4.1 Reference conditions 50
B.4.2 Rated operating conditions 50
B.4.3 Maximum permissible errors 50

B.4.4 Influence factors 50
B.4.5 Disturbances 50
B.4.6 Durability 51
B.5 Tests of conformity 51
B.5.1 Test conditions 51
B.5.2 Tests 51
B.5.3 Sample of pressure transducers required for testing 51
B.6 Marking 51

Annex C (normative) Platinum resistance thermometer sensors 53

C.1 Scope 53
C.2 Operating rated conditions 53
C.2.1 Specified measurement range for temperature 53
C.2.2 Environmental class 53
C.3 Construction requirements 53
C.4 Performances 53
C.5 Marking 54
C.5.1 Required markings 54
C.5.2 Verification mark 54
C.6 Metrological verifications 54
C.6.1 Type approval 54
C.6.2 Initial verification 55
C.7 Verification procedure 55
C.7.1 Visual inspection 55
C.7.2 Type testing (type approval) 55
C.7.3 Samples of PRT required for testing 56
C.7.4 Initial verification 56

Annex D (normative) Temperature transducers 57

D.1 Scope 57
D.2 Rated operating conditions 57
D.2.1 Specified measurement range for temperature 57
D.2.2 Environmental class 57
D.2.3 Power supply 57
D.3 Construction requirements 57
D.3.1 General 57
D.3.2 Casings 57
D.3.3 Indications 58
D.4 Performances 58
D.4.1 Reference conditions 58
D.4.2 Rated operating conditions 58
D.4.3 Maximum permissible errors 58
D.4.4 Influence factors 58
D.4.5 Disturbances 58
D.4.6 Durability 59
D.5 Tests of conformity 59
D.5.1 Test conditions 59
D.5.2 Tests 59
D.5.3 Sample of temperature transducers required for testing 59
D.6 Marking 59

Annex E (informative) Model type test report for conversion devices 61

E.1 General 61
E.1.1 General remarks 61
E.1.2 Number of pages 61
E.1.3 Laboratory's identification 61
E.1.4 Applicant 61
E.1.5 Identification of device(s) submitted for testing 61
E.2 Accuracy tests under reference conditions 62

E.2.1 Ambient temperature during the test 62
E.2.2 Test equipment used 62
E.2.3 Test results 62
E.3 Ambient temperature 63
E.3.1 Effect of dry heat 63
E.3.2 Effect of cold 64
E.4 Effect of damp heat, steady state test 66
E.4.1 Ambient temperature during the test 66
E.4.2 Test equipment used 66
E.4.3 Test results 66
E.5 Effect of damp heat, cyclic test 67
E.5.1 Ambient temperature during the test 67
E.5.2 Test equipment used 67
E.5.3 Test results 68
E.6 Electrical power variation 69
E.6.1 AC power supply 69
E.6.2 DC power supply or battery supply 71
E.7 Short time power reductions 72
E.7.1 Test equipment used 72
E.7.2 Test results 72
E.8 Electrical bursts 73
E.8.1 Test equipment used 73
E.8.2 Test results 73
E.9 Electromagnetic immunity 75
E.9.1 Test equipment used 75
E.9.2 Test results 75
E.10 Electrostatic discharges 75
E.10.1 Test equipment used 75
E.10.2 Test results 76
E.11 Effect of an overload of static pressure 76
E.11.1 Ambient temperature during the test 76
E.11.2 Test equipment used 76
E.11.3 Test results 77
E.12 Effect of vibrations 78
E.12.1 Ambient temperature during the test 78
E.12.2 Test equipment used 78
E.12.3 Test results 78
E.13 Effect of shocks 79
E.13.1 Ambient temperature during the test 79
E.13.2 Test equipment used 79
E.13.3 Test results 79
E.14 Mechanical resistance to overload of static pressure 80
E.14.1 Ambient temperature during the test 80
E.14.2 Test equipment used 80
E.14.3 Test results 80
E.15 Durability 80
E.15.1 Ambient temperature during the test 80
E.15.2 Test equipment used 80
E.15.3 Test equipment used 81
E.16 Alarms operation 84
E.16.1 Ambient temperature during the test 84
E.16.2 Test equipment used 84
E.16.3 Test results 84
E.17 Repeatability 84

Annex F (informative) Model type test report for associated transducers 85

F.1 General 85
F.1.1 General remarks 85
F.1.2 Number of pages 85
F.1.3 Laboratory's identification 85
F.1.4 Applicant 85

F.1.5 Identification of device(s) submitted for testing 85
F.2 Accuracy tests under reference conditions 86
F.2.1 Ambient temperature during the test 86
F.2.2 Test equipment used 86
F.2.3 Test results 86
F.3 Ambient temperature 86
F.3.1 Effect of dry heat 86
F.3.2 Effect of cold 87
F.4 Effect of damp heat, steady state test 88
F.4.1 Ambient temperature during the test 88
F.4.2 Test equipment used 88
F.4.3 Test results 88
F.5 Effect of damp heat, cyclic test 89
F.5.1 Ambient temperature during the test 89
F.5.2 Test equipment used 89
F.5.3 Test results 90
F.6 Electrical power variation 90
F.6.1 AC power supply 90
F.6.2 DC power supply or battery supply 92
F.7 Short time power reductions 92
F.7.1 Ambient temperature during the test 92
F.7.2 Test equipment used 92
F.7.3 Test results 93
F.8 Electrical bursts 93
F.8.1 Ambient temperature during the test 93
F.8.2 Test equipment used 93
F.8.3 Test results 93
F.9 Electromagnetic immunity 94
F.9.1 Ambient temperature during the test 94
F.9.2 Test equipment used 94
F.9.3 Test results 95
F.10 Electrostatic discharges 95
F.10.1 Ambient temperature during the test 95
F.10.2 Test equipment used 95
F.10.3 Test results 96
F.11 Effect of an overload of static pressure 96
F.11.1 Ambient temperature during the test 96
F.11.2 Test equipment used 96
F.11.3 Test results 97
F.12 Effect of vibrations 98
F.12.1 Ambient temperature during the test 98
F.12.2 Test equipment used 98
F.12.3 Test results 98
F.13 Effect of shocks 98
F.13.1 Ambient temperature during the test 98
F.13.2 Test equipment used 98
F.13.3 Test results 99
F.14 Mechanical resistance to overload of static pressure 99
F.14.1 Ambient temperature during the test 99
F.14.2 Test equipment used 99
F.14.3 Test results 99
F.15 Durability 100
F.15.1 Ambient temperature during the test 100
F.15.2 Test equipment used 100
F.15.3 Test results 100
F.16 Repeatability 102

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2004/22 Measuring Instruments Directive 103

Bibliography 107