

DIN EN ISO 14161:2010-03 (E)

Sterilization of health care products - Biological indicators - Guidance for the selection, use and interpretation of results (ISO 14161:2009)

Contents		Page
Foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	General	10
5	Characteristics of biological indicators	12
5.1	General	12
5.2	Test organism suspension for direct inoculation of products	12
5.3	Inoculated carriers	13
5.4	Self-contained biological indicators	13
5.5	Other biological indicators	14
6	Selection of supplier	14
6.1	General	14
6.2	Documentation	15
7	Biological indicators in process development	16
7.1	General	16
7.2	Overkill approach	17
7.3	Combined biological indicator and bioburden method	17
7.4	Bioburden method	18
8	Biological indicators in sterilization validation	19
8.1	General	19
8.2	Placement and handling of biological indicators	19
8.3	Sterilizer qualification	19
8.4	Performance qualification	20
8.5	Review and approval of validation	20
8.6	Requalification	20
9	Biological indicators in routine monitoring	20
9.1	General	20
9.2	Placement and handling of biological indicators	21
9.3	Process challenge device (PCD)	21
10	Results	21
10.1	General	21
10.2	Interpretation of results	21
11	Application of biological indicator standards	22
11.1	General assessment of biological indicator performance by the user	22
11.2	Nominal population of test organism	22
11.3	Resistance determination	23
11.4	z value determination	25

11.5	F(T, z) equivalent sterilization value determination	27
11.6	Establishing spore-log-reduction (SLR)	28
11.7	Sterility assurance level (SAL) calculation	28
11.8	Test equipment	29
12	Culture conditions	29
12.1	General	29
12.2	Incubation temperature	29
12.3	Incubation period	30
12.4	Choice of growth medium	30
13	Third-party requirements	31
13.1	General	31
13.2	Minimum requirements for replicates and total number of biological indicators	31
13.3	Test equipment	31
14	Personnel training	32
15	Storage and handling	32
16	Disposal of biological indicators	32
	Annex A (informative) Microbiological inactivation kinetics and enumeration techniques	33
	Annex B (informative) Process challenge devices	39
	Annex C (informative) Formulae for fraction negative methods for D value calculations (adapted from ISO 11138-1:2006, Annex D)	40
	Annex D (informative) Examples of documentation for biological indicators prepared by the user ..	55
	Annex E (informative) Calculation of z value (adapted from ISO 11138-3:2006, Annex B)	59
	Annex F (informative) D value determination by survivor curve method (adapted from ISO 11138-1:2006, Annex C)	62
	Annex G (informative) Survival-kill response characteristics (adapted from ISO 11138-1:2006, Annex E)	66
	Bibliography	67